

1z0-931-20 Dumps

Oracle Autonomous Database Cloud 2020 Specialist

<https://www.certleader.com/1z0-931-20-dumps.html>



NEW QUESTION 1

Your customer has upgraded their on premise 11.2 database to 12.2. During this migration the database was migrated to a pluggable database and is now in production.

How should the customer unplug their database to migrate to Autonomous Database (ADB)?

- A. Pluggable databases cannot be migrated to ADB using plug, unplug or clone.
- B. Create a database link from source database to the ADB environment and clone the PDB.
- C. Unplug to an xml file so database files and xml file can be uploaded to object storage.
- D. Unplug into a pdb archive which can be uploaded to object storage.

Answer: A

Explanation:

Since an ADB database has some restrictions on the object types and Oracle Database Options you need to use a logical migration method rather than a physical one.

The main migration tool for migrating to ADB is Data Pump. You can export your schemas and import them into ADB using Data Pump. To sync up the additional/incremental changes on the source database during the export/import process you can use GoldenGate or GoldenGate Cloud Service to replicate those changes to ADB.

In the current release you cannot use physical migration methods like backup/restore, Data Guard, Pluggable/Unplug , database clones, and transportable tablespaces to move your existing database to ADB.

NEW QUESTION 2

Which statement is correct about managing and monitoring of Autonomous Database?

- A. You can use Service console to move Autonomous DB between compartments.
- B. You can use Service console to create manual backups of Autonomous database.
- C. You can use Service console to enable or disable auto scaling of Autonomous DB.
- D. You can use Service console to manage runaway SQL statements on Autonomous DB.

Answer: A

NEW QUESTION 3

An Autonomous Database (ADB) user with an instance wallet has left the company and they shared a database user id with other users when accessing ADB. Other than changing the shared user password, what can the admin do to protect the instance?

- A. Trust the user who left to not access the database.
- B. Shutdown and restart the instance.
- C. Rotate the instance wallet and share the new wallet with the remaining users.
- D. Delete the user.

Answer: B

NEW QUESTION 4

You have a requirement to create an Autonomous Transaction Processing database that can support at least 200 concurrent statements per OCPU as well as parallelism.

Which service will you need to connect to?

- A. TPURGENT
- B. TP
- C. MEDIUM
- D. LOW

Answer: A

Explanation:

tpurgent: The highest priority application connection service for time critical transaction processing operations. This connection service supports manual parallelism.

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/connect-predefined.html#GUID-9747539B-FD46-44F1-8>

NEW QUESTION 5

What REST verb is used to create an Autonomous Database service using REST APIs?

- A. An "INSERT" REST call
- B. A "GET" REST call
- C. A "POST" REST call
- D. A "PUT" REST call

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/rest-api/SendRequests.html>

NEW QUESTION 6

Which two statements are FALSE about creating a metadata-only clone with a private endpoint network access option?

- A. Current settings for ACLs are cloned.
- B. Clone can be in a different region.
- C. All OML notebooks are cloned.
- D. All underlying data for OML notebooks is cloned.
- E. All resource management rules are cloned.

Answer: CE

NEW QUESTION 7

What are two differentiators of Oracle Autonomous Database Dedicated Infrastructure?

- A. Users have OS access to the database machine.
- B. Users can customize the maintenance schedule.
- C. It offers greater control and isolation starting at the Exadata cloud infrastructure level.
- D. Users have SYS privileges in the database.
- E. Users can customize the OS stack and add additional packages

Answer: CD

NEW QUESTION 8

The Oracle Autonomous Database dedicated Exadata infrastructure feature is based upon which Oracle Cloud resources?

- A. Oracle Machine Learning Zeppelin Notebook, Autonomous Exadata Infrastructure, Fleet Administrator, Database Administrator,
- B. Virtual Cloud Network, Compartments, Policies, Autonomous Exadata Infrastructure
- C. Autonomous Exadata Infrastructure, Autonomous Backup, Autonomous Container Database, Autonomous Database
- D. Fleet Administrator, Database Administrator, Database User, Autonomous Exadata Infrastructure

Answer: A

NEW QUESTION 9

For Fleet admins to access dedicated Exadata infrastructure, which policy should be assigned?

- A. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'DW'
- B. Allow group ADB-Admins to manage autonomous-database in tenancy.
- C. Allow group ADB-Admins to manage autonomous-database-family in tenancy.
- D. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'OLTP'

Answer: D

NEW QUESTION 10

In the Autonomous Database (ADB) Dedicated service, what does the fleet administrator use to control OCPU utilization?

- A. Oracle Machine Learning notebook
- B. Compartment quotas
- C. Resource Manager settings
- D. SQL Developer Web Console

Answer: C

NEW QUESTION 10

What is the correct way to list all files in the default data pump directory?

- A. By executing select * from DBMS_CLOUD.LIST_FILES('DATA_PUMP_DIR');
- B. You cannot list files in the default data pump directory from Autonomous Data Warehouse (ADW).
- C. Log onto ADW server and issue ls -al on the command line.
- D. By executing select * from utl_file . list ('DATA_PUMP_DIR ') ;

Answer: A

NEW QUESTION 15

While Autonomous Transaction Processing and Autonomous Data Warehouse use the same Oracle database, which statement is true about the workloads?

- A. Autonomous Transaction Processing memory usage optimizes workloads for parallel joins and aggregations.
- B. Autonomous Data Warehouse workloads are optimized for mixed workloads.
- C. Autonomous Transaction Processing workloads are optimized for data warehouse, data mart, and data lake.
- D. Data that is bulk loaded, by default, uses the row format in Autonomous Transaction Processing where Autonomous Data Warehouse data format is columnar.

Answer: D

Explanation:

- Both ADW and ATP share the Autonomous Database platform of Oracle Database on Exadata Cloud infrastructure.

The difference is how the services have been optimized within the database. When you start loading data into the autonomous database, we store the data in the appropriate format for the workload.

* If it is ADW, then we store data in columnar format because that's the best format for analytics processing.

• If it is ATP, then we store the data in row format because that's the best format for fast single row lookups.

- Oracle Autonomous Database is offered in two workload-optimized flavors

- * Autonomous Data Warehouse (ADW), which has been optimized for analytic workloads
- Autonomous Transaction Processing (ATP). ATP is optimized for transaction processing or mixed workload <https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2-EA04-414> <https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2-EA04-414>

NEW QUESTION 20

Which three event types are supported for Autonomous Database?

- A. Terminate End
- B. Maintenance Begin
- C. Change Compartment Begin
- D. Change Autoscaling Configuration Compartment
- E. Update IORM Begin

Answer: ABC

Explanation:

<https://docs.oracle.com/en-us/iaas/Content/Events/Reference/eventsproducers.htm>

NEW QUESTION 22

Which statement is NOT correct when setting up compartment quotas?

- A. There are three types of quota policy statements which are set, unset and zero.
- B. Compartment quotas use policies that allow allocation of resources with a high level of flexibility.
- C. Along with compartment budgets, compartment quotas create a powerful toolset to manage your spending.
- D. Compartment quotas are set by Oracle.

Answer: C

NEW QUESTION 24

Which statement is true about connecting an OCI compute instance to a Shared Autonomous Database?

- A. The Autonomous Database must be in the same VCN and Subnet as the Compute instance.
- B. The OCI compute instance does not support connecting to a Shared Autonomous Database.
- C. The Autonomous Database must belong to a Network Security Group (NSG).
- D. The OCI compute instance can be used with an Always-Free Autonomous Database account.
- E. A Private Endpoint is required to connect to the Shared-Autonomous Database.

Answer: A

NEW QUESTION 27

Which workload type does the Autonomous Database on dedicated infrastructure service currently support?

- A. Autonomous Transaction Processing only
- B. ATP and ADW
- C. Autonomous Data Warehouse only
- D. Hybrid Columnar compression

Answer: C

NEW QUESTION 28

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-931-20 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-931-20-dumps.html>