

1z0-931-20 Dumps

Oracle Autonomous Database Cloud 2020 Specialist

<https://www.certleader.com/1z0-931-20-dumps.html>



NEW QUESTION 1

Which two statements are true when running DBMS_CLOUD.COPY_DATA? (Choose two.)

- A. The source file can be in either Oracle Standard Storage or Oracle Archive Storage bucket in the Object Store.
- B. The source files can reside in Oracle Object Storage, Amazon S3 Object storage, or Azure Blob storage.
- C. A valid credential must be created prior to running the DBMS_CLOUD.COPY_DATA procedure.
- D. The source file will be automatically removed after the DBMS_CLOUD.COPY_DATA procedure finishes successfully.
- E. The target table will be created in Autonomous Database if it does not already exist.

Answer: BC

Explanation:

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/file-uri-formats.html#GUID-5D3> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/dbms-cloud.html#GUID-9428EA>

NEW QUESTION 2

Which statement is correct about managing and monitoring of Autonomous Database?

- A. You can use Service console to move Autonomous DB between compartments.
- B. You can use Service console to create manual backups of Autonomous database.
- C. You can use Service console to enable or disable auto scaling of Autonomous DB.
- D. You can use Service console to manage runaway SQL statements on Autonomous DB.

Answer: A

NEW QUESTION 3

Which two methods can you use to create users and grant roles in Autonomous Database services? (Choose two.)

- A. through the Oracle Cloud Infrastructure service console
- B. through SQL/Developer s
- C. using DBMS_CLOUD_ADMIN package
- D. through SQLPlus

Answer: BD

Explanation:

<https://oracle-base.com/articles/vm/oracle-cloud-autonomous-data-warehouse-adw-create-service> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connect-sqlplus.html#GUID-A30> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connect-sql-dev.html#GUID-FB6> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/dbms-cloud-admin.html#GUID-D>

NEW QUESTION 4

Which three statements are true about procedures in the DBMS_CLOUD package? (Choose three.)

- A. The DBMS_CLOUD.PUT_OBJECT procedure copies a file from Cloud Object Storage to the Autonomous Data Warehouse.
- B. The DBMS_CLOUD.CREATE_CREDENTIAL procedure stores Cloud Object Storage credentials in the Autonomous Data Warehouse database.
- C. The DBMS_CLOUD.VALIDATE_EXTERNAL_TABLE procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Data Warehouse.
- D. The DBMS_CLOUD.DELETE_FILE procedure removes the credentials file from the Autonomous Data Warehouse database.
- E. The DBMS_CLOUD.CREATE_EXTERNAL_TABLE procedure creates an external table on files in the clou
- F. You can run queries on external data from the Autonomous Data Warehouse.

Answer: BCE

Explanation:**DELETE_FILE Procedure**

This procedure removes the specified file from the specified directory on Autonomous Data Warehouse. **CREATE_CREDENTIAL Procedure**

This procedure stores Cloud Object Storage credentials in the Autonomous Data Warehouse database. Use stored credentials for data loading or for querying external data residing in the Cloud.

PUTOBJECT Procedure

This procedure copies a file from Autonomous Data Warehouse to the Cloud Object Storage. The maximum file size allowed in this procedure is 5 gigabytes (GB).

VALIDATE EXTERNAL TABLE Procedure

This procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Data Warehouse.

CREATE_EXTERNAL_TABLE Procedure

This procedure creates an external table on files in the Cloud. This allows you to run queries on external data from Autonomous Data Warehouse.

To use Data Pump from ADB, a credential identifying the Object Storage bucket to use must be defined with a DBMS_CLOUD.CREATE_CREDENTIAL function.

This will allow ADB to access objects that are stored in the object store , including dump files. To export an existing database to prepare for import into ADB, use the XTP command and add the ex elude option for database functionality that is not recommended or supported in ADB. This will prevent errors during the imp oil process.

This process is not automatic. And if the logs are not moved, you will receive a warning when running the MDB that the logs are not there. In this example, we're moving the log import.log to object store with a DBMS_CLOUD.PUT_OBJECT command.

VALIDATE_EXTERNAL_TABLE Procedure

This procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Database. The overloaded form enables you to use the operation_id parameter.

PUT_OBJECT Procedure

This procedure copies a file from Autonomous Database to the Cloud Object Storage. The maximum file size allowed in this procedure is 5 gigabytes (GB)

DELETE FILE Procedure

This procedure removes the specified file from the specified directory on Autonomous Database.

CREATE_EXTERNAL_TABLE Procedure

This procedure creates an external table on files in the Cloud. This allows you to run queries on external data from Autonomous Database.

NEW QUESTION 5

How can an Autonomous Database resource be provisioned without logging into the Oracle Cloud Infrastructure console?

- A. It cannot be done.
- B. Using Database Configuration Assistant (DBCA) on the database server.
- C. Using the Oracle Cloud Infrastructure Command Line interface tool or REST API calls.
- D. Connecting to the Cloud Infrastructure Command console via SSH wallet.

Answer: C

Explanation:

The CLI is a small footprint tool that you can use on its own or with the Console to complete Oracle Cloud Infrastructure tasks. The CLI provides the same core functionality as the Console, plus additional commands.

<https://blogs.oracle.com/datawarehousing/managing-autonomous-data-warehouse-using-oci-curl> Examples of using Autonomous Database managing by REST API

<https://oracle.github.io/learning-library/workshops/autonomous-transaction-processing/LabGuide900ConfigureO>

NEW QUESTION 6

Your customer wants to permanently disable scheduled maintenance on Autonomous Dedicated Infrastructure to keep their current database version(s).

How can they achieve this?

- A. Change the Automatic Maintenance Schedule to 'None'd.
- B. Change the Automatic Maintenance Schedule to 'Specify a Schedule' but do not select any month, week or day.
- C. You cannot permanently disable scheduled Automatic Maintenance.
- D. Change the Automatic Maintenance Schedule to 'No Preference'.

Answer: B

NEW QUESTION 7

How do you change the tablespace quota for a user on Autonomous Database on Shared Infrastructure?

- A. Execute alter database for user MTHEO tablespace DATA quota = 10G;
- B. Execute alter user MTHEO quota unlimited on tablespace DATA;
- C. Execute DBMS_CLOUD_ADMI
- D. GRANT_TABLESPACE_QOOTA (username => 'MTHEO' ,Tablespace____quota => "UNLIMITED*");
- E. Execute alter tablespace DATA set quota = 10G;

Answer: D

NEW QUESTION 8

What is the default port number for accessing a newly created Autonomous Database?

- A. A.-1524B.1522C.1521D.1523E.1526

Answer: B

Explanation:

<https://www.oracle.com/a/ocom/docs/cloud/autonomous-database-100.pdf>

NEW QUESTION 9

The Oracle Autonomous Database dedicated Exadata infrastructure feature is based upon which Oracle Cloud resources?

- A. Oracle Machine Learning Zeppelin Notebook, Autonomous Exadata Infrastructure, Fleet Administrator, Database Administrator,
- B. Virtual Cloud Network, Compartments, Policies, Autonomous Exadata Infrastructure
- C. Autonomous Exadata Infrastructure, Autonomous Backup, Autonomous Container Database, Autonomous Database
- D. Fleet Administrator, Database Administrator, Database User, Autonomous Exadata Infrastructure

Answer: A

NEW QUESTION 10

For Fleet admins to access dedicated Exadata infrastructure, which policy should be assigned?

- A. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'DW'
- B. Allow group ADB-Admins to manage autonomous-database in tenancy.
- C. Allow group ADB-Admins to manage autonomous-database-family in tenancy.
- D. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'OLTP'

Answer: D

NEW QUESTION 10

What are three methods to load data into the Autonomous Database?

- A. Oracle GoldenGate
- B. Transportable Tablespace
- C. RMAN Restore
- D. Oracle Data Pump
- E. SQL*Loader

Answer: ADE

Explanation:

<https://www.oracle.com/database/technologies/datawarehouse-bigdata/adb-faqs.html#ATPD> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/load-data-intro.html#GUID-5D2F>

NEW QUESTION 11

What is the correct way to list all files in the default data pump directory?

- A. By executing `select * from DBMS_CLOUD.LIST_FILES('DATA_PUMP_DIR');`
- B. You cannot list files in the default data pump directory from Autonomous Data Warehouse (ADW).
- C. Log onto ADW server and issue `ls -al` on the command line.
- D. By executing `select * from utl_file . list ('DATA_PUMP_DIR ') ;`

Answer: A

NEW QUESTION 14

When in the SQL Monitoring tab of the Performance Hub you see a clock icon in the status column. What does this mean?

- A. The SQL statement completed its execution.
- B. The SQL statement is executing.
- C. The SQL statement is queued.
- D. The SQL statement did not complete either due to an error.

Answer: C

NEW QUESTION 19

Which two options are available to restore an Autonomous Data Warehouse? (Choose two.)


- A. Backup and recovery must be done using Recovery Manager(RMAN).
- B. Select the snapshot of the backup.
- C. Select the archived redo logs.
- D. Select the backup from which restore needs to be done.
- E. Specify the point in time (timestamp) to restore.

Answer: DE

Explanation:

In the Restore prompt, select Specify Timestamp or Select Backup to restore to a point in time or to restore from a specified backup.

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/backup-recover.html#GUID-78>



NEW QUESTION 21

Which statement is NOT correct when setting up compartment quotas?

- A. There are three types of quota policy statements which are set, unset and zero.
- B. Compartment quotas use policies that allow allocation of resources with a high level of flexibility.
- C. Along with compartment budgets, compartment quotas create a powerful toolset to manage your spending.
- D. Compartment quotas are set by Oracle.

Answer: C

NEW QUESTION 23

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-931-20 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-931-20-dumps.html>