

JavaScript-Developer-I Dumps

Salesforce Certified JavaScript Developer I

<https://www.certleader.com/JavaScript-Developer-I-dumps.html>



NEW QUESTION 1

Refer to the code snippet:

```
01 function getAvailabilityMessage(item) {  
02     if (getAvailability(item)) {  
03         var msg = "Username available";  
04     }  
05     return msg;  
06 }
```

A developer writes this code to return a message to user attempting to register a new username. If the username is available, variable. What is the return value of msg hen getAvailabilityMessage ("newUserName") is executed and getAvailability("newUserName") returns false?

- A. "Username available"
- B. "newUserName"
- C. "Msg is not defined"
- D. undefined

Answer: D

NEW QUESTION 2

Refer to the following code:

Let sampleText = 'The quick brown foxjumps';

A developer needs to determine if a certain substring is part of a string. Which three expressions return true for the given substring ?

Choose 3 answers

- A. sampleText.includes('fox');
- B. sampleText.includes(' quick ', 4);
- C. sampleText.includes('Fox ', 3)
- D. sampleText.includes(' fox ');
- E. sampleText.includes(' quick ') !== -1;

Answer: BDE

NEW QUESTION 3

Refer to the code below:

```
01 let o = {  
02     get js() {  
03         let city1 = String('St.Louis');  
04         let city2 = String('New York');  
05  
06         return {  
07             firstCity: city1.toLowerCase(),  
08             secondCity: city2.toLowerCase(),  
09         }  
10     }  
11 }
```

What value can a developer expect when referencing o.js.secondCity?

- A. Undefined
- B. ' new york '
- C. ' New York '
- D. An error

Answer: B

NEW QUESTION 4

Refer to the code below: Let str = 'javascript'; Str[0] = 'J';

Str[4] = 'S';

After changing the string index values, the value of str is 'javascript'. What is the reason for this value:

- A. Non-primitive values are mutable.
- B. Non-primitive values are immutable.
- C. Primitive values are mutable.
- D. Primitive values are immutable.

Answer: D

NEW QUESTION 5

A developer at Universal Containers creates a new landing page based on HTML, CSS, and JavaScript TO ensure that visitors have a good experience, a script named personaliseContext needs to be executed when the webpage is fully loaded (HTML content and all related files), in order to do some custom initialization. Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

- A. document.addEventListener('onDOMContentLoaded', personalizeWebsiteContext);
- B. window.addEventListener('load',personalizeWebsiteContext);
- C. window.addEventListener('onload', personalizeWebsiteContext);
- D. Document.addEventListener('DOMContentLoaded' , personalizeWebsiteContext);

Answer: B

NEW QUESTION 6

A team that works on a big project uses npm to deal with projects dependencies. A developer added a dependency does not get downloaded when they execute npm install.

Which two reasons could be possible explanations for this?

Choose 2 answers

- A. The developer missed the option --add when adding the dependency.
- B. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.
- C. The developer missed the option --save when adding the dependency.
- D. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.

Answer: BCD

NEW QUESTION 7

A developer creates an object where its properties should be immutable and prevent properties from being added or modified.

Which method should be used to execute this business requirement ?

- A. Object.const()
- B. Object.eval()
- C. Object.lock()
- D. Object.freeze()

Answer: D

NEW QUESTION 8

A developer is creating a simple webpage with a button. When a user clicks this button for the first time, a message is displayed.

The developer wrote the JavaScript code below, but something is missing. The message gets displayed every time a user clicks the button, instead of just the first time.

```
01 function listen(event) {  
02  
03   alert('Hey! I am John Doe');  
04  
05 }  
06 button.addEventListener('click', listen);
```

Which two code lines make this code work as required? Choose 2 answers

- A. On line 02, use event.first to test if it is the first execution.
- B. On line 04, use event.stopPropagation (),
- C. On line 04, use button.removeEventListener(' click" , listen);
- D. On line 06, add an option called once to button.addEventListener().

Answer: CD

NEW QUESTION 9

A class was written to represent items for purchase in an online store, and a second class Representing items that are on sale at a discounted price. The constructor sets the name to the first value passed in. The pseudocode is below:

```
class Item {  
  constructor(name, price){  
    ... // Constructor Implementation  
  }  
}  
  
class SaleItem extends Item {  
  constructor(name, price, discount){  
    ... // Constructor Implementation  
  }  
}
```

There is a new requirement for a developer to implement a description method that will return a brief description for Item and SaleItem.

```
01 let regItem = new Item('Scarf', 55);
02 let saleItem = new SaleItem('Shirt', 80, .1);
03 Item.prototype.description = function() { return 'This is a ' + this.name; }
04 console.log(regItem.description());
05 console.log(saleItem.description());
06
07 SaleItem.prototype.description = function() { return 'This is a discounted ' + this.name; }
08 console.log(regItem.description());
09 console.log(saleItem.description());
```

What is the output when executing the code above ?

- A. This is a ScarfUncaught TypeError:saleItem.description is not a function This is aScarfThis is a discounted Shirt
- B. This is a Scarf This is a Shirt This is a ScarfThis is a discounted Shirt
- C. This is a Scarf This is a ShirtThis is a discounted Scarf This is a discounted Shirt
- D. This is a ScarfUncaught TypeError: saleItem.description is not a function This is a ShirtThis is a did counted Shirt

Answer: B

NEW QUESTION 10

Which three browser specific APIs are available for developers to persist data between page loads ? Choose 3 answers

- A. IIFEs
- B. indexedDB
- C. Global variables
- D. Cookies
- E. localStorage.

Answer: ABE

NEW QUESTION 10

developer is trying to convince management that their team will benefit from using

Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript.

Which three benefits of Node.js can the developer use to persuade their manager? Choose 3 answers:

- A. It installs with its own package manager to install and manage third-party libraries.
- B. Ensures stability with one major release every few years.
- C. Performs a static analysis on code before execution to look for runtime errors.
- D. Executes server-side JavaScript code to avoid learning a new language.
- E. User non blocking functionality for performant request handling .

Answer: ACE

NEW QUESTION 11

Refer to the code below:

```
Let car1 = new Promise((_, reject) => setTimeout(reject, 2000, "car 1 crashed in" =>
```

```
Let car2 =new Promise(resolve => setTimeout(resolve, 1500, "car 2 completed") Let car3 =new Promise(resolve => setTimeout(resolve, 3000, "car 3 completed")
```

```
Promise.race([ car1, car2, car3])
```

```
.then (value => (
```

```
Let result = `${value} the race.`;})
```

```
.catch(arr => {
```

```
console.log("Race is cancelled.", err);
```

```
});
```

What is the value of result when Promise.race executes?

- A. Car 3 completes the race
- B. Car 2 completed the race.
- C. Car 1 crashed in the race.
- D. Race is cancelled.

Answer: B

NEW QUESTION 16

A developer needs to test this function:

```
01const sum3 = (arr) => (
```

```
02if (!arr.length) return 0,
```

```
03if (arr.length === 1) return arr[0],
```

```
04if (arr.length === 2) return arr[0]+ arr[1],
```

```
05 return arr[0] + arr[1] + arr[2],
```

```
06 );
```

Which two assert statements are valid tests for the function? Choose 2 answers

- A. console.assert(sum3(1, '2')) == 12;
- B. console.assert(sum3(0)) == 0;
- C. console.assert(sum3(-3, 2)) == -1;
- D. console.assert(sum3('hello', 2, 3, 4)) === NaN;

Answer: AC

NEW QUESTION 19

Refer to the HTML below:

```
<div id="main">
<ul>
<li>Leo</li>
<li>Tony</li>
<li>Tiger</li>
</ul>
</div>
```

Which JavaScript statement results in changing “ Tony” to “Mr. T.”?

- A. document.querySelectorAll('\$main \$TONY').innerHTML = ' M
- B. ';
- C. document.querySelector('\$main li:second-child').innerHTML = ' M
- D. ';
- E. document.querySelector('\$main li.Tony').innerHTML = ' M
- F. ';
- G. document.querySelector('\$main li:nth-child(2)'),innerHTML = ' M
- H. ';

Answer: D

NEW QUESTION 22

Refer to the code below:

```
1 let car1 = new promise( (_, reject) =>
2 setTimeout(reject, 2000, "Car 1 crashed in");
3 let car2 = new Promise(resolve => setTimeout(resolve, 1500, "Car 2 completed"));
4 let car3 = new Promise(resolve => setTimeout (resolve, 3000, "Car 3 Completed"));
5 Promise.race([car1, car2, car3]) 06 .then(value => (
07 let result = $(value) the race. `; 08 ))
9 catch( arr => (
10 console.log("Race is cancelled.", err); 11 ));
```

What is the value of result when Promise.race executes?

- A. Car 3 completed the race.
- B. Car 1 crashed in the race.
- C. Car 2 completed the race.
- D. Race is cancelled.

Answer: C

NEW QUESTION 26

Which three actions can be using the JavaScript browser console? Choose 3 answers:

- A. View and change DOM the page.
- B. Display a report showing the performance of a page.
- C. Run code that is not related to page.
- D. view , change, and debug the JavaScript code of the page.
- E. View and change security cookies.

Answer: ACD

NEW QUESTION 28

Given the following code:

```
01 let x = null;
02 console.log(typeof x);
```

is the output of line 02?

- A. "x"
- B. "null"
- C. "object"
- D. "undefined"

Answer: C

NEW QUESTION 30

A developer writes the code below to calculate the factorial of a given number.


```
01 function factorial(number) {
02   return number * factorial(number - 1);
03 }
04 factorial(3);
```

What is the result of executing line 04?

- A. 6
- B. -Infinity
- C. RuntimeError

Answer: D

Explanation:



NEW QUESTION 35

A test has a dependency on database.query. During the test, the dependency is replaced with an object called database with the method, Calculator query, that returns an array. The developer does not need to verify how many times the method has been called. Which two test approaches describe the requirement? Choose 2 answers

- A. White box
- B. Stubbing
- C. Black box
- D. Substitution

Answer: AD

NEW QUESTION 38

A developer wants to use a module named universalContainersLib and then call functions from it. How should a developer import every function from the module and then call the functions foo and bar?

- A. import * from '/path/universalContainersLib.js'; universalContainersLib.foo(); universalContainersLib.bar();
- B. foo ()7 universalContainersLib.bar ();
- C. import {foo,bar} from '/path/universalContainersLib.js'; foo():bar()?
- D. import all from '/path/universalContainersLib.js'; universalContainersLib.foo(); universalContainersLib.bar ();
- E. import * as lib from '/path/universalContainersLib.js'; lib.foo();li
- F. bar ();

Answer: D

NEW QUESTION 42

Refer to the code below:

```
FunctionPerson(firstName, lastName, eyeColor) { this.firstName =firstName;
this.lastName = lastName;
this.eyeColor = eyeColor;
}
Person.job = 'Developer';
const myFather = new Person('John', 'Doe'); console.log(myFather.job);
```

What is the output after the code executes?

- A. ReferenceError: eyeColor is not defined
- B. ReferenceError: assignment to undeclared variable "Person"
- C. Developer
- D. Undefined

Answer: D

NEW QUESTION 43

A developer wants to leverage a module to print a price in pretty format, and has imported a method as shown below:

```
Import printPrice from '/path/PricePrettyPrint.js';
```

Based on the code, what must be true about the printPrice function of the PricePrettyPrint module for this import to work ?

- A. printPrice must be a named export
- B. printPrice must be an all export
- C. printPrice must be the default export
- D. printPrice must be a multi export

Answer: C

NEW QUESTION 47

Given the following code:

```
Let x =(‘15’ + 10)*2;
```

What is the value of a?

- A. 3020
- B. 1520
- C. 50

D. 35

Answer: A

NEW QUESTION 49

Refer to the code below? LetsearchString = ' look for this ';

Which two options remove the whitespace from the beginning of searchString? Choose 2 answers

- A. searchString.trimEnd();
- B. searchString.trimStart();
- C. trimStart(searchString);
- D. searchString.replace(/*\s*/, "");

Answer: BD

NEW QUESTION 53

Given HTML below:

```
<div>
  <div id="row-uc">Universal Containers</div>
  <div id="row-as">Applied Shipping</div>
  <div id="row-bt">Burlington Textiles</div>
</div>
```

Which statement adds the priority = account CSS class to the universal CContainers row ?

- A. Document.querySelector('#row-uc').classes.push('priority-account');
- B. Document .queryElementById('row-uc').addClass('priority-account');
- C. Document .querySelector('#row-uc').classList.add('priority-account');
- D. Document .querySelectorALL('#row-uc').classList.add('priority-account');

Answer: B

NEW QUESTION 56

Refer to the code below: function changeValue(param) { Param =5;

}

Let a =10;

Let b =5; changeValue(b);

Const result = a+ " - " + b;

What is the value of result when code executes?

- A. 10 -10
- B. 5 -5
- C. 5 - 10
- D. 10 - 5

Answer: A

NEW QUESTION 59

Refer to the following code:

```
01 let obj = {
02   foo: 1,
03   bar: 2
04 }
05 let output = [];
06
07 for (let something in obj) {
08   output.push(something);
09 }
10
11 console.log(output);
```

What is the output line 11?

- A. [1,2]
- B. ["bar","foo"]
- C. ["foo","bar"]
- D. ["foo:1","bar:2"]

Answer: C

NEW QUESTION 62

Refer to the code below:

```
const searchText = 'Yay! Salesforce is amazing!';

let result1 = searchText.search(/sales/i);
let result2 = searchText.search(/sales/);

console.log(result1);
console.log(result2);
```

After running this code, which result is displayed on the console?

- A. > true > false
- B. > 5 > undefined
- C. > 5 > -1
- D. >5 > 0

Answer: B

Explanation:



```
1 import 'bootstrap@4.6.0'
2 import $ from 'jquery'
3
4 const searchText = 'Yay! Salesforce is amazing!';
5
6 let result1 = searchText.search(/sales/i);
7 let result2 = searchText.search(/sales/);
8
9 console.log(result1);
10 console.log(result2);
```

The screenshot shows a code editor with the above JavaScript code. Below the editor, a console window is open, displaying the output of the code. The first log statement outputs the value 5, and the second log statement also outputs the value 5.

NEW QUESTION 65

developer creates a new web server that uses Node.js. It imports a server library that uses events and callbacks for handling server functionality. The server library is imported with require and is made available to the code by a variable named server. The developer wants to log any issues that the server has while booting up. Given the code and the information the developer has, which code logs an error at boot with an event?

- A. Server.catch ((server) => { console.log('ERROR', error);});
- B. Server.error ((server) => { console.log('ERROR', error);});
- C. Server.on ('error', (error) => { console.log('ERROR', error);});
- D. Try{server.start();} catch(error) { console.log('ERROR', error);}

Answer: C

NEW QUESTION 69

developer removes the HTML class attribute from the checkout button, so now it is simply:

<button>Checkout</button>.

There is a test to verify the existence of the checkout button, however it looks for a button with class= "blue". The test fails because no such button is found. Which type of test category describes this test?

- A. True positive
- B. True negative
- C. False positive
- D. False negative

Answer: D

NEW QUESTION 72

Refer to code below: console.log(0);
setTimeout(() => (console.log(1);
});
console.log(2); setTimeout(() => { console.log(3);
, 0);
console.log(4);
In which sequence will the numbers be logged?

- A. 01234
- B. 02431
- C. 02413
- D. 13024

Answer: C

NEW QUESTION 73

Considering type coercion, what does the following expression evaluate to? True + '13' + NaN

- A. ' 113Nan '
- B. 14
- C. ' true13 '
- D. ' true13NaN '

Answer: D

NEW QUESTION 74

Refer to the code:

```
01 function Animal(size, type) {  
02   this.size = size || 'small';  
03   this.type = type || 'Animal';  
04   this.canTalk = false;  
05 }  
06  
07 let Pet = function(size, type, name, owner) {  
08   Animal.call(this, size, type);  
09   this.name = name;  
10   this.owner = owner;  
11 }  
12  
13 Pet.prototype = Object.create(Animal.prototype);  
14 let pet1 = new Pet();
```

Given the code above, which three properties are set pet1? Choose 3answers:

- A. Name
- B. canTalk
- C. Type
- D. Owner
- E. Size

Answer: BCE

NEW QUESTION 77

A developer has a formatName function that takes two arguments, firstName and lastName and returns a string. They want to schedule the function to run once after five seconds.
What is the correct syntax to schedule this function?

- A. setTimeout (formatName(), 5000, "John", "BDoe");
- B. setTimeout (formatName('John', "Doe'), 5000);
- C. setTimout(() => { formatName("John", 'Doe') }, 5000);
- D. setTimeout ('formatName', 5000, 'John', "Doe');

Answer: D

NEW QUESTION 79

Refer to code below:

Let productSKU = '8675309' ;

A developer has a requirement to generate SKU numbers that are always 19 characters lon, starting with 'sku',and padded with zeros.

Which statement assigns the values sku00000000008675309 ?

- A. productSKU = productSKU .padStart (19. '0').padstart('sku');

- B. productSKU = productSKU .padEnd (16. '0').padstart('sku');
C. productSKU = productSKU .padEnd (16. '0').padstart(19, 'sku');
D. productSKU = productSKU .padStart (16. '0').padstart(19, 'sku');

Answer: D

NEW QUESTION 82

Refer to the following code:

```
<html lang="en">
<body>
<div onclick = "console.log('Outer message') ;">
<button id ="myButton">CLick me<button>
</div>
</body>
<script>
function displayMessage(ev) { ev.stopPropagation(); console.log('Inner message. ');
}
const elem =document.getElementById('myButton'); elem.addEventListener('click' , displayMessage);
</script>
</html>
```

What will the console show when the button is clicked?

- A. Outer message
B. Outer message Inner message
C. Inner message Outer message
D. Inner message

Answer: D

NEW QUESTION 87

developer uses the code below to format a date.

```
01 const date = new Date(2020, 05, 10);
02 const dateDisplayOptions = {
03   year: 'numeric',
04   month: 'long',
05   day: 'numeric'
06 };
07
08 const formattedDate = date.toLocaleDateString('en', dateDisplayOptions);
```

After executing, what is the value offormattedDate?

- A. May 10, 2020
B. June 10, 2020
C. October 05, 2020
D. November 05, 2020

Answer: A

NEW QUESTION 89

A test has a dependency on database.query. During the test the dependency is replaced with an object called database with the method, query, that returns an array. The developer needs to verify how many times the method was called and the arguments used each time.

Which two test approaches describe the requirement? Choose 2 answers

- A. Integration
B. Black box
C. White box
D. Mocking

Answer: CD

NEW QUESTION 92

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type =" text" value="Hello" name ="input">
<button type ="button" >Display </button>
```

The developer wrote the javascript code below:

```
Const button = document.querySelector('button'); button.addEvenListener('click', () => (
Const input = document.querySelector('input'); console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello". What needs to be done make this code work as expected?

- A. Replace line 04 with console.log(input .value);
B. Replace line 03 with const input = document.getElementByName('input');
C. Replace line 02 with button.addEventListener("onclick", function() {
D. Replace line 02 with button.addCallback("click", function() {

Answer: A

NEW QUESTION 95

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation. `const deliveryDate = new Date ();`
Due to changes in the business requirements, the delivery date must now be today's date + 9 days.
Which code meets this new requirement?

- A. `deliveryDate.setDate((new Date ()).getDate () +9);`
- B. `deliveryDate.setDate(Date.current () + 9);`
- C. `deliveryDate.date = new Date(+9) ;`
- D. `deliveryDate.date = Date.current () + 9;`

Answer: A

NEW QUESTION 100

Which two console logs output NaN? Choose 2 answers | |

- A. `console.log(10 / Number('5')) ;`
- B. `console.log(parseInt ' ("two')) ;`
- C. `console.log(10 / 0);`
- D. `console.log(10 / 'five');`

Answer: BD

NEW QUESTION 101

Refer to the code below:

```
const resolveAfterMilliseconds = (ms) => Promise.resolve ( setTimeout (( => console.log(ms), ms ));  
const aPromise = await resolveAfterMilliseconds(500);  
const bPromise = await resolveAfterMilliseconds(500);  
await aPromise, wait bPromise;
```

What is the result of running line 05?

- A. aPromise and bPromise run sequentially.
- B. Neither aPromise or bPromise runs.
- C. aPromise and bPromise run in parallel.
- D. Only aPromise runs.

Answer: B

NEW QUESTION 104

Which statement accurately describes the behaviour of the `async/await` keywords ?

- A. The associated class contains some asynchronous functions.
- B. The associated function will always return a promise
- C. The associated function can only be called via asynchronous methods
- D. The associated function sometimes returns a promise.

Answer: B

NEW QUESTION 108

Teams at Universal Containers(UC) work on multiple JavaScript projects at the same time. UC is thinking about reusability and how each team can benefit from the work of others. Going open-source or public is not an option at this time.
Which option is available to UC with npm?

- A. Private packages can be scoped, and scopes can be associated to a private registries.
- B. Private registries are not supported by npm, but packages can be installed via URL.
- C. Private packages are not supported, but they can use another package manager like yarn.
- D. Private registries are not supported by npm, but packages can be installed via git.

Answer: A

NEW QUESTION 112

Consider type coercion, what does the following expression evaluate to? `True + 3 + '100' + null`

- A. 104
- B. 4100
- C. '3100null'
- D. '4100null'

Answer: D

NEW QUESTION 115

Refer to the following array: `Let arr = [1,2, 3, 4, 5];`
Which three options result in x evaluating as `[3, 4, 5]` ? Choose 3 answers.

- A. `Let x= arr.filter ((a) => (a<2));`
- B. `Let x=arr.splice(2,3);`
- C. `Let x= arr.slice(2);`
- D. `Let x= arr.filter((a) => (return a>2));`

E. Let x = arr.slice(2,3);

Answer: BCD

NEW QUESTION 117

Which statement accurately describes an aspect of promises?

- A. Arguments for the callback function passed to .then() are optional.
- B. In a.then() function, returning results is not necessary since callbacks will catch the result of a previous promise.
- C. .then() cannot be added after a catch.
- D. .then() manipulates and returns the original promise.

Answer: A

NEW QUESTION 121

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code:

```
function calculateBill ( items ) { let total = 0;  
total += findSubTotal(items); total += addTax(total);  
total += addTip(total); return total;  
}
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Using the debugger command on line 05.
- B. Using the debugger command on line 03
- C. Calling the console.trace (total) method on line 03.
- D. Wrapping findSubtotal in a console.log() method.

Answer: A

NEW QUESTION 126

Which two console logs outputs NaN? Choose 2 answers

- A. console.log(10/ Number('5'));
- B. console.log(parseInt('two'));
- C. console.log(10/ "five");
- D. console.log(10/0);

Answer: BC

NEW QUESTION 128

Which statement phrases successfully?

- A. JSON.parse (' foo ');
- B. JSON.parse (" foo ");
- C. JSON.parse(" ' foo ' ");
- D. JSON.parse(' " foo " ');

Answer: D

NEW QUESTION 132

In which situation should a developer include a try .. catch block around their function call ?

- A. The function has an error that shouldnot be silenced.
- B. The function results in an out of memory issue.
- C. The function might raise a runtime error that needs to be handled.
- D. The function contains scheduled code.

Answer: C

NEW QUESTION 137

A developer has two ways to write a function: Option A:

```
function Monster() { This.growl = () => { Console.log ("Grr!");  
}  
}
```

Option B:

```
function Monster() {}; Monster.prototype.growl =() => { console.log("Grr!");  
}
```

After deciding on an option, the developer creates 1000 monster objects. How many growl methods are created with Option AOption B?

- A. 1 growl method is created for Option
- B. 1000 growl methods are created for Option B.
- C. 1000 growl method is created for Option
- D. 1 growl methods are created for Option B.
- E. 1000 growl methods are created regardless of which option is used.
- F. 1 growl method is created regardless of which option is used.

Answer: B

NEW QUESTION 140

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type="text" value="Hello" name="input">
<button type="button">Display</button>
```

The developer wrote the javascript code below:

```
01 const button = document.querySelector('button');
02 button.addEventListener('click', () => {
03   const input = document.querySelector('input');
04   console.log(input.getAttribute('value'));
05 });
```

When the user clicks the button, the output is always “Hello”. What needs to be done to make this code work as expected?

- A. Replace line 04 with console.log(input .value);
- B. Replace line 03 with const input = document.getElementById('input');
- C. Replace line 02 with button.addCallback(“click”, function() {
- D. Replace line 02 with button.addEventListener(“onclick”, function() {

Answer: A

NEW QUESTION 144

Given two expressions var1 and var2. What are two valid ways to return the logical AND of the two expressions and ensure it is data type Boolean ? Choose 2 answers:

- A. Boolean(var1 && var2)
- B. var1 && var2
- C. var1.toBoolean() && var2.toBoolean()
- D. Boolean(var1) && Boolean(var2)

Answer: AD

NEW QUESTION 148

Given code below: setTimeout (() => (console.log(1);

). 0);

console.log(2);

New Promise ((resolve, reject)) => (setTimeout(() => (reject(console.log(3));

). 1000);

)).catch(() => (console.log(4);

));

console.log(5);

What is logged to the console?

- A. 2 1 4 3 5
- B. 2 5 13 4
- C. 1 2 4 3 5
- D. 1 2 5 3 4

Answer: B

NEW QUESTION 151

A developer is leading the creation of a new browser application that will serve a single page application. The team wants to use a new web framework Minimalsit.js. The Lead developer wants to advocate for a more seasoned web framework that already has a community around it.

Which two frameworks should the lead developer advocate for? Choose 2 answers

- A. Vue
- B. Angular
- C. Koa
- D. Express

Answer: BD

NEW QUESTION 154

Refer to the code snippet below: Let array = [1, 2, 3, 4, 4, 5, 4, 4];

For (let i =0; i < array.length; i++) if (array[i] === 4) {

array.splice(i, 1);

}

}


```
let array = [1, 2, 3, 4, 4, 5, 4, 4];
for (let i = 0; i < array.length; i++){
  if (array[i] === 4) {
    array.splice(i, 1);
  }
}
console.log(array)
```

▶ (6) [1, 2, 3, 4, 5, 4] VM1963:7

undefined

What is the value of array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 4, 5, 4]
- C. [1, 2, 3, 5]
- D. [1, 2, 3, 4, 5, 4]

Answer: B

NEW QUESTION 159

A developer implements a function that adds a few values.

```
01 function sum(num) {
02   if (num === undefined) {
03     num = 0;
04   }
05   return function(num2, num3) {
06     if (num3 === undefined) {
07       num3 = 0;
08     }
09     return num + num2 + num3;
10   }
11 }
```

Which three options can the developer invoke for this function to get a return value of 10 ? Choose 3 answers

- A. Sum () (20)
- B. Sum (5, 5) ()
- C. sum() (5, 5)
- D. sum(5)(5)
- E. sum(10) ()

Answer: CD

NEW QUESTION 161

What is the result of the code block?

```
flag();
anotherFlag();

function flag() {
  console.log('flag');
}

const anotherFlag = () => {
  console.log('another flag');
}
```

- A. The console logs only 'flag'.
- B. The console logs 'flag' and another flag.
- C. An error is thrown.
- D. The console logs 'flag' and then an error is thrown.

Answer: D

NEW QUESTION 162

developer wants to use a module named universalContainersLib and then call functions from it.
How should a developer import every function from the module and then call the functions foo and bar ?

- A. import * as lib from '/path/universalContainersLib.js'; lib.foo();lib.bar();
- B. import {foo, bar} from '/path/universalContainersLib.js'; foo();bar();
- C. import all from '/path/universalContainerLib.js'; universalContainersLib.foo(); universalContainersLib.bar();
- D. import * from '/path/universalContainerLib.js'; universalContainersLib.foo(); universalContainersLib.bar();

Answer: A

NEW QUESTION 165

A developer wants to define a function log to be used a few times on a single-file JavaScript script.

```
01 // Line 1 replacement
02 console.log("LOG:", logInput);
03 }
```

Which two options can correctly replace line 01 and declare the function for use? Choose 2 answers


- A. function log(logInput) {
- B. const log(logInput) {
- C. const log = (logInput) => {
- D. function log = (logInput) {

Answer: AC

NEW QUESTION 167

Refer to the following array:

Let arr1 = [1, 2, 3, 4, 5];



```
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = arr1.slice(0, 5);

console.log(arr2)
▶ (5) [1, 2, 3, 4, 5] VM1767:4
undefined

let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = Array.from(arr1);
console.log(arr2)
▶ (5) [1, 2, 3, 4, 5] VM1827:3
undefined
```

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. Let arr2 = arr1.slice(0, 5);
- B. Let arr2 = Array.from(arr1);
- C. Let arr2 = arr1;
- D. Let arr2 = arr1.sort();

Answer: AB

NEW QUESTION 171

Which option is true about the strict mode in imported modules?

- A. Add the statement use non-strict, before any other statements in the module to enable not-strict mode.
- B. You can only reference notStrict() functions from the imported module.
- C. Imported modules are in strict mode whether you declare them as such or not.
- D. Add the statement use strict =false; before any other statements in the module to enable not- strict mode.

Answer: B

NEW QUESTION 174

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your JavaScript-Developer-I Exam with Our Prep Materials Via below:

<https://www.certleader.com/JavaScript-Developer-I-dumps.html>