



**Microsoft**

## **Exam Questions SC-300**

Microsoft Identity and Access Administrator

### NEW QUESTION 1

- (Exam Topic 1)

You need to implement on-premises application and SharePoint Online restrictions to meet the authentication requirements and the access requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE:Each correct selection is worth one point.

For on-premises applications:

- ☐ Configure Cloud App Security policies.
- ☐ Modify the User consent settings for the enterprise applications.
- ☐ Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

- ☐ Configure Cloud App Security policies.
- ☐ Modify the User consent settings for the enterprise applications.
- ☐ Publish an application by using Azure AD Application Proxy.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

For on-premises applications:

- ☐ Configure Cloud App Security policies.
- ☐ Modify the User consent settings for the enterprise applications.
- ☒ Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

- ☒ Configure Cloud App Security policies.
- ☐ Modify the User consent settings for the enterprise applications.
- ☐ Publish an application by using Azure AD Application Proxy.

### NEW QUESTION 2

- (Exam Topic 1)

You need to identify which roles to use for managing role assignments. The solution must meet the delegation requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE:Each correct selection is worth one point.

To manage Azure AD built-in role assignments, use:

- ☒ Global administrator
- ☒ Privileged role administrator
- ☒ Security administrator
- ☒ User access administrator

To manage Azure built-in role assignments, use:

- ☒ Global administrator
- ☒ Privileged role administrator
- ☒ Security administrator
- ☒ User access administrator

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal> <https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

### NEW QUESTION 3

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.

Users connect to the internet by using a hardware firewall at your company. The users authenticate to the firewall by using their Active Directory credentials.

You plan to manage access to external applications by using Azure AD.

You need to use the firewall logs to create a list of unmanaged external applications and the users who access them.

What should you use to gather the information?

- A. Application Insights in Azure Monitor
- B. access reviews in Azure AD
- C. Cloud App Discovery in Microsoft Cloud App Security
- D. enterprise applications in Azure AD

**Answer: C**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/create-snapshot-cloud-discovery-reports#using-traffic-logs>

### NEW QUESTION 4

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to Implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

**Answer: D**

### NEW QUESTION 5

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

All users who run applications registered in Azure AD are subject to conditional access policies. You need to prevent the users from using legacy authentication.

What should you include in the conditional access policies to filter out legacy authentication attempts?

- A. a cloud apps or actions condition
- B. a user risk condition
- C. a client apps condition
- D. a sign-in risk condition

**Answer: C**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

### NEW QUESTION 6

- (Exam Topic 3)

You have a Microsoft Exchange organization that uses an SMTP' address space of contoso.com.

Several users use their contoso.com email address for self-service sign up to Azure Active Directory (Azure AD).

You gain global administrator privileges to the Azure AD tenant that contains the self-signed users.

You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services.

Which PowerShell cmdlet should you run?

- A. Set-MsolCompanySettings
- B. Set-MsolDomainFederationSettings
- C. Update-MsolfederatedDomain
- D. Set-MsolDomain

**Answer: A**

#### Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/directory-self-service-signup>

### NEW QUESTION 7

- (Exam Topic 3)

You have an Azure Active Directory (Azure Azure) tenant that contains the objects shown in the following table.

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Five groups named Group1, Group2, Group3, Ciroup4, and Group5

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group4
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	Group5
Group5	Microsoft 365	Assigned	User5

How many licenses are used if you assign the Microsoft Office 365 Enterprise E5 license to Group1?

- A. 2
- B. 3
- C. 4

**Answer: B**

#### NEW QUESTION 8

- (Exam Topic 3)

You have a Microsoft 365 tenant that contains a group named Group1 as shown in the Group1 exhibit. (Click the Group 1 tab.)

```
PS C:\> Get-AzureADGroup -SearchString "Group1" | Get-AzureADGroupOwner
ObjectID      DisplayName UserPrincipalName  UserType
-----
a7f7d405-636f-4493-b971-5c2b7a131b1c Admin          admin@m365x629615.onmicrosoft.com Member

PS C:\> Get-AzureADGroup -SearchString "Group1" | Get-AzureADGroupMember |ft displayname
DisplayName
-----
User1
User4
Group3
```

You create an enterprise application named App1 as shown in the App1 Properties exhibit. (Click the App1 Properties tab.)

Dashboard > ContosoAzureAD > Enterprise applications > App1

### App1 | Properties

Enterprise Application

Overview | Deployment Plan | Manage | Properties | Owners | Roles and administrators (Preview) | Users and groups | Single sign-on | Provisioning | Application proxy | Self-service | Security | Conditional Access | Permissions | Activity | Sign-ins

Save | Discard | Delete | Got feedback?

Enabled for users to sign-in? ☒ Yes ☐ No

Name \*

Homepage URL

Logo

User access URL

Application ID

Object ID

Terms of Service URL

Privacy Statement URL

Reply URL

User assignment required? ☒ Yes ☐ No

Visible to users? ☒ Yes ☐ No

You configure self-service for App1 as shown in the App1 Self-service exhibit: (Click the App1 Self-service tab.)

Dashboard > ContosoAzureAD > Enterprise applications > App1

### App1 | Self-service

Enterprise Application

Overview | Deployment Plan | Manage | Properties | Owners | Roles and administrators (Preview) | Users and groups | Single sign-on | Provisioning | Application proxy | Self-service | Security | Conditional Access | Permissions | Activity | Sign-ins

Save | Discard

Allow users to request access to this application? ☒ Yes ☐ No

To which group should assigned users be added?   
☒ Group 1

Require approval before granting access to this application? ☒ Yes ☐ No

Who is allowed to approve access to this application?   
☒ 1 users selected

To which role should users be assigned in this application?

#### Select approvers

Search

User1 ☒ User1@m365x629615.onmicrosoft.com  
 User2 ☐ User2@m365x629615.onmicrosoft.com  
 User3 ☐ User3@m365x629615.onmicrosoft.com  
 User4 ☐ User4@m365x629615.onmicrosoft.com

**Selected approvers**

User1 ☒ User1@m365x629615.onmicrosoft.com

For each of the following statements, select Yes if the statement is true, Otherwise select NO. NOTE: Each correct selection is worth one point.



Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	<input type="radio"/>	<input type="radio"/>
After you configure self-service for App1, the owner of Group1 is User1.	<input type="radio"/>	<input type="radio"/>
App1 appears in the Microsoft Office 365 app launcher of User4.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	<input type="radio"/>	<input checked="" type="radio"/>
After you configure self-service for App1, the owner of Group1 is User1.	<input type="radio"/>	<input checked="" type="radio"/>
App1 appears in the Microsoft Office 365 app launcher of User4.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 9

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that has multi-factor authentication (MFA) enabled. The account lockout settings are configured as shown in the following exhibit.

Account lockout

Temporarily lock accounts in the multi-factor authentication service if there are too many denied authentication attempts in a row. This feature only applies to users who enter a PIN to authenticate.

Number of MFA denials to trigger account lockout \*

3

Minutes until account lockout counter is reset \*

60

Minutes until account is automatically unblocked \*

30

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address  
Microsoft Authenticator app code  
password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30  
60  
90

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address  
Microsoft Authenticator app code  
password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30  
60  
90

NEW QUESTION 10

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click the Exhibit tab.)

## Create an access review

Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name \*

Description

Start date \*

Frequency

Duration (in days)

End ☒ Never ☐ End by ☐ Occurrences

Number of times

End date

Users

Scope ☒ Everyone

Review role membership (permanent and eligible) \*

[Application Administrator and 72 others](#)

Reviewers

Reviewers

(Preview) Fallback reviewers

✓ Upon completion settings

Start

You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.

Solution: You create a separate access review for each role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

## NEW QUESTION 10

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant.

You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

- A. home prions
- B. mobile app notification
- C. a mobile app code
- D. an email to an address in your organization

Answer: A

## NEW QUESTION 15

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click theExhibittab.)

### Create an access review

Access reviews allow reviewers to attest to whether users still need to be in a role.

**Review name \*** Admin review ✓

**Description ⓘ**

**Start date \*** 12/18/2020

**Frequency** Monthly

**Duration (in days) ⓘ** 14

**End ⓘ** **Never** End by Occurrences

**Number of times** 0

**End date** 01/17/2021

**Users**

**Scope** ☒ Everyone

**Review role membership (permanent and eligible) \***  
 Application Administrator and 72 others

**Reviewers**

**Reviewers** (Preview) Manager

**(Preview) Fallback reviewers ⓘ**  
 Megan Bowen

✓ Upon completion settings

Start

You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.

Solution: You modify the properties of the IT administrator user accounts. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

### Explanation:

Reference:

D18912E1457D5D1DDCBD40AB3BF70D5D

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

## NEW QUESTION 16

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains a user named SecAdmin1. SecAdmin1 is assigned the Security administrator role.

SecAdmin1 reports that she cannot reset passwords from the Azure AD Identity Protection portal.

You need to ensure that SecAdmin1 can manage passwords and invalidate sessions on behalf of nonadministrative users. The solution must use the principle of least privilege. Which role should you assign to SecAdmin1?

- A. Authentication administrator
- B. Helpdesk administrator
- C. Privileged authentication administrator
- D. Security operator

**Answer: C**

### Explanation:



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

#### NEW QUESTION 19

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named Contoso.com. The company has a business partner named Fabrikam, Inc.

Fabrikam uses Azure AD and has two verified domain names of fabrikam.com and litwareinc.com. Both domain names are used for Fabrikam email addresses.

You create a connected organization for Fabrikam.

You need to ensure that the package1 will be accessible only to users who have fabrikam.com email addresses. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To allow access for users who have fabrikam.com email addresses, configure:

An access package assignment in Identity Governance  
 An access package policy in Identity Governance  
 A conditional access policy in Azure AD  
 The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

An access package assignment in Identity Governance  
 An access package policy in Identity Governance  
 A conditional access policy in Azure AD  
 The External collaboration settings in Azure AD

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To allow access for users who have fabrikam.com email addresses, configure:

An access package assignment in Identity Governance  
 An access package policy in Identity Governance  
 A conditional access policy in Azure AD  
 The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

An access package assignment in Identity Governance  
 An access package policy in Identity Governance  
 A conditional access policy in Azure AD  
 The External collaboration settings in Azure AD

#### NEW QUESTION 24

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to connect to Microsoft Exchange Online.

You need to ensure that users can connect to Exchange only run email clients that use Modern authentication protocols.

What should you implement?

You need to ensure that use Modern authentication

- A. a compliance policy in Microsoft Endpoint Manager
- B. a conditional access policy in Azure Active Directory (Azure AD)
- C. an application control profile in Microsoft Endpoint Manager
- D. an OAuth policy in Microsoft Cloud App Security

Answer: C

#### NEW QUESTION 27

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant.

You need to review the Azure AD sign-ins log to investigate sign-ins that occurred in the past. For how long does Azure AD store events in the sign-in log?

- A. 14 days
- B. 30 days
- C. 90 days
- D. 365 days

Answer: B

#### NEW QUESTION 32

- (Exam Topic 3)

You have a Microsoft 365 tenant.

In Azure Active Directory (Azure AD), you configure the terms of use.

You need to ensure that only users who accept the terms of use can access the resources in the tenant. Other users must be denied access.

What should you configure?



- Answer: C**

## Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use>

- (Exam Topic 3)

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.  
Azure AD Connect is configured in Azure as shown in the following exhibit.

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only  
B. User1 and User 3 only  
C. User1, and User2 only  
D. User1, User2, and User3

**Answer: A**

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled. You are creating a conditional access policy as shown in the following exhibit.

## New

### Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name \*

Policy1 ✓

#### Assignments

Users and groups ⓘ >  
 Specific users included

Cloud apps or actions ⓘ >  
 All cloud apps

Conditions ⓘ >  
 0 conditions selected

#### Access controls

Grant ⓘ >  
 0 controls selected

Session ⓘ >  
 0 controls selected

Control user access based on users and groups assignment for all users, specific groups of users, directory roles, or external guest users. [Learn more](#)

#### Include

#### Exclude

- ☐ None  
☐ All users  
☒ Select users and groups

- ☐ All guest users (preview) ⓘ  
☐ Directory roles (preview) ⓘ

☒ Users and groups

Select ⓘ >

1 user

US User1  
 user1@sk200922outlook.onm...

#### Enable policy

Report-only On Off

Create

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

- A. Mastered  
 B. Not Mastered

Answer: A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

**NEW QUESTION 45**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure pass-through authentication. Does this meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

**NEW QUESTION 46**

- (Exam Topic 3)


HOTSPOT

You have an Azure Active Directory (Azure AD) tenant that contains Azure AD Privileged Identity Management (PIM) role settings for the User administrator role as shown in the following exhibit.

... [ContosoAzureAD](#) > [Identity Governance](#) > [Privileged Identity Management](#) > [ContosoAzureAD](#) > [User Administrator](#) >

### Role setting details - User Administrator

Privileged Identity Management | Azure AD roles

 Edit

---

#### Activation

SETTING	STATE
Activation maximum duration (hours)	8 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	Yes
Approvers	None

#### Assignment

SETTING	STATE
Allow permanent eligible assignment	No
Expire eligible assignments after	15 day(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	No

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE:Each correct selection is worth one point.



A user who requires access to the User administration role must perform multi-factor authentication (MFA) every [answer choice].

8 hours

15 days

1 month

Before an eligible user can perform a task that requires the User administrator role, the activation must be approved by a [answer choice].

global administrator only

global administrator or privileged role administrator

permanently assigned user administrator

privileged role administrator only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure> <https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-deployment-plan>

NEW QUESTION 51

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

### SC-300 Practice Exam Features:

- \* SC-300 Questions and Answers Updated Frequently
- \* SC-300 Practice Questions Verified by Expert Senior Certified Staff
- \* SC-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* SC-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The SC-300 Practice Test Here](#)**