



## **Microsoft**

### **Exam Questions MS-102**

Microsoft 365 Administrator Exam

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

**NEW QUESTION 1**

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains the compliance policies shown in the following table.

Name	Require BitLocker	Require the device to be at or under the machine risk score
Policy1	Required	High
Policy2	Not configured	Medium
Policy3	Required	Low

The tenant contains the devices shown in the following table.

Name	BitLocker Drive Encryption (BitLocker)	Microsoft Defender for Endpoint risk status	Policies applied
Device1	Configured	High	Policy1, Policy3
Device2	Not configured	Medium	Policy2, Policy3
Device3	Not configured	Low	Policy1, Policy2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
Device1 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is marked as compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
Device1 is marked as compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device2 is marked as compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device3 is marked as compliant.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 2**

DRAG DROP - (Topic 6)

DRAG DROP

You have a Microsoft 365 E5 subscription that contains two groups named Group1 and Group2.

You need to ensure that each group can perform the tasks shown in the following table.

Group	Task
Group1	<ul style="list-style-type: none"> <li>• Manage service requests.</li> <li>• Purchase new services.</li> <li>• Manage subscriptions.</li> <li>• Monitor service health.</li> </ul>
Group2	<ul style="list-style-type: none"> <li>• Assign licenses.</li> <li>• Add users and groups.</li> <li>• Create and manage user views.</li> <li>• Update password expiration policies.</li> </ul>

The solution must use the principle of least privilege.

Which role should you assign to each group? To answer, drag the appropriate roles to the correct groups. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Roles**

- Billing Administrator
- Global Administrator
- Helpdesk Administrator
- License Administrator
- Service Support Administrator
- User Administrator

**Answer Area**

Group1:

Group2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Billing admin manage service request Purchase new services Etc.

Assign the Billing admin role to users who make purchases, manage subscriptions and service requests, and monitor service health.

Box 2: User admin User admin

Assign the User admin role to users who need to do the following for all users:

- Add users and groups
- Assign licenses
- Manage most users properties
- Create and manage user views
- Update password expiration policies
- Manage service requests
- Monitor service health

**NEW QUESTION 3**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Office 365 Advanced Threat Protection (ATP) settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Teams Service Administrator role.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

You need to assign the Security Administrator role. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/office-365-atp?view=o365-worldwide>

**NEW QUESTION 4**

- (Topic 6)

Your company has offices in five cities. The company has a Microsoft 365 tenant.

Each office is managed by a local administrator. You plan to deploy Microsoft Intune.

You need to recommend a solution to manage resources in Intune that meets the following requirements:

- ? Local administrators must be able to manage only the resources in their respective office.
- ? Local administrators must be prevented from managing resources in other offices.
- ? Administrative effort must be minimized.

What should you include in the recommendation?

- A. device categories
- B. scope tags
- C. configuration profiles
- D. conditional access policies

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/mem/intune/fundamentals/scope-tags>

**NEW QUESTION 5**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2.

You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings.

You install the Group Policy Management Console (GPMC) on Server1.

You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You copy the Group Policy Administrative Templates from a Windows 10

computer to Server1. Does this meet the goal?

- A. yes
- B. No

**Answer:** A

**NEW QUESTION 6**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Service Support Administrator
User3	Cloud Application Administrator
User4	None

You plan to provide User4 with early access to Microsoft 365 feature and service updates. You need to identify which Microsoft 365 setting must be configured, and which user can

modify the setting. The solution must use the principle of least privilege.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Microsoft 365 setting:

▼

Office installation options

Privileged access

Release preferences

User:

▼

User1 only

User2 only

User3 only

User1 and User2 only


User1 and User3 only

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Microsoft 365 setting: 

User: 

**NEW QUESTION 7**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

On Monday, you create a new user named User1.

On Tuesday, User1 signs in for the first time and perform the following actions:

- Signs in to Microsoft Exchange Online from an anonymous IP address
- Signs in to Microsoft SharePoint Online from a device in New York City.
- Establishes Remote Desktop connections to hosts in Berlin and Hong Kong, and then signs in to SharePoint Online from the Remote Desktop connections

Which types of sign-in risks will Azure AD Identity Protection detect for User1?

- A. anonymous IP address only
- B. anonymous IP address and atypical travel
- C. anonymous IP address, atypical travel, and unfamiliar sign-in properties
- D. unfamiliar sign-in properties and atypical travel only
- E. anonymous IP address and unfamiliar sign-in properties only

**Answer: C**

**NEW QUESTION 8**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription that contains the users in the following table.

Name	Member of
User1	Group1
User2	Group1, Group2
User3	Group3

In Microsoft Endpoint Manager, you create two device type restrictions that have the settings shown in the following table.

Priority	Name	Allowed platform	Assigned to
1	TypeRest1	Android, Windows (MDM)	Group1
2	TypeRest2	iOS	Group2

In Microsoft Endpoint Manager, you create three device limit restrictions that have the settings shown in the following table.

Priority	Name	Device limit	Assigned to
1	LimitRest1	7	Group2
2	LimitRest2	10	Group1
3	LimitRest3	5	Group3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can enroll up to 10 Windows 10 devices in Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>
User2 can enroll up to 10 iOS devices in Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>
User3 can enroll up to five Android devices in Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
User1 can enroll up to 10 Windows 10 devices in Microsoft Endpoint Manager.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can enroll up to 10 iOS devices in Microsoft Endpoint Manager.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can enroll up to five Android devices in Microsoft Endpoint Manager.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 9**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to compare the current Safe Links configuration to the Microsoft recommended configurations.

What should you use?

- A. Microsoft Purview
- B. Azure AD Identity Protection
- C. Microsoft Secure Score
- D. the configuration analyzer

**Answer:** C

**NEW QUESTION 10**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription.

A user named user1@contoso.com was recently provisioned.

You need to use PowerShell to assign a Microsoft Office 365 E3 license to User1. Microsoft Bookings must NOT be enabled.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

```

Connect-AzureAD -Scopes User.ReadWrite.All, Organization.Read.All
Connect-MgGraph
Connect-MSOLService

$E3 = Get-AzureADUser | Where SkuPartNumber -eq 'EnterprisePack'
Get-MgSubscribedSku
Get-MSOLAccountSKU

$disabledPlans = $E3.ServicePlans | Where ServicePlanName -in ("MICROSOFTBOOKINGS") | select -ExcludeProperty ServicePlanID

$licenseOptions= @(
    @(
        SkuId = $E3.SkuId
        DisabledPlans = $disabledPlans
    )
)

Set-AzureADUser -UserId User1@contoso.com -AddLicenses $licenseOptions -RemoveLicenses @()
    
```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Connect-MgGraph

Assign Microsoft 365 licenses to user accounts with PowerShell Use the Microsoft Graph PowerShell SDK

First, connect to your Microsoft 365 tenant.

Assigning and removing licenses for a user requires the User.ReadWrite.All permission scope or one of the other permissions listed in the 'Assign license' Microsoft Graph API reference page.

The Organization.Read.All permission scope is required to read the licenses available in the tenant.

Connect-MgGraph -Scopes User.ReadWrite.All, Organization.Read.All

Box 2: Get-MgSubscribedSku

Run the Get-MgSubscribedSku command to view the available licensing plans and the number of available licenses in each plan in your organization. The number of available licenses in each plan is ActiveUnits - WarningUnits - ConsumedUnits.

Box 3: Set-MgUserLicense Assigning licenses to user accounts

To assign a license to a user, use the following command in PowerShell.

Set-MgUserLicense -UserId \$userUPN -AddLicenses @{Skuld = "<Skuld>"} - RemoveLicenses @()

This example assigns a license from the SPE\_E5 (Microsoft 365 E5) licensing plan to the unlicensed user belindan@litwareinc.com:

\$e5Sku = Get-MgSubscribedSku -All | Where SkuPartNumber -eq 'SPE\_E5'

Set-MgUserLicense -UserId "belindan@litwareinc.com" -AddLicenses @{Skuld = \$e5Sku.Skuld} -RemoveLicenses @()

**NEW QUESTION 10**

- (Topic 6)

You have a Microsoft 365 F5 subscription.

You plan to deploy 100 new Windows 10 devices.

You need to order the appropriate version of Windows 10 for the new devices. The version must

Meet the following requirements.

Be serviced for a minimum of 24 months.

Support Microsoft Application Virtualization (App-V) Which version should you identify?

- A. Window 10 Pro, version 1909
- B. Window 10 Pro, version 2004
- C. Window 10 Pro, version 1909
- D. Window 10 Enterprise, version 2004

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/windows/release-health/release-information>

<https://docs.microsoft.com/en-us/windows/application-management/app-v/appv-supported-configurations>

**NEW QUESTION 14**

- (Topic 6)

You have a Microsoft 365 tenant that contains a Windows 10 device named Device1 and the Microsoft Endpoint Manager policies shown in the following table.

Name	Type	Block execution of potentially obfuscated scripts (js/vbs/ps)
Policy1	Attack surface reduction (ASR)	Audit mode
Policy2	Microsoft Defender ATP Baseline	Disable
Policy3	Device configuration profile	Not configured

The policies are assigned to Device1.

Which policy settings will be applied to Device1?

- A. only the settings of Policy1
- B. only the settings of Policy2
- C. only the settings of Policy3
- D. no settings

**Answer:** D

**NEW QUESTION 15**

HOTSPOT - (Topic 6)

HOTSPOT

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

? Contoso.com

? East.contoso.com

The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

**PROVISION FROM ACTIVE DIRECTORY**



**Azure AD Connect cloud provisioning**

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

**Azure AD Connect sync**

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

**USER SIGN-IN**



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="checkbox"/>	<input type="checkbox"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes  
 The UPN of user1 is user1@contoso.com so he can authenticate to Azure AD by using the username user1@contoso.com.  
 Box 2: No  
 The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.  
 Box 3: No  
 The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

**NEW QUESTION 20**

- (Topic 6)  
 You have a Microsoft Azure Active Directory (Azure AD) tenant named Contoso.com. You create a Microsoft Defender for identity instance Contoso. The tenant contains the users shown in the following table.

Name	Member of group	Azure AD role
User1	Defender for Identity Contoso Administrators	None
User2	Defender for Identity Contoso Users	None
User3	None	Security administrator
User4	Defender for Identity Contoso Users	Global administrator

You need to modify the configuration of the Defender for identify sensors.

Solutions: You instruct User1 to modify the Defender for identity sensor configuration. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 22**

DRAG DROP - (Topic 6)

Your company has a Microsoft 365 E5 tenant.

Users access resources in the tenant by using both personal and company-owned Android devices. Company policies requires that the devices have a threat level of medium or lower to access Microsoft Exchange Online mailboxes.

You need to recommend a solution to identify the threat level of the devices and to control access of the devices to the resources.

What should you include in the solution for each device type? To answer, drag the appropriate components to the correct devices. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solutions	Answer Area
An app configuration policy	Company-owned devices: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">Solution</span>
An app protection policy	Personal devices: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">Solution</span>
A compliance policy	
A configuration profile	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Solutions	Answer Area
An app configuration policy	Company-owned devices: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">A compliance policy</span>
An app protection policy	Personal devices: <span style="border: 1px dashed gray; padding: 5px; margin-left: 20px;">An app protection policy</span>
A compliance policy	
A configuration profile	

**NEW QUESTION 26**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Microsoft 365 role
User1	Cloud application administrator
User2	Application administrator
User3	Application developer
User4	None

Users are assigned Microsoft Store for Business roles as shown in the following table.

User	Role
User1	None
User2	Basic Purchaser
User3	Purchaser
User4	Device Guard signer

Which users can add apps to the private store in Microsoft Store for Business, and which users can install apps from the private store? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Add apps to the private store:

- User3 only
- User2 and User3 only
- User1 and User3 only
- User1, User2 and User3 only
- User1, User2, User3, and User4

Install apps from the private store:

- User3 only
- User2 and User3 only
- User1 and User3 only
- User2, User3 and User4 only
- User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Add apps to the private store:

- User3 only
- User2 and User3 only
- User1 and User3 only
- User1, User2 and User3 only
- User1, User2, User3, and User4

Install apps from the private store:

- User3 only
- User2 and User3 only
- User1 and User3 only
- User2, User3 and User4 only
- User1, User2, User3, and User4

**NEW QUESTION 31**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365.

The subscription has the default inbound anti-spam policy and a custom Safe Attachments policy.

You need to identify the following information:

- The number of email messages quarantined by zero-hour auto purge (ZAP)
- The number of times users clicked a malicious link in an email message

Which Email & collaboration report should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To identify the number of emails quarantined by ZAP:

- Threat protection status
- Mailflow status report
- Spoof detections
- Threat protection status
- URL threat protection

To identify the number of times users clicked a malicious link in an email:

- Mailflow status report
- Mailflow status report
- Spoof detections
- Threat protection status
- URL threat protection

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

.....

To identify the number of emails quarantined by ZAP:

- Threat protection status
- Mailflow status report
- Spooof detections
- Threat protection status**
- URL threat protection

To identify the number of times users clicked a malicious link in an email:

- Mailflow status report
- Mailflow status report**
- Spooof detections
- Threat protection status
- URL threat protection

**NEW QUESTION 36**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Passwordless capable	Multi-factor authentication (MFA) method registered
User1	Group1	Capable	Microsoft Authenticator app (push notification)
User2	Group2	Capable	Microsoft Authenticator app (push notification)
User3	Group1, Group2	Capable	Mobile phone, Windows Hello for Business

Each user has a device with the Microsoft Authenticator app installed.

From Microsoft Authenticator settings for the subscription, the Enable and Target settings are configured as shown in the exhibit. (Click the Exhibit tab.)

**Microsoft Authenticator settings**

**i** Number Matching will begin to be enabled for all users of the Microsoft Authenticator app starting 27th of February 2023. [Learn more](#)

The Microsoft Authenticator app is a flagship authentication method, usable in passwordless or simple push notification approval modes. The app is free to download and use on Android/iOS mobile devices. [Learn more](#).

**Enable and Target**    Configure

Enable

Include    Exclude

Target  All users     Select groups

[Add groups](#)

Name	Type	Registration	Authentication mode
Group1	Group	Optional	Passwordless

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>
User2 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>
User3 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
User1 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 41**

- (Topic 6)

Your network contains three Active Directory forests. There are forest trust relationships between the forests.

You create an Azure AD tenant.

You plan to sync the on-premises Active Directory to Azure AD.

You need to recommend a synchronization solution. The solution must ensure that the synchronization can complete successfully and as quickly as possible if a single server fails.

What should you include in the recommendation?

- A. one Azure AD Connect sync server and one Azure AD Connect sync server in staging mode
- B. three Azure AD Connect sync servers and one Azure AD Connect sync server in staging mode
- C. six Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode
- D. three Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode

**Answer: A**

**Explanation:**

Azure AD Connect can be active on only one server. You can install Azure AD Connect on another server for redundancy but the additional installation would need to be in Staging mode. An Azure AD connect installation in Staging mode is configured and ready to go but it needs to be manually switched to Active to perform directory synchronization.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

**NEW QUESTION 42**

HOTSPOT - (Topic 6)

HOTSPOT

You have a new Microsoft 365 E5 tenant. Enable Security defaults is set to Yes.

A user signs in to the tenant for the first time.

Which multi-factor authentication (MFA) method can the user use, and how many days does the user have to register for MFA? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

MFA method:

Number of days:

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Notification to Microsoft Authenticator app

Do users have 14 days to register for Azure AD Multi-Factor Authentication?

Users have 14 days to register for MFA with the Microsoft Authenticator app from their smart phones, which begins from the first time they sign in after security defaults has been enabled. After 14 days have passed, the user won't be able to sign in until MFA registration is completed.

Box 2: 14

Azure AD Identity Protection will prompt your users to register the next time they sign in interactively and they'll have 14 days to complete registration. During this 14-day period, they can bypass registration if MFA isn't required as a condition, but at the end of the period they'll be required to register before they can complete the sign-in process.

**NEW QUESTION 47**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2. The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2. You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings. You install the Group Policy Management Console (GPMC) on Server1. You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You raise the forest functional level to Windows Server 2016. You copy the Group Policy Administrative Templates from a Windows 10 computer to the Netlogon share on all the domain controllers. Does this meet the goal?

- A. yes
- B. No

**Answer: B**

#### NEW QUESTION 51

- (Topic 6)

Your company has on-premises servers and an Azure AD tenant. Several months ago, the Azure AD Connect Health agent was installed on all the servers. You review the health status of all the servers regularly. Recently, you attempted to view the health status of a server named Server1 and discovered that the server is NOT listed on the Azure AD Connect Servers list. You suspect that another administrator removed Server1 from the list. You need to ensure that you can view the health status of Server1. What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From Azure Cloud shell, run the Connect-Azure AD cmdlet.
- B. From Server1, change the Azure AD Connect Health Services Startup type to Automatic (Delayed Start)
- C. From Server1, change the Azure AD Connect Health Services Startup type to Automatic
- D. From Windows PowerShell, run the Register-AzureADConnectHealthsyncAgent cmdlet.
- E. From Server1, reinstall the Azure AD Connect Health agent

**Answer: DE**

#### NEW QUESTION 55

- (Topic 6)

You have a Microsoft 365 E3 subscription that uses Microsoft Defender for Endpoint Plan 1. Which two Defender for Endpoint features are available to the subscription? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. advanced hunting
- B. security reports
- C. digital certificate assessment
- D. device discovery
- E. attack surface reduction (ASR)

**Answer: BE**

#### Explanation:

B: Overview of Microsoft Defender for Endpoint Plan 1, Reporting

The Microsoft 365 Defender portal (<https://security.microsoft.com>) provides easy access to information about detected threats and actions to address those threats.

The Home page includes cards to show at a glance which users or devices are at risk, how many threats were detected, and what alerts/incidents were created.

The Incidents & alerts section lists any incidents that were created as a result of triggered alerts. Alerts and incidents are generated as threats are detected across devices.

The Action center lists remediation actions that were taken. For example, if a file is sent to quarantine, or a URL is blocked, each action is listed in the Action center on the History tab.

The Reports section includes reports that show threats detected and their status. E: What can you expect from Microsoft Defender for Endpoint P1?

Microsoft Defender for Endpoint P1 is focused on prevention/EPP including:

Next-generation antimalware that is cloud-based with built-in AI that helps to stop ransomware, known and unknown malware, and other threats in their tracks.

(E) Attack surface reduction capabilities that harden the device, prevent zero days, and offer granular control over access and behaviors on the endpoint.

Device based conditional access that offers an additional layer of data protection and breach prevention and enables a Zero Trust approach.

The below table offers a comparison of capabilities are offered in Plan 1 versus Plan 2.

Capabilities	P1	P2
Unified security tools and centralized management	✓	✓
Next-generation antimalware	✓	✓
Attack surface reduction rules	✓	✓
Device control (e.g.: USB)	✓	✓
Endpoint firewall	✓	✓
Network protection	✓	✓
Web control / category-based URL backing	✓	✓
Device-based conditional access	✓	✓
Controlled folder access	✓	✓
APIs, SIEM connector, custom TI	✓	✓
Application control	✓	✓
Endpoint detection and response		✓
Automated investigation and remediation		✓
Threat and vulnerability management		✓
Threat intelligence (Threat Analytics)		✓
Sandbox (deep analysis)		✓
Microsoft Threat Experts**		✓

\*\*Includes Targeted Attack Notifications (TAN) and Experts On Demand (EOD). Customers must apply for TAN. EOD is available for purchase as an add-on.

Incorrect:

Not A: P2 is by far the best fit for enterprises that need an EDR solution including automated investigation and remediation tools, advanced threat prevention and threat and vulnerability management (TVM), and hunting capabilities.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/security/defender-endpoint/defender-endpoint-plan-1>

<https://techcommunity.microsoft.com/t5/microsoft-defender-for-endpoint/microsoft-defender-for-endpoint-plan-1-now-included-in-m365-e3/ba-p/3060639>

**NEW QUESTION 57**

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains 100 Windows 10 devices. The devices are managed by using Microsoft Endpoint Manager.

You plan to create two attack surface reduction (ASR) policies named ASR1 and ASR2. ASR1 will be used to configure Microsoft Defender Application Guard.

ASR2 will be used to configure Microsoft Defender SmartScreen.

Which ASR profile type should you use for each policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

ASR1:

- Device control
- Exploit protection
- Application control
- App and browser isolation
- Attack surface reduction rules

ASR2:

- Device control
- Exploit protection
- Application control
- App and browser isolation
- Attack surface reduction rules

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ASR1:

- Device control
- Exploit protection
- Application control
- App and browser isolation
- Attack surface reduction rules

ASR2:

- Device control
- Exploit protection
- Application control
- App and browser isolation
- Attack surface reduction rules

**NEW QUESTION 60**

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 tenant

You plan to allow users that are members of a group named Engineering to enroll their mobile device in mobile device management (MDM)

The device type restriction are configured as shown in the following table.

Priority	Name	Allowed platform	Assigned to
1	iOS	iOS	Marketing
2	Android	Android	Engineering
Default	All users	All platforms	All users

The device limit restriction are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Engineering	15	Engineering
2	West Region	5	Engineering
Default	All users	10	All users

Answer Area

Device limit:

- 5
- 10
- 15

Allowed platform:

- Android only
- iOS only
- All platforms

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/mem/intune/enrollment/enrollment-restrictions-set#change-enrollment-restriction-priority>

**NEW QUESTION 65**

- (Topic 6)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Department
User1	Human resources
User2	Research
User3	Human resources
User4	Marketing

You need to configure group-based licensing to meet the following requirements:

- ? To all users, deploy an Office 365 E3 license without the Power Automate license option.
- ? To all users, deploy an Enterprise Mobility + Security E5 license.
- ? To the users in the research department only, deploy a Power BI Pro license.
- ? To the users in the marketing department only, deploy a Visio Plan 2 license.

What is the minimum number of deployment groups required?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** C

**Explanation:**

One for all users, one for the research department, and one for the marketing department.

Note: What are Deployment Groups?

With Deployment Groups, you can orchestrate deployments across multiple servers and perform rolling updates, while ensuring high availability of your application throughout. You can also deploy to servers on-premises or virtual machines on Azure or any cloud, plus have end-to-end traceability of deployed artifact versions down to the server level.

Reference:

<https://devblogs.microsoft.com/devops/deployment-groups-is-now-generally-available-sharing-of-targets-and-more>

**NEW QUESTION 69**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Office 365 Advanced Threat Protection (ATP) settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Security administrator role.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**NEW QUESTION 70**

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Policy1	Anti-phishing
Policy2	Anti-spam
Policy3	Anti-malware
Policy4	Safe Attachments

All the policies are configured to send malicious email messages to quarantine. Which policies support a customized quarantine retention period?

- A. Policy1 and Policy2 only
- B. Policy2 and Policy4 only
- C. Policy3 and Policy4 only
- D. Policy1 and Policy3only

**Answer:** A

**NEW QUESTION 72**

- (Topic 6)

You have a Microsoft 365 subscription.

You need to add additional onmicrosoft.com domains to the subscription. The additional domains must be assignable as email addresses for users.

What is the maximum number of onmicrosoft.com domains the subscription can contain?

- A. 1
- B. 2
- C. 5
- D. 10

**Answer:** C

**Explanation:**

You are limited to five onmicrosoft.com domains in your Microsoft 365 environment, so make sure to check for spelling and to assess your need if you choose to create a new one.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq>

**NEW QUESTION 74**

HOTSPOT - (Topic 6)

HOTSPOT

Your network contains an on-premises Active Directory domain. You have a Microsoft 365 E5 subscription.

You plan to implement directory synchronization.

You need to identify potential synchronization issues for the domain. The solution must use the principle of least privilege.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

### Answer Area

Tool:

AccessChk
Azure AD Connect
Active Directory Explorer
IdFix

Required group membership:

Domain Admins
Domain Users
Server Operators
Enterprise Admins

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Box 1: IdFix

Query and fix invalid object attributes with the IdFix tool

Microsoft is working to reduce the time required to remediate identity issues when onboarding to Microsoft 365. A portion of this effort is intended to address the time involved in remediating the Windows Server Active Directory (Windows Server AD) errors reported by the directory synchronization tools such as Azure AD Connect and Azure AD Connect cloud sync. The focus of IdFix is to enable you to accomplish this task in a simple, expedient fashion.

The IdFix tool provides you the ability to query, identify, and remediate the majority of object synchronization errors in your Windows Server AD forests in preparation for deployment to Microsoft 365. The utility does not fix all errors, but it does find and fix the majority. This remediation will then allow you to successfully synchronize users, contacts, and groups from on-premises Active Directory into Microsoft 365. Note: IdFix might identify errors beyond those that emerge during synchronization. The most common example is compliance with rfc 2822 for smtp addresses. Although invalid attribute values can be synchronized to the cloud, the product group recommends that these errors be corrected.

Incorrect:

\* AccessChk

Box 2: Enterprise Admins

IdFix permissions requirements

The user account that you use to run IdFix must have read and write access to the AD DS domain.

If you aren't sure if your user account meets these requirements, and you're not sure how to check, you can still download and run IdFix. If your user account doesn't have the right permissions, IdFix will simply display an error when you try to run it.

\* Enterprise Admins

The Enterprise Admins group exists only in the root domain of an Active Directory forest of domains. The group is a Universal group if the domain is in native mode. The group is a Global group if the domain is in mixed mode. Members of this group are authorized to make forest-wide changes in Active Directory, like adding child domains.

Incorrect:

\* Domain Admins

Members of the Domain Admins security group are authorized to administer the domain. By default, the Domain Admins group is a member of the Administrators group on all computers that have joined a domain, including the domain controllers. The Domain Admins group is the default owner of any object that's created in Active Directory for the domain by any member of the group. If members of the group create other objects, such as files, the default owner is the Administrators group.

\* Server Operator

Server Operators can log on to a server interactively; create and delete network shares; start and stop services; back up and restore files; format the hard disk of the computer; and shut down the computer. Any service that accesses the system has the Service identity.

\* Domain Users - too few permissions

The Domain Users group includes all user accounts in a domain. When you create a user account in a domain, it's automatically added to this group.

#### NEW QUESTION 78

- (Topic 6)

You have a Microsoft 365 subscription that contains an Azure AD tenant named contoso.com. The tenant includes a user named User1.

You enable Azure AD Identity Protection.

You need to ensure that User1 can review the list in Azure AD Identity Protection of users flagged for risk. The solution must use the principle of least privilege.

To which role should you add User1?

- A. Security Reader
- B. Global Administrator
- C. Owner
- D. User Administrator

**Answer:** A

**NEW QUESTION 79**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription and an Azure AD tenant named contoso.com.

All users have computers that run Windows 11, are joined to contoso.com, and are protected by using BitLocker Drive Encryption (BitLocker).

You plan to create a user named Admin1 that will perform following tasks:

- View BitLocker recovery keys.
- Configure the usage location for the users in contoso.com.

You need to assign roles to Admin1 to meet the requirements. The solution must use the principle of least privilege. Which two roles should you assign? To answer, select the appropriate roles in the answer area.

NOTE: Each correct selection is worth one point

**Answer Area**

**Devices**

 Cloud Device Administrator ⓘ Desktop Analytics Administrator ⓘ Intune Administrator ⓘ Printer Administrator ⓘ Printer Technician ⓘ Windows 365 Administrator ⓘ

**Global**

 Global Administrator ⓘ

**Identity**

 Application Administrator ⓘ Application Developer ⓘ Authentication Administrator ⓘ Cloud Application Administrator ⓘ Conditional Access Administrator ⓘ Domain Name Administrator ⓘ External Identity Provider Administrator ⓘ Guest Inviter ⓘ Helpdesk Administrator ⓘ Hybrid Identity Administrator ⓘ License Administrator ⓘ Password Administrator ⓘ

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

**Devices**

- Cloud Device Administrator ⓘ
- Desktop Analytics Administrator ⓘ
- Intune Administrator ⓘ
- Printer Administrator ⓘ
- Printer Technician ⓘ
- Windows 365 Administrator ⓘ

**Global**

- Global Administrator ⓘ

**Identity**

- Application Administrator ⓘ
- Application Developer ⓘ
- Authentication Administrator ⓘ
- Cloud Application Administrator ⓘ
- Conditional Access Administrator ⓘ
- Domain Name Administrator ⓘ
- External Identity Provider Administrator ⓘ
- Guest Inviter ⓘ
- Helpdesk Administrator ⓘ
- Hybrid Identity Administrator ⓘ
- License Administrator ⓘ
- Password Administrator ⓘ

**NEW QUESTION 81**

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription that contains the devices shown in the following table.

Name	Operating system	Microsoft Intune
Device1	Windows 11 Enterprise	Enrolled
Device2	iOS	Enrolled
Device3	Android	Not enrolled

You install Microsoft Word on all the devices.

You plan to configure policies to meet the following requirements:

- Word files created by using Windows devices must be encrypted automatically.
- If an Android device becomes jailbroken, access to corporate data must be blocked from Word.
- For iOS devices, users must be prevented from using native or third-party mail clients to connect to Microsoft 365.

Which type of policy should you configure for each device? To answer, drag the appropriate policy types to the correct devices. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Policy Types**

- App configuration policy
- App protection policy
- Compliance policy
- Conditional Access policy

**Answer Area**

- Device1:
- Device2:
- Device3:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



**NEW QUESTION 84**

- (Topic 6)

You have a Microsoft 365 subscription that uses Security & Compliance retention policies. You implement a preservation lock on a retention policy that is assigned to all executive users. Which two actions can you perform on the retention policy? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point?

- A. Add locations to the policy
- B. Reduce the duration of policy
- C. Remove locations from the policy
- D. Extend the duration of the policy
- E. Disable the policy

**Answer:** AB

**NEW QUESTION 89**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

Your network contains an Active Directory forest. You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

- Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.
- User passwords must be 10 characters or more.

Solution: Implement pass-through authentication and configure password protection in the Azure AD tenant. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 90**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of
Admin1	Group1
Admin2	Group2
Admin3	Group1, Group2

You add the following assignment for the User Administrator role:

- ? Scope type: Directory
- ? Selected members: Group1
- ? Assignment type: Active
- ? Assignment starts: Mar 15, 2023
- ? Assignment ends: Aug 15, 2023

You add the following assignment for the Exchange Administrator role:

- ? Scope type: Directory
- ? Selected members: Group2
- ? Assignment type: Eligible
- ? Assignment starts: Jun 15, 2023
- ? Assignment ends: Oct 15, 2023

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
On July 15, 2023, Admin1 can reset the password of a user.	<input type="checkbox"/>	<input type="checkbox"/>
On June 20, 2023, Admin2 can manage Microsoft Exchange Online.	<input type="checkbox"/>	<input type="checkbox"/>
On May 1, 2023, Admin3 can reset the password of a user.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Admin1 is member of Group1.

The User Administrator role assignment has Group1 as a member. The assignment type: Active

July 15, 2023 is with the assignment period.

A User Administrator can manage all aspects of users and groups, including resetting passwords for limited admins.

Box 2: No

Admin2 is member of Group2.

The Exchange Administrator role assignment has Group2 as a member. The assignment type: Eligible

June 20, 2023 is with the assignment period. The assignment must be approved.

Note: Eligible assignment requires member or owner to perform an activation to use the role. Activations may also require providing a multi-factor authentication (MFA), providing a business justification, or requesting approval from designated approvers.

Box 3: Yes

Admin3 is member of Group1 and Group2.

The User Administrator role assignment has Group1 as a member. The assignment type: Active

May 1, 2023 is with the assignment period.

**NEW QUESTION 93**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and export the 10 user accounts.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The question states that “all the user account synchronizations completed successfully”. If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

**NEW QUESTION 96**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune and contains the devices shown in the following table.

Name	Platform	Intune
Device1	iOS	Enrolled
Device2	macOS	Not enrolled

You need to onboard Device1 and Device2 to Microsoft Defender for Endpoint.

What should you use to onboard each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Device1: Microsoft Endpoint Manager  
A local script  
Group Policy  
Microsoft Endpoint Manager  
An app from the Google Play store  
Integration with Microsoft Defender for Cloud

Device2: A local script  
A local script  
Group Policy  
Microsoft Endpoint Manager  
An app from the Google Play store  
Integration with Microsoft Defender for Cloud

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Device1: Microsoft Endpoint Manager  
A local script  
Group Policy  
Microsoft Endpoint Manager  
An app from the Google Play store  
Integration with Microsoft Defender for Cloud

Device2: A local script  
A local script  
Group Policy  
Microsoft Endpoint Manager  
An app from the Google Play store  
Integration with Microsoft Defender for Cloud

**NEW QUESTION 99**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of Microsoft 365 role group
Admin1	Content Explorer List viewer Content Explorer Content viewer
Admin2	Security Administrator Content Explorer List Viewer

You have labels in Microsoft 365 as shown in the following table.

Name	Type
Label1	Sensitivity
Label2	Retention

The content in Microsoft 365 is assigned labels as shown in the following table.

Name	Type	Label
File1	File in SharePoint Online	Label1
Mail1	Email message in Exchange Online	Label2

You have labels in Microsoft 365 as shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.


Answer Area

Statements	Yes	No
Admin1 can view the contents of File1 by using Content explorer.	<input type="radio"/>	<input type="radio"/>
Admin2 can view the contents of File1 by using Content explorer.	<input type="radio"/>	<input type="radio"/>
Admin2 can use Content explorer to verify that Label2 is assigned to Mail1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



**NEW QUESTION 103**

HOTSPOT - (Topic 6)


HOTSPOT

Your company uses Microsoft Defender for Endpoint. Microsoft Defender for Endpoint includes the device groups shown in the following table.

Rank	Device group	Members
1	Group1	Tag Equals demo And OS In Windows 10
2	Group2	Tag Equals demo
3	Group3	Domain Equals adatum.com
4	Group4	Domain Equals adatum.com And OS In Windows 10
Last	Ungrouped devices (default)	Not applicable

You onboard a computer named computer1 to Microsoft Defender for Endpoint as shown in the following exhibit.

Settings > Endpoints > computer1



**Device summary**

Risk level ⓘ

None

**Device details**

Domain

adatum.com

OS

Windows 10 64-bit

Version 21H2

Build 19044.2130

Use the drop-down menus to select the answer choice that completes each statement.

NOTE: Each correct selection is worth one point.

Answer Area

Computer1 will be a member of [answer choice].

Group3 only

Group4 only

Group3 and Group4 only

Ungrouped devices

If you add the tag demo to Computer1, the computer will be a member of [answer choice].

Group1 only

Group1 and Group2 only

Group1, Group2, Group3, and Group4

Ungrouped devices

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Group3 and Group4 only Computer1 has no Demo Tag.  
 Computer1 is in the adatum domain and OS is Windows 10. Box 2: Group1, Group2, Group3 and Group4

**NEW QUESTION 108**

- (Topic 6)  
 You have the sensitivity labels shown in the following exhibit.

[Home](#) > sensitivity

**Labels**      Label policies      Auto-labeling(preview)

Sensitivity labels are used to classify email messages, documents, sites, and more. When a label is applied (automatically or by the user), the content or site is protected based on the settings you choose. For example, you can create labels that encrypt files, add content marking, and control user access to specific sites. [Learn more about sensitivity labels](#)

+ Create a label    Publish labels    Refresh

Name ↑	Order	Created by	Last modified
Label1	0-highest	Prvi	04/24/2020
- Label2	1	Prvi	04/24/2020
Label3	0-highest	Prvi	04/24/2020
Label4	0-highest	Prvi	04/24/2020
- Label5	5	Prvi	04/24/2020
Label6	0-highest	Prvi	04/24/2020

Which labels can users apply to content?

- A. Label3, Label4, and Label6 only
- B. Label1, Label2, Label3, Label4, Label5, and Label6
- C. Label1, Label2, and Label5 only
- D. Label1, Label3, Label4, and Label6 only

**Answer:** D

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

**NEW QUESTION 110**

- (Topic 6)  
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a computer that runs Windows 10. You need to verify which version of Windows 10 is installed. Solution: From Device Manager, you view the computer properties. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://support.microsoft.com/en-us/windows/which-version-of-windows-operating-system-am-i-running-628bec99-476a-2c13-5296-9dd081cdd808>

**NEW QUESTION 113**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription.

All company-owned Windows 11 devices are onboarded to Microsoft Defender for Endpoint.

You need to configure Defender for Endpoint to meet the following requirements:

? Block a vulnerable app until the app is updated.

? Block an application executable based on a file hash.


The solution must minimize administrative effort.

What should you configure for each requirement? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

**Answer Area**

Block a vulnerable app until the app is updated:



Block an application executable based on a file hash:



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: A remediation request

Block a vulnerable app until the app is updated.

Block vulnerable applications

How to block vulnerable applications

? Go to Vulnerability management > Recommendations in the Microsoft 365 Defender portal.

? Select a security recommendation to see a flyout with more information.

? Select Request remediation.

? Select whether you want to apply the remediation and mitigation to all device groups or only a few.

? Select the remediation options on the Remediation request page. The remediation options are software update, software uninstall, and attention required.

? Pick a Remediation due date and select Next.

? Under Mitigation action, select Block or Warn. Once you submit a mitigation action, it is immediately applied.

? Review the selections you made and Submit request. On the final page you can

choose to go directly to the remediation page to view the progress of remediation activities and see the list of blocked applications.

Box 2: A file indicator

Block an application executable based on a file hash.

While taking the remediation steps suggested by a security recommendation, security admins with the proper permissions can perform a mitigation action and block vulnerable versions of an application. File indicators of compromise (IOC)s are created for each of the executable files that belong to vulnerable versions of that application. Microsoft Defender Antivirus then enforces blocks on the devices that are in the specified scope.

The option to View details of blocked versions in the Indicator page brings you to the Settings > Endpoints > Indicators page where you can view the file hashes and response actions.

**NEW QUESTION 118**

HOTSPOT - (Topic 6)

Your company uses Microsoft Defender for Endpoint.

The devices onboarded to Microsoft Defender for Endpoint are shown in the following table.

Name	Device group
Device1	ATP1
Device2	ATP1
Device3	ATP2

The alerts visible in the Microsoft Defender for Endpoint alerts queue are shown in the following table.

Name	Device
Alert1	Device1
Alert2	Device2
Alert3	Device3

You create a suppression rule that has the following settings:

- Triggering IOC: Any IOC
- Action: Hide alert
- Suppression scope: Alerts on ATP1 device group

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Answer Area

Statements	Yes	No
After you create the suppression rule, Alert1 is visible in the alerts queue.	<input type="radio"/>	<input type="radio"/>
After you create the suppression rule, Alert3 is visible in the alerts queue.	<input type="radio"/>	<input type="radio"/>
After you create the suppression rule, a new alert triggered on Device2 is visible in the alerts queue.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
After you create the suppression rule, Alert1 is visible in the alerts queue.	<input checked="" type="radio"/>	<input type="radio"/>
After you create the suppression rule, Alert3 is visible in the alerts queue.	<input checked="" type="radio"/>	<input type="radio"/>
After you create the suppression rule, a new alert triggered on Device2 is visible in the alerts queue.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 119**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Sitel. You need to perform the following tasks:

- Create a sensitive info type named SIT1 based on a regular expression.
- Add a watermark to all new documents that are matched by SIT1.

Which two settings should you use in the Microsoft Purview compliance portal? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**



**NEW QUESTION 123**

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You need to ensure that when a document containing a credit card number is added to the tenant, the document is encrypted.

Which policy should you use?

- A. a retention policy
- B. a retention label policy
- C. an auto-labeling policy
- D. an insider risk policy

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

**NEW QUESTION 126**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

You purchase the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android

In Microsoft Endpoint Manager, you create an enrollment status page profile that has the following settings:

- ? Show app and profile configuration progress: Yes
- ? Allow users to collect logs about installation errors: Yes
- ? Only show page to devices provisioned by out-of-box experience (OOBE): No
- ? Assignments: Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Statements**

**Yes No**

If User1 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.

If User2 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.

If User2 enrolls Device2 in Microsoft Endpoint Manager, the enrollment status page will appear.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Statements**

**Yes No**

If User1 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.

If User2 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.

If User2 enrolls Device2 in Microsoft Endpoint Manager, the enrollment status page will appear.

**NEW QUESTION 127**

- (Topic 6)

You have a Microsoft 365 tenant.

Company policy requires that all Windows 10 devices meet the following minimum requirements:

- ? Require complex passwords.
- ? Require the encryption of data storage devices.
- ? Have Microsoft Defender Antivirus real-time protection enabled.

You need to prevent devices that do not meet the requirements from accessing resources in the tenant.

Which two components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a configuration policy
- B. a compliance policy
- C. a security baseline profile
- D. a conditional access policy
- E. a configuration profile

**Answer:** BD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/device-compliance-get-started>

**NEW QUESTION 128**

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Azure Advanced Threat Protection (ATP). You need to create a detection exclusion in Azure ATP. Which tool should you use?

- A. the Security & Compliance admin center
- B. Microsoft Defender Security Center
- C. the Microsoft 365 admin center
- D. the Azure Advanced Threat Protection portal
- E. the Cloud App Security portal

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/what-is> <https://docs.microsoft.com/en-us/defender-for-identity/excluding-entities-from-detections>

**NEW QUESTION 130**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table. The subscription has the following two anti-spam policies:

- Name: AntiSpam1
- Priority: 0
- Include these users, groups and domains
  - o Users: User3
  - o Groups: Group1
- Exclude these users, groups and domains
  - o Groups: Group2
- Message limits
  - o Set a daily message limit 100
- Name: AntiSpam2
- Priority: 1
- Include these users, groups and domains
  - o Users: User1
  - o Groups: Group2
- Exclude these users, groups and domains
  - o Users: User3
- Message limits
  - o Set a daily message limit 50

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can send a maximum of 150 email messages per day.	<input type="radio"/>	<input type="radio"/>
User2 can send a maximum of 50 email messages per day.	<input type="radio"/>	<input type="radio"/>
User3 can send a maximum of 100 email messages per day.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
User1 can send a maximum of 150 email messages per day.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can send a maximum of 50 email messages per day.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can send a maximum of 100 email messages per day.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 132**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement Microsoft Purview policies to meet the following requirements: Identify documents that are stored in Microsoft Teams and SharePoint that contain

Personally Identifiable Information (PII). Report on shared documents that contain PII. What should you create?

- A. a data loss prevention (DLP) policy
- B. a retention policy
- C. an alert policy
- D. a Microsoft Defender for Cloud Apps policy

**Answer:** A

**Explanation:**

Demonstrate data protection

Protection of personal information in Microsoft 365 includes using data loss prevention (DLP) capabilities. With DLP policies, you can automatically protect sensitive information across Microsoft 365.

There are multiple ways you can apply the protection. Educating and raising awareness to where EU resident data is stored in your environment and how your employees are permitted to handle it represents one level of information protection using Office 365 DLP.

In this phase, you create a new DLP policy and demonstrate how it gets applied to the IBANs.docx file you stored in SharePoint Online in Phase 2 and when you attempt to send an email containing IBANs.

? From the Security & Compliance tab of your browser, click Home.

? Click Data loss prevention > Policy.

? Click + Create a policy.

? In Start with a template or create a custom policy, click Custom > Custom policy > Next.

? In Name your policy, provide the following details and then click Next: a. Name: EU Citizen PII Policy b. Description: Protect the personally identifiable information of European citizens

? Etc.

Reference:

<https://learn.microsoft.com/en-us/compliance/regulatory/gdpr-discovery-protection-reporting-in-office365-dev-test-environment>

**NEW QUESTION 136**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to recommend a solution for monitoring and reporting application access. The solution must meet the following requirements:

- Support KQL for querying data.
- Retain report data for at least one year.

What should you include in the recommendation?

- A. a security report in Microsoft 365 Defender
- B. End point analytics
- C. Microsoft 365 usage analytics
- D. Azure Monitor workbooks

**Answer: D**

**NEW QUESTION 141**

HOTSPOT - (Topic 6)

Your on-premises network contains an Active Directory domain and a Microsoft Endpoint Configuration Manager site.


You have a Microsoft 365 E5 subscription that uses Microsoft Intune.

You use Azure AD Connect to sync user objects and group objects to Azure Directory (Azure AD) Password hash synchronization is disabled.

You plan to implement co-management.

You need to configure Azure AD Connect and the domain to support co-management. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Answer Area



**NEW QUESTION 142**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Users have Android or iOS devices and access Microsoft 365 resources from computers that run Windows 11 or MacOS.

You need to implement passwordless authentication. The solution must support all the devices.

Which authentication method should you use?

- A. Windows Hello
- B. FIDO2 compliant security keys
- C. Microsoft Authenticator app

**Answer: C**

**NEW QUESTION 145**


HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You need to create a policy that will generate an email alert when a banned app is detected requesting permission to access user information or data in the subscription.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



**NEW QUESTION 149**

HOTSPOT - (Topic 6)

You work at a company named Contoso, Ltd.

Contoso has a Microsoft 365 subscription that is configured to use the DNS domains shown in the following table.

Contoso purchases a company named Fabrikam, Inc.

Contoso plans to add the following domains to the Microsoft 365 subscription:


- fabrikam.com
- east.fabrikam.com
- west.contoso.com

You need to ensure that the devices in the new domains can register by using Autodiscover.

How many domains should you verify, and what is the minimum number of enterprise registration DNS records you should add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



**NEW QUESTION 152**

- (Topic 6)

Your company has a Microsoft 365 E5 subscription.

Users in the research department work with sensitive data.

You need to prevent the research department users from accessing potentially unsafe websites by using hyperlinks embedded in email messages and documents.

Users in other departments must not be restricted.

What should you do?

- A. Create a data loss prevention (DLP) policy that has a Content is shared condition.
- B. Modify the safe links policy Global settings.
- C. Create a data loss prevention (DLP) policy that has a Content contains condition.
- D. Create a new safe links policy.

**Answer: D**

**Explanation:**

Use the Microsoft 365 Defender portal to create Safe Links policies

In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Safe Links in the Policies section. Or, to go directly to the Safe Links page, use <https://security.microsoft.com/safelinksv2>.

\* 1. On the Safe Links page, select Create to start the new Safe Links policy wizard.

\* 2. On the Name your policy page, configure the following settings: Name: Enter a unique, descriptive name for the policy.

Description: Enter an optional description for the policy.

\* 3. When you're finished on the Name your policy page, select Next.

\* 4. On the Users and domains page, identify the internal recipients that the policy applies to (recipient conditions):

Users: The specified mailboxes, mail users, or mail contacts.

\*-> Groups:

Members of the specified distribution groups (including non-mail-enabled security groups within distribution groups) or mail-enabled security groups (dynamic distribution groups aren't supported).

The specified Microsoft 365 Groups.

Domains: All recipients in the specified accepted domains in your organization. Etc.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/safe-links-policies-configure>

**NEW QUESTION 156**

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription.

You need to review reports to identify the following:

- The storage usage of files stored in Microsoft Teams
- The number of active users per team

Which report should you review for each requirement? To answer, drag the appropriate reports to the correct requirements. Each report may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

Report	Requirements
The device usage report in Teams	The storage usage of files stored in Microsoft Teams:
The OneDrive usage report	Number of active users per Microsoft Team:
The SharePoint site usage report	
The Teams usage report in Teams	
The User activity report in Teams	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Report	Requirements
The device usage report in Teams	The storage usage of files stored in Microsoft Teams: The SharePoint site usage report
The OneDrive usage report	Number of active users per Microsoft Team: The Teams usage report in Teams
The SharePoint site usage report	
The Teams usage report in Teams	
The User activity report in Teams	

**NEW QUESTION 159**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E3 subscription.


You plan to launch Attack simulation training for all users.

Which social engineering technique and training experience will be available? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

**Answer Area**

Social engineering technique:



Training experience:



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Credential Harvest

Attack simulation training offers a subset of capabilities to E3 customers as a trial. The trial offering contains the ability to use a Credential Harvest payload and the ability to select 'ISA Phishing' or 'Mass Market Phishing' training experiences. No other capabilities are part of the E3 trial offering.

Note: In Attack simulation training, multiple types of social engineering techniques are available:

Credential Harvest Malware Attachment Link to Malware

Etc.

Box 2: Mass Market Phishing

**NEW QUESTION 164**

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains the devices shown in the following table.

Name	Platform
Device1	MacOS
Device2	Windows 10 Pro
Device3	Windows 10 Enterprise
Device4	Ubuntu 18.04 LTS

You plan to implement attack surface reduction (ASR) rules. Which devices will support the ASR rules?

- A. Device 1, Device2, and Device3 only
- B. Device3 only
- C. Device2 and Device3 only
- D. Device1, Device2, Devices and Device4

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/enable-attack-surface-reduction?view=o365-worldwide#requirements>

**NEW QUESTION 165**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that connects to Microsoft Defender for Endpoint. You have devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Windows 8.1
Device3	iOS
Device4	Android

You plan to use risk levels in Microsoft Defender for Endpoint to identify whether a device is compliant. Noncompliant devices must be blocked from accessing corporate resources.

You need to identify which devices can be onboarded to Microsoft Defender for Endpoint, and which Endpoint security policies must be configured. What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Devices that can onboarded to Microsoft Defender for Endpoint:

- Device 1 only
- Device 1 and Device 2 only
- Device 1 and Device 3 only
- Device 1 and Device 4 only
- Device 1, Device 2, and Device 4 only
- Device 1, Device 2, Device 3, and Device 4

Endpoint security policies that must be configured:

- A conditional access policy only
- A device compliance policy only
- A device configuration profile only
- A device configuration profile and a conditional access policy only
- Device configuration profile, device compliance policy, and conditional access policy

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Text, table Description automatically generated with medium confidence

**NEW QUESTION 170**

HOTSPOT - (Topic 6)

You have 2,500 Windows 10 devices and a Microsoft 365 E5 tenant that contains two users named User1 and User2. The devices are not enrollment in Microsoft Intune.

In Microsoft Endpoint Manager, the Device limit restrictions are configured as shown in the following exhibit.

**Device limit restrictions**

Define how many devices each user can enroll.

Priority	Name	Device limit	Assigned
Default	All Users	2	Yes

In Azure Active Directory (Azure AD), the Device settings are configured as shown in the following exhibit.

Users may register their devices with Azure AD

All None

Learn more on how this setting works

Require Multi-Factor Auth to join devices

Yes No

Maximum number of devices per user

5

From Microsoft Endpoint Manager, you add User2 as a device enrollment manager (DEM). For each of the following statement, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can enroll only five devices in Intune.	<input type="radio"/>	<input type="radio"/>
User1 can join only five devices to Azure AD.	<input type="radio"/>	<input type="radio"/>
User2 can enroll all the devices in Intune.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

Statements	Yes	No
User1 can enroll only five devices in Intune.	<input type="radio"/>	<input checked="" type="radio"/>
User1 can join only five devices to Azure AD.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can enroll all the devices in Intune.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 172**

- (Topic 6)

You have a Microsoft 365 subscription.

You suspect that several Microsoft Office 365 applications or services were recently updated.

You need to identify which applications or services were recently updated.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center review the Service health blade
- B. From the Microsoft 365 admin center, review the Message center blade.
- C. From the Microsoft 365 admin center review the Products blade.
- D. From the Microsoft 365 Admin mobile app, review the messages.

**Answer:** BD

**Explanation:**

The Message center in the Microsoft 365 admin center is where you would go to view a list of the features that were recently updated in the tenant. This is where Microsoft posts official messages with information including new and changed features, planned maintenance, or other important announcements.

The messages displayed in the Message center can also be viewed by using the Office

365 Admin mobile app. Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center> <https://docs.microsoft.com/en-us/office365/admin/admin-overview/admin-mobile-app>

**NEW QUESTION 174**

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365. You need to configure policies to meet the following requirements:

? Customize the common attachments filter.

? Enable impersonation protection for sender domains.

Which type of policy should you configure for each requirement? To answer, drag the appropriate policy types to the correct requirements. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Policy Types**

- Anti-malware
- Anti-phishing
- Anti-spam
- Safe Attachments

**Answer Area**

Customize the common attachments filter:

Enable impersonation protection for sender domains:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Anti-malware

Customize the common attachments filter. See step 5 below.

\* 1. Use the Microsoft 365 Defender portal to create anti-malware policies

In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-Malware in the

Policies section. To go directly to the Anti-malware page, use <https://security.microsoft.com/antimalwarev2>

\* 2. On the Anti-malware page, select Create to open the new anti-malware policy wizard. On the Name your policy page, configure these settings:

Name: Enter a unique, descriptive name for the policy. Description: Enter an optional description for the policy.

\* 3. When you're finished on the Name your policy page, select Next.

\* 4. On the Users and domains page, identify the internal recipients that the policy applies to (recipient conditions)

\* 5. On the Protection settings page, configure the following settings: Protection settings section:

Enable the common attachments filter: If you select this option, messages with the specified attachments are treated as malware and are automatically quarantined. You can modify the list by clicking Customize file types and selecting or deselecting values in the list.

\* 6. Etc.

Box 2: Anti-phishing

Enable impersonation protection for sender domains. Anti-phishing policies in Microsoft 365

The high-level differences between anti-phishing policies in EOP and anti-phishing policies in Defender for Office 365 are described in the following table:

Feature	Anti-phishing policies in EOP	Anti-phishing policies in Defender for Office 365
Automatically created default policy	✓	✓
Create custom policies	✓	✓
Common policy settings*	✓	✓
Spoof settings	✓	✓
First contact safety tip	✓	✓
Impersonation settings		✓
Advanced phishing thresholds		✓

#### NEW QUESTION 175

- (Topic 6)

You have an Azure AD tenant.

You have 1,000 computers that run Windows 10 Pro and are joined to Azure AD. You purchase a Microsoft 365 E3 subscription.

You need to deploy Windows 10 Enterprise to the computers. The solution must minimize administrative effort.

What should you do?

- A. From the Microsoft Endpoint Manager admin center, create a Windows Autopilot deployment profile
- B. Assign the profile to all the computer
- C. Instruct users to restart their computer and perform a network restart.
- D. Enroll the computers in Microsoft Intun
- E. Create a configuration profile by using the Edition upgrade and mode switch template
- F. From the Microsoft Endpoint Manager admincenter, assign the profile to all the computers and instruct users to restart their computer.
- G. From Windows Configuration Designer, create a provisioning package that has an EditionUpgrade configuration and upload the package to a Microsoft SharePoint Online site
- H. Instruct users to run the provisioning package from SharePoint Online.
- I. From the Azure Active Directory admin center, create a security group that has dynamic device membership
- J. Assign licenses to the group and instruct users to sign in to their computer.

**Answer: B**

#### NEW QUESTION 177

DRAG DROP - (Topic 6)

DRAG DROP

Your network contains an on-premises Active Directory domain that syncs to Azure Active

Directory (Azure AD). The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2016	File Server Resource Manager (FSRM)
Server2	Windows Server 2016	None

You use Azure Information Protection.

You need to ensure that you can apply Azure Information Protection labels to the file stores on Server1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- Actions**
- Authorize Server1.
  - Install the Microsoft Rights Management connector on Server2.
  - Install a certificate on Server2.
  - Install a certificate on Server1.
  - Register a service principal name for Server1.
  - Run GenConnectorConfig.ps1 on Server1.
  - Run GenConnectorConfig.ps1 on Server2.

**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

- Actions**
- Authorize Server1.
  - Install the Microsoft Rights Management connector on Server2.
  - Install a certificate on Server2.
  - Install a certificate on Server1.
  - Register a service principal name for Server1.
  - Run GenConnectorConfig.ps1 on Server1.
  - Run GenConnectorConfig.ps1 on Server2.

**Answer Area**

Install the Microsoft Rights Management connector on Server2.

---

Authorize Server1.

---

Run GenConnectorConfig.ps1 on Server1.

---

**NEW QUESTION 179**

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that contains the administrative units shown in the following table.

Name	Members
AU1	Group1, User2
AU2	Group2, User3, User4

The groups contain the members shown in the following table.

Name	Members
Group1	User1
Group2	User2, User4

The users are assigned the roles shown in the following table.

Name	Role	Scope
User1	None	Not applicable
User2	Password Administrator	AU1
User3	License Administrator	Organization
User4	None	Not applicable

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE; Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User2 can reset the password of User1.	<input type="radio"/>	<input type="radio"/>
User2 can reset the password of User4.	<input type="radio"/>	<input type="radio"/>
User3 can assign licenses to User1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
User2 can reset the password of User1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can reset the password of User4.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can assign licenses to User1.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 184**

HOTSPOT - (Topic 5)

You need to ensure that Admin4 can use SSPR.

Which tool should you use, and which action should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Action:  ▼

- Enable app registrations.
- Enable password writeback.**
- Enable password hash synchronization.
- Disable password hash synchronization.

Tool:  ▼

- Azure AD Connect**
- Synchronization Rules Editor
- Microsoft Entra admin center

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Action:  ▼

- Enable app registrations.
- Enable password writeback.**
- Enable password hash synchronization.
- Disable password hash synchronization.

Tool:  ▼

- Azure AD Connect**
- Synchronization Rules Editor
- Microsoft Entra admin center

**NEW QUESTION 187**

HOTSPOT - (Topic 3)

You need to ensure that User2 can review the audit logs. The solutions must meet the technical requirements.

To which role group should you add User2, and what should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role group:  ▼

Reviewer
Global reader
Data Investigator
Compliance Management

Tool:  ▼

Exchange admin center
SharePoint admin center
Microsoft 365 admin center
Microsoft 365 security center

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Role group:  ▼

Reviewer
Global reader
Data Investigator
Compliance Management

Tool:  ▼

Exchange admin center
SharePoint admin center
Microsoft 365 admin center
Microsoft 365 security center

**NEW QUESTION 192**

- (Topic 3)

You need to create the Safe Attachments policy to meet the technical requirements. Which option should you select?

- A. Replace
- B. Enable redirect
- C. Block
- D. Dynamic Delivery

**Answer:** D

**Explanation:**

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/safe-attachments.md>

**NEW QUESTION 194**

- (Topic 2)

Which report should the New York office auditors view?

- A. DLP policy matches
- B. DLP false positives and overrides
- C. DLP incidents
- D. Top Senders and Recipients

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

This report also shows policy matches over time, like the policy matches report. However, the policy matches report shows matches at a rule level; for example, if an email matched three different rules, the policy matches report shows three different line items. By contrast, the incidents report shows matches at an item level; for example, if an email matched three different rules, the incidents report shows a single line item for that piece of content. Because the report counts are aggregated differently, the policy matches report is better for identifying matches with specific rules and fine tuning DLP policies. The incidents report is better for identifying specific pieces of content that are problematic for your DLP policies.

**NEW QUESTION 196**

HOTSPOT - (Topic 1)

You need to meet the technical requirements and planned changes for Intune. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Settings to configure in Azure AD:	Device settings Mobility (MDM and MAM) Organizational relationships User settings
Settings to configure in Intune:	Device compliance Device configuration Device enrollment Mobile Device Management Authority

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Settings to configure in Azure AD:	Device settings Mobility (MDM and MAM) Organizational relationships User settings
Settings to configure in Intune:	Device compliance Device configuration Device enrollment Mobile Device Management Authority

**NEW QUESTION 201**

- (Topic 6)

You are testing a data loss prevention (DLP) policy to protect the sharing of credit card information with external users.

During testing, you discover that a user can share credit card information with external users by using email. However, the user is prevented from sharing files that contain credit card information by using Microsoft SharePoint.

You need to prevent the user from sharing the credit card information by using email and SharePoint.

What should you configure?

- A. the status of the DLP policy
- B. the user overrides of the DLP policy rule
- C. the locations of the DLP policy
- D. the conditions of the DLP policy rule

**Answer:** D

**NEW QUESTION 204**

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named site1. You need to ensure that site1 meets the following requirements:

- Retains all data for 10 years
- Prevents the sharing of data outside the organization

Which two items should you create and apply to site1? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a retention policy
- B. a sensitive info type
- C. a data loss prevention (DLP) policy
- D. a sensitivity label
- E. a retention label
- F. a retention label policy

**Answer:** CE

**NEW QUESTION 209**

HOTSPOT - (Topic 6)


You have a Microsoft 365 E5 subscription that.

You need to identify whenever a sensitivity label is applied, changed, or removed within the subscription.

Which feature should you use, and how many days will the data be retained? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



**NEW QUESTION 213**

- (Topic 6)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Microsoft 365 admin role	Microsoft Exchange Online admin role
User1	Global Administrator	None
User2	Exchange Administrator	None
User3	Service Support Administrator	None
User4	None	Organization Management

You plan to use Exchange Online to manage email for a DNS domain. An administrator adds the DNS domain to the subscription. The DNS domain has a status of Incomplete setup.

You need to identify which user can complete the setup of the DNS domain. The solution must use the principle of least privilege. Which user should you identify?

- A. User1
- B. User2
- C. User3
- D. User4

Answer: A

**NEW QUESTION 218**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You configure a new alert policy as shown in the following exhibit.

## How do you want the alert to be triggered?

- Every time an activity matches the rule
- When the volume of matched activities reaches a threshold

More than or equal to  activities

During the last  minutes

On  ▾

- When the volume of matched activities becomes unusual

On  ▾

You need to identify the following:

? How many days it will take to establish a baseline for unusual activity.

? Whether alerts will be triggered during the establishment of the baseline.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

How many days it will take to establish the baseline:  ▾

1
5
7
10

Whether the alerts will be triggered during the establishment of the baseline:  ▾

Alerts will be triggered.
Alerts will not be triggered.
Alerts will be triggered only after the process to establish the baseline has been running for one day.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

How many days it will take to establish the baseline:  ▾

1
5
7
10

Whether the alerts will be triggered during the establishment of the baseline:  ▾

Alerts will be triggered.
Alerts will not be triggered.
Alerts will be triggered only after the process to establish the baseline has been running for one day.

You have a Microsoft 365 E5 tenant.  
 You plan to deploy a monitoring solution that meets the following requirements:  
 ? Captures Microsoft Teams channel messages that contain threatening or violent language.  
 ? Alerts a reviewer when a threatening or violent message is identified.  
 What should you include in the solution?

- A. Data Subject Requests (DSRs)
- B. Insider risk management policies
- C. Communication compliance policies
- D. Audit log retention policies

**Answer: C**

**NEW QUESTION 222**

- (Topic 6)  
 You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365 and contains a user named User1.  
 User1 emails a product catalog in the PDF format to 300 vendors. Only 200 vendors receive the email message, and User1 is blocked from sending email until the next day.  
 You need to prevent this issue from reoccurring. What should you configure?

- A. anti-spam policies
- B. Safe Attachments policies
- C. anti-phishing policies
- D. anti-malware policies

**Answer: A**

**NEW QUESTION 226**

- (Topic 6)  
 Note: This question is part of a series of questions that present the same scenario.  
 Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
 Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

**PROVISION FROM ACTIVE DIRECTORY**



**Azure AD Connect cloud provisioning**

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

**Azure AD Connect sync**

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

**USER SIGN-IN**



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.  
 You need to ensure that User2 can access the resources in Azure AD.  
 Solution: From the on-premises Active Directory domain, you set the UPN suffix for User2 to @contoso.com. You instruct User2 to sign in as user2@contoso.com.  
 Does this meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

The on-premises Active Directory domain is named contoso.com. You can enable users to sign on using a different UPN (different domain), by adding the domain to Microsoft 365 as a custom domain. Alternatively, you can configure the user account to use the existing domain (contoso.com).

**NEW QUESTION 229**

- (Topic 6)

Your network contains an Active Directory forest named contoso.local. You purchase a Microsoft 365 subscription.

You plan to move to Microsoft 365 and to implement a hybrid deployment solution for the next 12 months.

You need to prepare for the planned move to Microsoft 365.

What is the best action to perform before you implement directory synchronization? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Purchase a third-party X.509 certificate.
- B. Create an external forest trust.
- C. Rename the Active Directory forest.
- D. Purchase a custom domain name.

**Answer:** D

**Explanation:**

The first thing you need to do before you implement directory synchronization is to purchase a custom domain name. This could be the domain name that you use in your on- premise Active Directory if it's a routable domain name, for example, contoso.com.

If you use a non-routable domain name in your Active Directory, for example contoso.local, you'll need to add the routable domain name as a UPN suffix in Active Directory.

Incorrect:

Not C: No need to rename the Active Directory forest. As we use a non-routable domain name contoso.local, we just need to add the routable domain name as a UPN suffix in Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/set-up-directory-synchronization>

**NEW QUESTION 231**

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Member of	Azure Active Directory (Azure AD) role
User1	Group1	Global administrator
User2	Group2	Cloud device administrator

You configure an Enrollment Status Page profile as shown in the following exhibit.

## Settings

The enrollment status page appears during initial device setup. If enabled, users can see the installation progress of assigned apps and profiles.

Show app and profile installation progress.  Yes  No

Show time limit error when installation takes longer than specified number of minutes.

Show custom message when time limit error occurs.  Yes  No

Allow users to collect logs about installation errors.  Yes  No

Only show page to devices provisioned by out-of-box experience (OOBE)  Yes  No

Block device use until all apps and profiles are installed  Yes  No

You assign the policy to Group1.

You purchase the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 performs the initial device enrollment for Device1, the Enrollment Status Page will show.	<input type="radio"/>	<input type="radio"/>
If User1 performs the initial device enrollment for Device2, the Enrollment Status Page will show.	<input type="radio"/>	<input type="radio"/>
If User2 performs the initial device enrollment for Device2, the Enrollment Status Page will show.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
If User1 performs the initial device enrollment for Device1, the Enrollment Status Page will show.	<input checked="" type="radio"/>	<input type="radio"/>
If User1 performs the initial device enrollment for Device2, the Enrollment Status Page will show.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 performs the initial device enrollment for Device2, the Enrollment Status Page will show.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 232**

- (Topic 6)

You have a Microsoft 365 tenant.

You plan to implement Endpoint Protection device configuration profiles.

Which platform can you manage by using the profile?

- A. Ubuntu Linux
- B. macOS
- C. iOS
- D. Android

**Answer:** B

**Explanation:**

Intune device configuration profiles can be applied to Windows 10 devices and macOS devices

Note:

There are several versions of this question in the exam. The question has two possible correct answers:

? Windows 10

? macOS

Other incorrect answer options you may see on the exam include the following:

? Android Enterprise

? Windows 8.1

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/endpoint-protection-configure>

**NEW QUESTION 236**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

All corporate Windows 11 devices are managed by using Microsoft Intune and onboarded to Microsoft Defender for Endpoint.


You need to meet the following requirements:

\* View an assessment of the device configurations against the Center for Internet Security (CIS) v1.0.0 benchmark.

• Protect a folder named C:\Folder1 from being accessed by untrusted applications on the devices.

What should you do? To answer, select the appropriate options in the answer area.


**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 Answer Area



**NEW QUESTION 240**

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type
Group1	Microsoft 365
Group2	Distribution
Group3	Mail-enabled security
Group4	Security

You plan to publish a sensitivity label named Label1. To which groups can you publish Label1?

- A. Group1 only
- B. Group1 and Group2 only
- C. Group1 and Group4 only
- D. Group1, Group2, and Group3 only
- E. Group1 Group2, Group3, and Group4

**Answer:** A

**Explanation:**

In addition to using sensitivity labels to protect documents and emails, you can also use sensitivity labels to protect content in the following containers: Microsoft Teams sites, Microsoft 365 groups (formerly Office 365 groups), and SharePoint sites.


Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-teams-groups-sites>

**NEW QUESTION 245**

HOTSPOT - (Topic 6)

Your company has a hybrid deployment of Microsoft 365. An on-premises user named User1 is synced to Azure AD. Azure AD Connect is configured as shown in the following exhibit



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

User1 [answer choice].

If the password for User1 is changed in Active Directory, [answer choice].

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

User1 [answer choice].

If the password for User1 is changed in Active Directory, [answer choice].

**NEW QUESTION 250**

.....

## Relate Links

**100% Pass Your MS-102 Exam with Exam Bible Prep Materials**

<https://www.exambible.com/MS-102-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>