

## 350-401 Dumps

# Implementing and Operating Cisco Enterprise Network Core Technologies

<https://www.certleader.com/350-401-dumps.html>



### NEW QUESTION 1

A network administrator is implementing a routing configuration change and enables routing debugs to track routing behavior during the change. The logging output on the terminal is interrupting the command typing process. Which two actions can the network administrator take to minimize the possibility of typing commands incorrectly? (Choose two.)

- A. Configure the logging synchronous global configuration command
- B. Configure the logging delimiter feature
- C. Configure the logging synchronous command under the vty
- D. Press the TAB key to reprint the command in a new line
- E. increase the number of lines on the screen using the terminal length command

**Answer: CD**

### NEW QUESTION 2

Refer to the exhibit.

```
R1# sh run | begin line con
line con 0
  exec-timeout 0 0
  privilege level 15
  logging synchronous
  stopbits 1
line aux 0
  exec-timeout 0 0
  privilege level 15
  logging synchronous
  stopbits 1
line vty 0 4
  password 7 045802150C2E
  login
line vty 5 15
  password 7 045802150C2E
  login
!
end

R1# sh run | include aaa | enable
no aaa new-model
R1#
```

Which privilege level is assigned to VTY users?

- A. 1
- B. 7
- C. 13
- D. 15

**Answer: D**

### NEW QUESTION 3

A client device fails to see the enterprise SSID, but other devices are connected to it. What is the cause of this issue?

- A. The hidden SSID was not manually configured on the client.
- B. The broadcast SSID was not manually configured on the client.
- C. The client has incorrect credentials stored for the configured hidden SSID.
- D. The client has incorrect credentials stored for the configured broadcast SSID.

**Answer: A**

### NEW QUESTION 4

Drag and drop the description from the left onto the correct QoS components on the right.

causes TCP retransmissions when traffic is dropped
buffers excessive traffic
introduces no delay and jitter
introduces delay and jitter
drops excessive traffic
typically delays, rather than drops traffic

Traffic Policing

Traffic Shaping

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Traffic Policing: Drops excessive Traffic, causes TCP retransmissions, introduce no delay/jitter Shaping: buffers, excessive traffic, introduce delay and jitter, typically delays, rather than drops traffic

**NEW QUESTION 5**


If a VRRP master router fails, which router is selected as the new master router?

- A. router with the highest priority
- B. router with the highest loopback address
- C. router with the lowest loopback address
- D. router with the lowest priority

**Answer:** A

**NEW QUESTION 6**

Refer to the exhibit.



Which type of antenna do the radiation patterns present?

- A. Patch
- B. Omnidirectional
- C. Yagi
- D. Dipole

**Answer:** A

**NEW QUESTION 7**


Which access controls list allows only TCP traffic with a destination port range of 22-433, excluding port 80?

- A. Deny tcp any any eq 80 Permit tcp any any gt 21 it 444
- B. Permit tcp any any ne 80
- C. Permit tcp any any range 22 443 Deny tcp any any eq 80
- D. Deny tcp any any ne 80Permit tcp any any range 22 443

**Answer:** A

**NEW QUESTION 8**

Which exhibit displays a valid JSON file?



```
{
  "hostname": "edge_router_1",
  "interfaces": [
    "GigabitEthernet1/1",
    "GigabitEthernet1/2",
    "GigabitEthernet1/3"
  ]
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** D

#### NEW QUESTION 9


Which DNS lookup does an access point perform when attempting CAPWAP discovery?

- A. CISCO-DNA-CONTROLLER local
- B. CAPWAP-CONTROLLER local
- C. CISCO-CONTROLLER local
- D. CISCO-CAPWAP-CONTROLLER local

**Answer:** D

#### NEW QUESTION 10

Refer to the exhibit.



A port channel is configured between SW2 and SW3. SW2 is not running a Cisco operating system. When all physical connections are made, the port channel does not establish. Based on the configuration excerpt of SW3, what is the cause of the problem?

- A. The port channel on SW2 is using an incompatible protocol.
- B. The port-channel trunk is not allowing the native VLAN.
- C. The port-channel should be set to auto.
- D. The port-channel interface load balance should be set to src-mac

**Answer:** A

#### NEW QUESTION 10

Which standard access control entry permits from odd-numbered hosts in the 10.0.0.0/24 subnet?

- A. Permit 10.0.0.0.0.0.1
- B. Permit 10.0.0.1.0.0.0
- C. Permit 10.0.0.1.0.0.0.254
- D. Permit 10.0.0.0.255.255.255.254

**Answer:** C

#### NEW QUESTION 12

Which LISP infrastructure device provides connectivity between non-sites and LISP sites by receiving non-LISP traffic with a LISP site destination?

- A. PETR
- B. PITR
- C. map resolver
- D. map server

**Answer:** B

**NEW QUESTION 14**

Which action is the vSmart controller responsible for in an SD-WAN deployment?

- A. onboard vEdge nodes into the SD-WAN fabric
- B. distribute security information for tunnel establishment between vEdge routers
- C. manage, maintain, and gather configuration and status for nodes within the SD-WAN fabric
- D. gather telemetry data from vEdge routers

**Answer:** B

**NEW QUESTION 18**

Which QoS component alters a packet to change the way that traffic is treated in the network?

- A. Marking
- B. Classification
- C. Shaping
- D. Policing

**Answer:** A

**NEW QUESTION 19**

Which two methods are used by an AP that is trying to discover a wireless LAN controller? (Choose two.)

- A. Cisco Discovery Protocol neighbour
- B. broadcasting on the local subnet
- C. DNS lookup cisco-DNA-PRIMARY.localdomain
- D. DHCP Option 43
- E. querying other APs

**Answer:** CD

**NEW QUESTION 22**

Which method displays text directly into the active console with a synchronous EEM applet policy?

- A. event manager applet boom event syslog pattern 'UP'action 1.0 gets 'logging directly to console'
- B. event manager applet boom event syslog pattern 'UP'action 1.0 syslog priority direct msg 'log directly to console'
- C. event manager applet boom event syslog pattern 'UP'action 1.0 puts 'logging directly to console'
- D. event manager applet boom event syslog pattern 'UP'action 1.0 string 'logging directly to console'

**Answer:** B

**NEW QUESTION 26**

What is the correct EBGp path attribute list, ordered from most preferred to the least preferred, that the BGP best-path algorithm uses?

- A. weigh
- B. AS path, local preferenc
- C. MED
- D. weight, local preference AS path, MED
- E. local preference weight AS path, MED
- F. local preference, weight MED, AS path

**Answer:** B

**NEW QUESTION 28**

What are two benefits of virtualizing the server with the use of VMs in data center environment? (Choose two.)

- A. Increased security
- B. reduced rack space, power, and cooling requirements
- C. reduced IP and MAC address requirements
- D. speedy deployment
- E. smaller Layer 2 domain

**Answer:** BD

**NEW QUESTION 31**

Which controller is the single plane of management for Cisco SD-WAN?

- A. vBond
- B. vEdge
- C. vSmart
- D. vManage

**Answer:** D

**NEW QUESTION 34**

An engineer configures a WLAN with fast transition enabled. Some legacy clients fail to connect to this WLAN. Which feature allows the legacy clients to connect while still allowing other clients to use fast transition based on their OLTIs?

- A. over the DS
- B. adaptive R
- C. 802.11V
- D. 802.11k

**Answer:** B

#### **NEW QUESTION 39**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 350-401 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/350-401-dumps.html>