

Exam Questions PL-400

Microsoft Power Platform Developer

<https://www.2passeasy.com/dumps/PL-400/>



NEW QUESTION 1

- (Exam Topic 1)

You need to select connectors for the app.

Which types of connectors should you use? To answer, drag the appropriate connectors to the correct requirements. Each connector may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Create a custom connector

A custom connector is a wrapper around a REST API (Logic Apps also supports SOAP APIs) that allows Logic Apps, Power Automate, or Power Apps to communicate with that REST or SOAP API.

Box 2: Use an AppSource connector

You can only retrieve the Customer, UnifiedActivity, and Segments entities through the Power Apps connector. Other entities are shown because the underlying connector supports them through triggers in Power Automate.

Scenario: Customer information is stored in the Accounts entity. Box 3: Use a native application function

You must produce a report that details the number of registrations for a day and send the report as a PDF to the management team.

Reference:

<https://docs.microsoft.com/en-us/connectors/custom-connectors/>

<https://docs.microsoft.com/en-us/dynamics365/customer-insights/audience-insights/export-power-apps>

NEW QUESTION 2

- (Exam Topic 1)

You need to add the script for the registration form event handling. Which code segment should you use?

- A. `formContext.data.entity.addOnSave(myFunction)`
- B. `formContext.data.addOnLoad(myFunction)`
- C. `formContext.data.removeOnLoad(myFunction)`
- D. `addOnPreProcessStatusChange`
- E. `formContext.data.isValid()`

Answer: B

Explanation:

Scenario: Information about upcoming tournaments must be pre-located into the registration form when the registration form loads.

`addOnLoad` adds event handlers to the Subgrid OnLoad event event. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/grids/gridcontrol/a>

NEW QUESTION 3

- (Exam Topic 1)

You need to handle errors in `UpdateRecord.js`. Which code segment should you add at line UR06?

- A. `catch(error) { D18912E1457D5D1DDCDBD40AB3BF70D5Dalert("Caught error: " + error.message);}`
- B. `Exception exception = Server.GetLastError() ; if(exception != null){}`
- C. `catch(exception e){ console.writeline(e)}`
- D. `function (error){ console.log(error.message)}`

Answer: A

Explanation:

The catch statement lets you handle the error. Syntax: `catch(err) {`
Block of code to handle errors
`}`

Reference: https://www.w3schools.com/js/js_errors.asp

NEW QUESTION 4

- (Exam Topic 2)

You need to improve warehouse counting efficiency. What should you create?

- A. a flow that updates the warehouse counts as the worker performs the count
- B. a model-driven app that allows the user to key in inventory counts
- C. A Power BI dashboard that shows the inventory counting variances
- D. a canvas app that scans barcodes to allow a warehouse worker to select inventory counts

Answer: D

Explanation:

Scenario: Warehouse counting is performed manually by using a counting journal. All warehouse boxes and items are barcoded.

NEW QUESTION 5

- (Exam Topic 4)

You are creating a model-driven app.

Users need to see only the entities in the app navigation that are relevant to their role and their method of accessing the app.

You need to restrict entities on the sub-areas in the SiteMap.

Which properties should you use? To answer, drag the appropriate properties to the correct requirements. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Privileges

Privileges: This defines whether a subarea is displayed based on privileges available in any security roles that are assigned to the user.

Box 2: SKU

SKUs: Select the versions of Dynamics 365 that display this subarea. Box 3: Client

Client: Select the type of client that displays this subarea. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

NEW QUESTION 6

- (Exam Topic 4)

A company uses Dynamics 365 Sales.

Sales commission must be calculated when an order is placed. You create an Azure Function to perform the calculation. The Azure Function has an HTTP trigger.

You need to configure the Plug-in Registration tool to send data to the Azure Function when an order is placed. You open the Plug-in Registration tool and connect to Dynamics 365 Sales.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select Register New Web Hook.

Configure Dynamics 365 Sales to Call Your Webhook in Azure Functions

- * 1. Open the Plug-in Registration Tool and connect to your organization.
- * 2. Select Register->Register New Web Hook

Step 2: Enter the endpoint URL

Step 3: Register a New Step for Create of SalesOrder.

Register a new webhook, and then tie that webhook to an event in Dynamics 365 Sales. Select your newly registered webhook, right-click it, and then choose "Register New Step."

Note that the webhook here is set to execute whenever a change to an account record is detected within Dynamics 365 Sales.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plugin-in>

NEW QUESTION 7

- (Exam Topic 4)

A company needs to illustrate the relationships of the entities in Dynamics 365 Sales. You need to select the appropriate tool to show this graphic. Which tool should you select?

- A. Metadata diagram
- B. Sales Insights
- C. Power Automate
- D. Security model

Answer: A

Explanation:

Visual representation of metadata can be useful, especially when you are trying to describe the relationship between entities in the system. You can use the Metadata Diagram sample code provided for Dynamics 365 Customer Engagement (on-premises) to generate the entity relationship diagrams.

You can create a diagram that shows a relationship for just one entity, or a complex diagram that includes

dozens of related entities, including custom and system entities. Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/use-metadata-gener>

NEW QUESTION 8

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is

unavailable for more than a few seconds to avoid data loss. You need to design the integration solution.

Solution: Configure the Azure Function with a timer trigger that runs every five minutes. The function will query the Common Data Service and process records created in the last five minutes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Service Bus queue solution with asynchronous communication. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 9

- (Exam Topic 4)

A company implements Dynamics 365 Sales.

An email notification must be sent automatically to the sales manager when a business process completes. You need to ensure that emails are sent.

What should you create on the process completed trigger?

- A. a workflow
- B. an action step
- C. a data step
- D. a Power Automate flow step

Answer: A

Explanation:

When you include a workflow that you want to trigger on Stage Exit of a stage in your business process flow, and that stage is the last stage in the flow, the designer gives the impression that the workflow will be triggered when that stage is completed. Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/businessprocess-flo>

NEW QUESTION 10

- (Exam Topic 4)

A company is building a new model-driven app.

The app must integrate with a number of on-premises and cloud solutions. No VPNs are in place. You need to determine the method for each integration.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Webhook

With Dataverse, you can send data about events that occur on the service to a web app by using webhooks. A webhook is a lightweight HTTP pattern for connecting web APIs and services with a publish-and-subscribe model. Webhook senders notify receivers about events by making requests to receiver endpoints with some information about the events.

Webhooks enable developers and ISVs to integrate Dataverse data with their own custom code hosted on external services.

Box 2: Azure Service Bus

Service Bus provides a secure and reliable communication channel between Dataverse runtime data and external, cloud-based line-of-business apps. This capability is especially useful in keeping disparate Dataverse systems or other Dataverse servers synchronized with business data changes.

Box 3: Azure Event hub

Azure Event Hubs is a big data streaming platform and event ingestion service. It can receive and process millions of events per second. Data sent to an event hub can be transformed and stored by using any real-time analytics provider or batching/storage adapters.

Note: The most popular approaches in Dataverse involve webhooks, Azure messaging (Service Bus, Event Hubs), Azure Logic Apps, or Power Automate.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/why-cds-any-type-app>

NEW QUESTION 10

- (Exam Topic 4)

You have a Common Data Service entity and a model-driven app. The model-driven app integrates with an external system.

You plan to run business logic each time the model-driven app creates a record. Running business logic must not negatively affect model-driven app users.

You need to implement the business logic. What should you use?

- A. Synchronous plug-in registered in the PreOperation stage
- B. Synchronous workflow
- C. Asynchronous plug-in registered in the PostOperation stage

Answer: C

Explanation:

The asynchronous service executes long-running operations independent of the main Microsoft Dataverse core operation. This results in improved overall system performance and improved scalability.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/asynchronous-service>

NEW QUESTION 15

- (Exam Topic 4)

You need to select the appropriate methods using the Azure Event Grid.

Which method should you use for each requirement? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Event handler

Event handlers - The app or service reacting to the event. Box 2: Event subscriptions

Event subscriptions - The endpoint or built-in mechanism to route events, sometimes to more than one handler. Subscriptions are also used by handlers to intelligently filter incoming events.

Note:

There are five concepts in Azure Event Grid that let you get going: Events - What happened.

Event sources - Where the event took place.

NEW QUESTION 16

- (Exam Topic 4)

You are creating a business process flow for an organization's Request for Quote process. You need to ensure that the business process flow meets the company's requirements.

Which components should you use? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes to scroll to view content. Select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Step

Each step represents a field where data can be entered.

Stages tell you where you are in the process, while steps are action items that lead to a desired outcome. Box 2: Branching condition

You can enhance a business process flow with branching. If you have the create permissions on business

process flows, you'll be able create business process flow with multiple branches by using the If-Else logic. Box 3: Stage

Each stage contains a group of steps. Reference:

<https://docs.microsoft.com/en-us/power-automate/business-process-flows-overview> <https://docs.microsoft.com/en-us/power-automate/enhance-business-process-flows-branching>

NEW QUESTION 21

- (Exam Topic 4)

A company creates a custom connector to use in a flow named Search Company.

When this custom connector is used, requests must be redirected to a different endpoint at runtime. You need to apply a policy to the custom connector to route calls to a different endpoint.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select the Search Company custom connector in the Microsoft Flow portal under Custom connectors and select edit.

Login to the Microsoft Flow portal, and on right top corner click on the settings icon and then click on custom connectors option.

Step 2: Select the Definition tab

Policy template are available only for custom connectors. To use a policy template, open Power Automate portal and either create a new custom connector or edit an existing one.

In the custom connector wizard, select the Definition page.

From the Definition page, select New Policy.

Etc.

Step 3: Select New Policy Reference:

<https://docs.microsoft.com/en-us/connectors/custom-connectors/policy-templates>

NEW QUESTION 22

- (Exam Topic 4)

A bank uses a Common Data Service solution to manage clients.

Bank representatives perform client credit checks while the client is present. Credit checks may take up to five minutes to complete.

Bank policy dictates that the bank representative's app must stay blocked until credit checks are complete. You need to display a model-driven app while credit checks run to ask the bank representative and client to wait for the credit check to complete.

Which function should you use?

- A. `Xrm.Navigation.openWebResource("prefix.myPoliteMessage.html")`
- B. `Xrm.Navigation.openAlertDialog(myPoliteMessage)`
- C. `Xrm.Utility.openWebResource("prefix_myPoliteMessage.html")`
- D. `Xrm.Utility.showProgressIndicator(myPoliteMessage)`

Answer: D

Explanation:

`showProgressIndicator` displays a progress dialog with the specified message.

Any subsequent call to this method will update the displayed message in the existing progress dialog with the message specified in the latest method call.

The progress dialog blocks the UI until it is closed using the `closeProgressIndicator` method. So, you must use this method with caution.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-utility/showp>

NEW QUESTION 24

- (Exam Topic 4)

A company is preparing to go live with their Dynamics 365Sales solution, but first they need to migrate data from a legacy system. The company is migrating accounts in batches of 1,000.

When the data is saved to Dynamics 365 Sales, the IDs for the new accounts must be output to a log file. You have the following code:

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

ReturnResponses: When true, return responses from each message request processed. When false, do not return responses.

When false, the Responses collection will not be empty if errors are returned. If errors are returned, there will be one response item in the collection for each processed request that returned a fault and Fault will be set to the actual fault that occurred.

Box 3: No

Box 4: Yes

For example, in a request collection that contains six requests where the third and fifth request return faults, the following table indicates what the Responses collection would contain.

ContinueOnError=true, ReturnResponses=false: 2 response items: 2 have Fault set to a value. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 25

- (Exam Topic 4)

You are creating a flow using the Common Data Service (CDS) connector. You need to select the appropriate triggers.

Which triggers should you use? To answer, drag the appropriate triggers to the correct scenarios. Each trigger may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 30

- (Exam Topic 4)

A company updates their client contact information periodically. The contact entity has alternate keys defined. You have the following code. (Line numbers are included for reference only.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-alternate-key-create-record>

NEW QUESTION 35

- (Exam Topic 4)

A fine arts school uses a custom canvas application based on the Common Data Service (CDS) platform.

Artists experience errors on their Artist canvas app and delays when switching pages. You need to identify the root causes of these issues.

Which troubleshooting methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Site Map validation

When you validate the app, the app designer canvas shows you details about the assets that are missing. In the app designer, select Validate.

A notification bar appears and shows you whether the app has any errors or warnings. The notification bar shows warnings in cases where, for example, an entity has no forms or views, or the app doesn't contain any components. An error might appear if a site map isn't configured for the app.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/validate-app>

<https://community.dynamics.com/crm/b/crminthefield/posts/monitoring-the-power-platform-canvas-driven-apps>

NEW QUESTION 40

- (Exam Topic 4)

A travel agency has a Dynamics 365 Customer Engagement.

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

You need to register the plug-in to meet the requirements.

Which value should you apply for each parameter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: associate

Box 2: contact

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

Box 3: country

Box 4: synchronous Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plug-in>

NEW QUESTION 42

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Create a security role that has organization-level access to opportunities. Give this security role to all members of the two departments who need access. Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use access team templates and give access to members in the two departments. Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 46

- (Exam Topic 4)

You are creating a Power Apps app that retrieves customer information from Azure Active Directory when you use the app to look up a customer record.

You create an Azure Function by using JSON code to retrieve the customer information. You need to make the application work.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Create a Power Automate flow to import data.

B. Create a custom connector that uses the Azure Function API.

C. Copy your JSON code to the app.

D. Create a custom connector that uses the JSON code.

E. Create an API definition for the Azure Function.

Answer: BE

Explanation:

E: Before exporting an API, you must describe the API using an OpenAPI definition.

B: This OpenAPI definition contains information about what operations are available in an API and how the request and response data for the API should be structured. PowerApps and Microsoft Flow can create custom connectors for any OpenAPI 2.0 definition.

Reference:

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/azure-functions/app-service-export-api-topow>

NEW QUESTION 50

- (Exam Topic 4)

A client requires that the system send an email from a button on their customer contact form. You need to call the action from JavaScript.

Which two functions achieve this result? Each correct presents a complete solution. NOTE: Each correct selection is worth one point.

A. `Xrm.WebApi.online.createRecord()`

B. `Xrm.WebApi.online.updateRecord()`

C. `Xrm.WebApi.online.execute()`

D. `Xrm.WebApi.online.executeMultiple()`

Answer: C

Explanation:

You can execute action using `Xrm.WebApi.online.execute` in Dynamics 365 CRM V9.0. Reference:

<https://carldesouza.com/calling-a-dynamics-365-action-from-javascript-using-xrm-webapi-online-execute/>

NEW QUESTION 55

- (Exam Topic 4)

You are developing a Web API for a company.

You need to implement the appropriate operations to meet the company's requirements. What should you implement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

Box 2: Actions

Box 3: Complex types

Complex types are keyless named structured types consisting of a set of properties. Complex types are commonly used as property values in model entities, or as parameters or return values for operations.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/web-api-types-operations#>

NEW QUESTION 59

- (Exam Topic 4)

A company implements Dynamics 365 Sales.

Only sales managers must be able to perform the approval to move high value sales on in the opportunity qualification process. A new field must be created to capture the approval.

You need to create and secure the new field.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security in the Approval field.

Enable field security on one or more fields for a given entity.

Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams (step 2 and step 3 below).

Step 2: Create a new field security profile.

Create a new field security profile for the sales manager. Step 3: Set the field permissions...security profile

Step 2 and step 3, example: Configure the security profiles.

Create the field security profile for sales managers.

Go to Settings > Security.

Click Field Security Profiles.

Click New, enter a name, such as Sales Manager access contact mobile phone, and click Save.

Click Users, click Add, select the users that you want to grant read access to the mobile phone number on the contact form, and then click Add.

Click Field Permissions, click mobilephone, click Edit, select Yes next to Allow Read, and then click OK.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/admin/field-level-security>

NEW QUESTION 60

- (Exam Topic 4)

A university manages grant applications using a model-driven app.

Users report that the message on the Grant Application screen is outdated. The screen shows the following:

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.loganconsulting.com/blog/how-use-power-automate-trigger-workflows-microsoft-dynamics-crm/>

NEW QUESTION 65

- (Exam Topic 4)

An organization has a Dynamics 365 Customer Engagement.

You plan to use a JavaScript web resources file in the Accounts form. The file has a dependency on two image web resource files and on the custom field new_placeofbirth in the Account entity.

You need to add the dependencies for the JavaScript file.

Which three action should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From Web Resources, select the JavaScript file for the Account form and then select the JavaScript file.
- B. Open the web resources file, add the two image web resources to the dependency's lists, and then add the custom field new_placeofbirth to the dependency's list.
- C. In the Account form, select Form Properties, select Non-Event Dependencies, and then add the customfield new_placeofbirth.
- D. In the Account form, select Form Properties and add the primary JavaScript file and the other two imageweb resources in Form Libraries.
- E. From Settings, select Customization and then select Customize the System.
- F. Select Account, select Forms, and then select the Account form.

Answer: CEF

Explanation:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 69

- (Exam Topic 4)

A manufacturing company uses a Common Data Service (CDS) environment to manage their parts inventory across two warehouses modeled as business units and named WH1 and WH2.

Data from the two warehouses is processed separately for each part that has its inventory quantities updates. The company must automate this process, pushing inventory updates from orders submitted to the warehouses. You need to build the automation using Power Automate flows against the CDS database. You must achieve this goal by using the least amount of administrative effort.

Which flow or flows should you recommend?

- A. Two automated flows with scope Business Unit, with triggers on Create/Update/Delete on orders.
- B. Two automated flows with scope Business Unit, with triggers on Create/Update/Delete and each flow filtering updates from each business unit.
- C. Two scheduled flows, each querying and updating the parts included in orders from each business unit.
- D. One scheduled flow, querying the parts included in orders in both business units.
- E. One automated flow, querying the orders in both business units.
- F. Two scheduled flows, each querying the orders from each business unit.
- G. Two automated flows with scope Organization, with triggers on Create/Update/Delete and filters on WH1 and WH2.
- H. Two automated flow with scope Business Unit, with triggers on Create/Update/Delete on orders and filters on WH1 and WH2.

Answer: H

Explanation:

With the Common Data Service connector, you can create Power Automate flows that are initiated by create and update events within Dataverse. Additionally, you can perform create, update, retrieve, and delete actions on records within Dataverse.

You can use scopes to determine if your flow runs if you create a new record, if a new record is created by a user within your business unit, or if a new record is created by any user in your organization.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds>

NEW QUESTION 71

- (Exam Topic 4)

A company is creating a new system based on Common Data Service. You need to select the features that meet the company's requirements.

Which options should you use? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: self-referential relationship Box 2: connection

There are other less formal kinds of relationships between records that are called connections. For example, it may be useful to know if two contacts are married, or perhaps they are friends outside of work, or perhaps a contact used to work for another account. Most businesses won't generate reports using this kind of information or require that it is entered, so it's probably not worthwhile to create entity relationships.

Box 3: one-to-many relationship Box 4: many-to-many relationship Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-entity-relationships>

NEW QUESTION 74

- (Exam Topic 4)

A travel company has a Common Data Service (CDS) environment. The company requires the following:

Custom entities that track which countries/regions their clients have traveled.

The dates their clients traveled to these countries/regions.

You need to create the entities and relationships to meet the requirements.

Which three actions should perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct order you select.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You can configure a sub-grid on a form to display a list of records or a chart. Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/sub-grid-properties>

NEW QUESTION 77

- (Exam Topic 4)

An organization uses Dynamics 365 Sales. The organization has accounting and customer service departments. You must restrict users in customer service from being able to change the value of the balance field on the Contact records. The accounting team must be the only team able to edit this field.

You need to create the appropriate solution without any customizations. What should you do first?

- A. Enable field security for the balance field and grant the customer service team read and update permissions.
- B. Create a customer service form and role and make the balance field read-only.
- C. Enable field security for the balance field and grant the accounting team read permissions.
- D. Enable field security for the balance field and grant the customer service team read permissions.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customer-service/create-design-forms-customer-service-hub>

NEW QUESTION 80

- (Exam Topic 4)

You are developing a model-driven app for the purchasing department of an organization. You provision a new test environment and a security role. You select users to test the apps and assign the users to a security group named TestSG.

If the tests succeed, a manager will perform additional testing in the production environment and then publish the app for the organization's purchasing department.

You need to ensure that the test and production environments are configured correctly. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Set the test environment security group to TestSG and assign test users the app security role.

PowerApps apps use role-based security for sharing. The fundamental concept in role-based security is that a security role contains privileges that define a set of actions that can be performed within the app. All app users must be assigned to one or more predefined or custom roles.

Box 2: Assign the manager the app security role.

Box 3: Set the production environment security group to TestSG Box 4: Add all users in the department to the TestSG security group. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/share-model-driven-app>

NEW QUESTION 81

- (Exam Topic 4)

You have the following code:

You have a contact record that uses the GUID 2CFB1599-DEAD-425F-AB4A-76E6CAB51B09.

You need to assign the contact record as the primary contact for an account when you create the account. Which two code segments can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: BC

NEW QUESTION 82

- (Exam Topic 4)

A company implements Dynamics 365 Customer Service. The company deploys synchronous plug-ins for the PreOperation and PostOperation stages on create and for the PostOperation stage on update for processing different case type.

Users experience errors when updating cases. The plug-in trace log files show that the PostOperation plug-in update of case times out after two minutes.

You perform basic testing and discover that this plug-in is triggered on every update of a case. You examine the code and discover that the plug-in retrieves all columns for the updated case record performing its work.

You need to reduce the number of errors. You need to achieve this goal with the test amount of changes. Solution: In the Plug-in Registration tool, set filtering attributes on the plug-in to only Case Type filed. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 85

- (Exam Topic 4)

You need to develop a set of Web API's for a company.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

most functions and services that are stateless and do not have side effects. Box 2: Actions

Actions can have side effects. Box 3: Complex types

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/use-web-api-actions>

NEW QUESTION 90

- (Exam Topic 4)

A university has implemented Dynamic 365 Sales. Several department use opportunity records to bid for funding for project within their departments.

Each department's opportunities are not visible to other departments. However, there are times two departments needs to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Use position hierarchy security and define the two departments as positions. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 93

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a webhook in the Common Data Service that connects to the Azure Function. Register a step on the webhook which runs synchronously on the record's Create message and in the post-operation stage.

Does the solution meet the goal?

- A. Yes

B. No

Answer: B

Explanation:

Instead use asynchronous communication. D18912E1457D5D1DDCBD40AB3BF70D5D

NEW QUESTION 96

- (Exam Topic 4)

A company has a Common Data Service (CDS) environment. The company creates model-driven apps for different sets of users to allow them to manage and monitor projects.

Finance team users report that the current app does not include all the entities they require and that the existing project form is missing cost information. Cost information must be visible only to finance team users.

You create a security role for finance team users. You need to create a new app for finance team users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Edit the Project main form. Select Save as..

Step 2: Create a new model-driven app. Add the project entity, and select the Finance form. Step 3: Enable security roles and select the Finance Security role on the Finance

Assign security roles to the main form. Use this to make a main form available to specific groups. Step 4: In the Maker portal, share the Finance app and select the Finance Security role.

Sharing a model-driven app involves two primary steps. First, associate a one or more security role(s) with the app then assign the security role(s) to users.

Visit <https://make.powerapps.com>

Select a model-driven app and click Share.

Select the app then choose a security role from the list. Reference:

<https://docs.microsoft.com/dynamics365/customer-engagement/admin/assign-security-roles-for>

NEW QUESTION 100

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-400 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-400 Product From:

<https://www.2passeasy.com/dumps/PL-400/>

Money Back Guarantee

PL-400 Practice Exam Features:

- * PL-400 Questions and Answers Updated Frequently
- * PL-400 Practice Questions Verified by Expert Senior Certified Staff
- * PL-400 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-400 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year