



Microsoft

Exam Questions MS-102

Microsoft 365 Administrator Exam

NEW QUESTION 1

- (Topic 6)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 E5 subscription.
You create an account for a new security administrator named SecAdmin1.
You need to ensure that SecAdmin1 can manage Office 365 Advanced Threat Protection (ATP) settings and policies for Microsoft Teams, SharePoint, and OneDrive.
Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Teams Service Administrator role.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to assign the Security Administrator role. Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/office-365-atp?view=o365-worldwide>

NEW QUESTION 2

DRAG DROP - (Topic 6)
You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.
You need to automatically label the documents on Site1 that contain credit card numbers. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a sensitivity label.	
Create an auto-labeling policy.	
Create a sensitive information type.	
Wait 24 hours, and then turn on the policy.	
Publish the label.	
Create a retention label.	
Wait eight hours, and then turn on the policy.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a sensitivity label.	Create a sensitivity label.
Create an auto-labeling policy.	
Create a sensitive information type.	Publish the label.
Wait 24 hours, and then turn on the policy.	
Publish the label.	Create an auto-labeling policy.
Create a retention label.	
Wait eight hours, and then turn on the policy.	

NEW QUESTION 3

HOTSPOT - (Topic 6)
HOTSPOT
You have a Microsoft 365 E5 subscription.
You need to implement identity protection. The solution must meet the following requirements:
? Identify when a user's credentials are compromised and shared on the dark web.
? Provide users that have compromised credentials with the ability to self-remediate.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

To identify when users have compromised credentials, configure:

<input type="radio"/> A registration policy
<input type="radio"/> A sign-in risk policy
<input type="radio"/> A user risk policy
<input type="radio"/> A multifactor authentication registration policy

To enable self-remediation, select:

<input type="radio"/> Generate a temporary password
<input type="radio"/> Require multi-factor authentication
<input type="radio"/> Require password change

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: A user risk policy

Identify when a user's credentials are compromised and shared on the dark web.

User risk-based Conditional Access policy

Identity Protection analyzes signals about user accounts and calculates a risk score based on the probability that the user has been compromised. If a user has risky sign-in behavior, or their credentials have been leaked, Identity Protection will use these signals to calculate the user risk level. Administrators can configure user risk-based Conditional Access policies to enforce access controls based on user risk, including requirements such as:

Block access

Allow access but require a secure password change.

A secure password change will remediate the user risk and close the risky user event to prevent unnecessary noise for administrators.

Box 2: Require password change

Provide users that have compromised credentials with the ability to self-remediate.

A secure password change will remediate the user risk and close the risky user event to prevent unnecessary noise for administrators

NEW QUESTION 4

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Microsoft Defender for Office 365 settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Microsoft 365 admin center, you assign SecAdmin1 the Exchange admin role.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

You need to assign the Security Administrator role. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/office-365-atp?view=o365-worldwide>

NEW QUESTION 5

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You plan to deploy 1,000 new iOS devices to users. The devices will be shipped directly from the supplier to the users.

You need to recommend a Microsoft Intune enrollment option that meets the following requirements:

- Minimizes user interaction
 - Minimizes administrative effort
 - Automatically installs corporate apps
- What should you recommend?

- A. Automated Device Enrollment (ADE)
B. bring your own device (BYOD) user and device enrollment
C. Apple Configurator enrollment

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/enrollment/ios-enroll>

NEW QUESTION 6

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10.

You need to verify which version of Windows 10 is installed.

Solution: At a command prompt, you run the winver.exe command. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://support.microsoft.com/en-us/windows/which-version-of-windows-operating-system-am-i-running-628bec99-476a-2c13-5296-9dd081cdd808>

NEW QUESTION 7

- (Topic 6)

You have a Microsoft 365 tenant.

You plan to enable BitLocker Disk Encryption (BitLocker) automatically for all Windows 10 devices that enroll in Microsoft Intune.

What should you use?

- A. an attack surface reduction (ASR) policy
- B. an app configuration policy
- C. a device compliance policy
- D. a device configuration profile

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/encrypt-devices>

NEW QUESTION 8

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance data admin role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

NEW QUESTION 9

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2.

You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings.

You install the Group Policy Management Console (GPMC) on Server1.

You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You copy the Group Policy Administrative Templates from a Windows 10

computer to Server1. Does this meet the goal?

- A. yes
- B. No

Answer: A

NEW QUESTION 10

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the objects shown in the following table.

Name	Configuration
Group1	Global security group
User1	Enabled user account
User2	Disabled user account

You configure Azure AD Connect to sync contoso.com to Azure AD.
 Which objects will sync to Azure AD?

- A. Group1 only
- B. User1 and User2 only
- C. Group1 and User1 only
- D. Group1, User1, and User2

Answer: D

Explanation:

Disabled accounts

Disabled accounts are synchronized as well to Azure AD. Disabled accounts are common to represent resources in Exchange, for example conference rooms. The exception is users with a linked mailbox; as previously mentioned, these will never provision an account to Azure AD.

The assumption is that if a disabled user account is found, then we won't find another active account later and the object is provisioned to Azure AD with the userPrincipalName and sourceAnchor found. In case another active account will join to the same metaverse object, then its userPrincipalName and sourceAnchor will be used.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/hybrid/connect/concept-azure-ad-connect-sync-user-and-contacts>

NEW QUESTION 10

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Service Support Administrator
User3	Cloud Application Administrator
User4	None

You plan to provide User4 with early access to Microsoft 365 feature and service updates. You need to identify which Microsoft 365 setting must be configured, and which user can

modify the setting. The solution must use the principle of least privilege.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Microsoft 365 setting:

▼

Office installation options

Privileged access

Release preferences

User:

▼

User1 only

User2 only

User3 only

User1 and User2 only

User1 and User3 only


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Answer Area

Microsoft 365 setting:



A screenshot of a dropdown menu for Microsoft 365 settings. The menu is open, showing three options: "Office installation options", "Privileged access", and "Release preferences". The "Privileged access" option is highlighted with a dashed orange border.

User:



A screenshot of a dropdown menu for user selection. The menu is open, showing five options: "User1 only", "User2 only", "User3 only", "User1 and User2 only", and "User1 and User3 only". The "User3 only" option is highlighted with a dashed orange border.

NEW QUESTION 11

- (Topic 6)

You have a Microsoft 365 tenant that contains 500 Windows 10 devices and a Microsoft Endpoint Manager device compliance policy. You need to ensure that only devices marked as compliant can access Microsoft Office 365 apps. Which policy type should you configure?

- A. conditional access
- B. account protection
- C. attack surface reduction (ASR)
- D. Endpoint detection and response

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/device-compliance-get-started>

NEW QUESTION 15

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: From Azure AD Connect, you modify the Azure AD credentials.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The question states that "all the user account synchronizations completed successfully". Therefore, the Azure AD credentials are configured correctly in Azure AD Connect. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 20

- (Topic 6)

You have a Microsoft 365 E5 subscription.

On Monday, you create a new user named User1.

On Tuesday, User1 signs in for the first time and perform the following actions:

- Signs in to Microsoft Exchange Online from an anonymous IP address
- Signs in to Microsoft SharePoint Online from a device in New York City.
- Establishes Remote Desktop connections to hosts in Berlin and Hong Kong, and then signs in to SharePoint Online from the Remote Desktop connections

Which types of sign-in risks will Azure AD Identity Protection detect for User1?

- A. anonymous IP address only
- B. anonymous IP address and atypical travel
- C. anonymous IP address, atypical travel, and unfamiliar sign-in properties
- D. unfamiliar sign-in properties and atypical travel only

E. anonymous IP address and unfamiliar sign-in properties only

Answer: C

NEW QUESTION 21

- (Topic 6)

You have a Microsoft 365 tenant that contains the groups shown in the following table.

Name	Type
Group1	Distribution
Group2	Mail-enabled security
Group3	Security

You plan to create a new Windows 10 Security Baseline profile. To which groups can you assign to the profile?

- A. Group3 only
- B. Group1 and Group3 only
- C. Group2 and Group3 only
- D. Group1. Group2. and Group3

Answer: A

Explanation:

Reference:


<https://docs.microsoft.com/en-us/mem/intune/protect/security-baselines-configure#create-the-profile>

<https://docs.microsoft.com/en-us/microsoft-365/admin/create-groups/compare-groups?view=o365-worldwide>

NEW QUESTION 26

- (Topic 6)

From the Security & Compliance admin center, you create a content export as shown in the exhibit. (Click the Exhibit tab.)



Status:

The export has completed. You can start downloading the results.

Items included from the search:

All items, excluding ones that have unrecognized format, are encrypted, or weren't indexed for other reasons.

Exchange content format:

One PST file for each mailbox.

De-duplication for Exchange content:

Not enabled.

SharePoint document versions:

Included

Export files in a compressed (zipped) folder:

Yes

The export data was prepared within region:

Default region

Close

Feedback

What will be excluded from the export?

- A. a 10-MB XLSX file
- B. a 5-MB MP3 file
- C. a 5-KB RTF file

D. an 80-MB PPTX file

Answer: B

Explanation:

Unrecognized file formats are excluded from the search.

Certain types of files, such as Bitmap or MP3 files, don't contain content that can be indexed. As a result, the search indexing servers in Exchange and SharePoint don't perform full-text indexing on these types of files. These types of files are considered to be unsupported file types.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/partially-indexed-items-in-content-search?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/securitycompliance/export-a-content-search-report>

NEW QUESTION 28

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to compare the current Safe Links configuration to the Microsoft recommended configurations.

What should you use?

- A. Microsoft Purview
- B. Azure AD Identity Protection
- C. Microsoft Secure Score
- D. the configuration analyzer

Answer: C

NEW QUESTION 32

- (Topic 6)

You purchase a new computer that has Windows 10, version 2004 preinstalled.

You need to ensure that the computer is up-to-date. The solution must minimize the number of updates installed.

What should you do on the computer?

- A. Install all the feature updates released since version 2004 and all the quality updates released since version 2004 only.
- B. install the West feature update and the latest quality update only.
- C. install all the feature updates released since version 2004 and the latest quality update only.
- D. install the latest feature update and all the quality updates released since version 2004.

Answer: B

NEW QUESTION 34

- (Topic 6)

Your network contains an on-premises Active Directory domain. The domain contains 2,000 computers that run Windows 10.

You purchase a Microsoft 365 subscription.

You implement password hash synchronization and Azure AD Seamless Single Sign-On (Seamless SSO).

You need to ensure that users can use Seamless SSO from the Windows 10 computers. What should you do?

- A. Join the computers to Azure AD.
- B. Create a conditional access policy in Azure AD.
- C. Modify the Intranet zone settings by using Group Policy.
- D. Deploy an Azure AD Connect staging server.

Answer: A

NEW QUESTION 36

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to use Adoption Score and need to ensure that it can obtain device and software metrics.

What should you do?

- A. Enable Endpoint analytics.
- B. Run the Microsoft 365 network connectivity test on each device.
- C. Enable privileged access.
- D. Configure Support integration.

Answer: A

NEW QUESTION 40

- (Topic 6)

Your company has multiple offices.

You have a Microsoft 365 E5 tenant that uses Microsoft Intune for device management. Each office has a local administrator.

You need to ensure that the local administrators can manage only the devices in their respective office.

What should you use?

- A. scope tags
- B. configuration profiles
- C. device categories
- D. conditional access policies

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/fundamentals/scope-tags>

NEW QUESTION 41

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the resources shown in the following table.

Name	Type
Group1	Microsoft 365 group
Group2	Distribution group
Site1	Microsoft SharePoint site

You create a sensitivity label named Label1. To which resource can you apply Label1?

- A. Group1 only
- B. Group2 only
- C. Site1 only
- D. Group1 and Group2 only
- E. Group1, Group2, and Site1

Answer: E

Explanation:

Assign sensitivity labels to Microsoft 365 groups in Azure Active Directory

Azure Active Directory (Azure AD), part of Microsoft Entra, supports applying sensitivity labels published by the Microsoft Purview compliance portal to Microsoft 365 groups.

In addition to using sensitivity labels to protect documents and emails, you can also use sensitivity labels to protect content in the following containers: Microsoft Teams sites, Microsoft 365 groups (formerly Office 365 groups), and SharePoint sites.

When you configure a label policy, you can:

Choose which users and groups see the labels. Labels can be published to any specific user or email-enabled security group, distribution group, or Microsoft 365 group (which can have dynamic membership) in Azure AD.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-teams-groups-sites>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION 43

- (Topic 6)

You have a Microsoft E5 subscription.

You need to ensure that administrators who need to manage Microsoft Exchange Online are assigned the Exchange Administrator role for five hours at a time. What should you implement?

- A. Azure AD Privileged Identity Management (PIM)
- B. a conditional access policy
- C. a communication compliance policy
- D. Azure AD Identity Protection
- E. groups that have dynamic membership

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-change-default-settings>

NEW QUESTION 45

- (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365 and contains a mailbox named Mailbox1.

You plan to use Mailbox1 to collect and analyze unfiltered email messages.

You need to ensure that Defender for Office 365 takes no action on any inbound emails delivered to Mailbox1.

What should you do?

- A. Configure a retention policy for Mailbox1.
- B. Create a mail flow rule.
- C. Configure Mailbox1 as a SecOps mailbox.
- D. Place a litigation hold on Mailbox1.

Answer: D

NEW QUESTION 50

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance admin role.
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

NEW QUESTION 55

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type	Role
Group1	Security	Helpdesk Administrator
Group2	Security	None
Group3	Microsoft 365	User Administrator

The subscription contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

In Azure AD, you configure the External collaboration settings as shown in the following exhibit.

Guest user access

Guest user access restrictions ⓘ

[Learn more](#)

☐ Guest users have the same access as members (most inclusive)
 ☒ Guest users have limited access to properties and memberships of directory objects
 ☐ Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite settings

Guest invite restrictions ⓘ

[Learn more](#)

☐ Anyone in the organization can invite guest users including guests and non-admins (most inclusive)
 ☐ Member users and users assigned to specific admin roles can invite guest users including guests with member permissions
 ☒ Only users assigned to specific admin roles can invite guest users
 ☐ No one in the organization can invite guest users including admins (most restrictive)

Enable guest self-service sign up via user flows ⓘ

[Learn more](#)

☐ Yes
 ☒ No

External user leave settings

Allow external users to remove themselves from your organization (recommended) ⓘ

[Learn more](#)

Collaboration restrictions

☒ Allow invitations to be sent to any domain (most inclusive)
 ☐ Deny invitations to the specified domains
 ☐ Allow invitations only to the specified domains (most restrictive)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can invite guest users.	<input type="radio"/>	<input type="radio"/>
User2 can invite guest users.	<input type="radio"/>	<input type="radio"/>
User3 can invite guest users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can invite guest users.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can invite guest users.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can invite guest users.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 59

- (Topic 6)
You have a Microsoft 365 E5 tenant that has sensitivity label support enabled for Microsoft and SharePoint Online. You need to enable unified labeling for Microsoft 365 groups. Which cmdlet should you run?

- A. set-unifiedGroup
- B. Set-Labelpolicy
- C. Execute-AzureAdLebelSync
- D. Add-UnifiedGroupLinks

Answer: C

NEW QUESTION 64

DRAG DROP - (Topic 6)
Your company has a Microsoft 365 E5 tenant. Users access resources in the tenant by using both personal and company-owned Android devices. Company policies requires that the devices have a threat level of medium or lower to access Microsoft Exchange Online mailboxes. You need to recommend a solution to identify the threat level of the devices and to control access of the devices to the resources. What should you include in the solution for each device type? To answer, drag the appropriate components to the correct devices. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Solutions	Answer Area
<div>An app configuration policy</div>	Company-owned devices: <div>Solution</div>
<div>An app protection policy</div>	Personal devices: <div>Solution</div>
<div>A compliance policy</div>	
<div>A configuration profile</div>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solutions

An app configuration policy

An app protection policy

A compliance policy

A configuration profile

Answer Area

Company-owned devices: A compliance policy

Personal devices: An app protection policy

NEW QUESTION 69

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains 1,000 Windows 10 devices. You perform a proof of concept (PoC) deployment of Microsoft Defender for Endpoint for 10 test devices. During the onboarding process, you configure Microsoft Defender for Endpoint-related data to be stored in the United States. You plan to onboard all the devices to Microsoft Defender for Endpoint. You need to store the Microsoft Defender for Endpoint data in Europe. What should you do first?

A. Delete the workspace.
B. Create a workspace.
C. Onboard a new device.
D. Offboard the test devices.

Answer: B

Explanation:

Storage locations

Understand where Defender for Cloud stores data and how you can work with your data:

* Machine information

- Stored in a Log Analytics workspace.
- You can use either the default Defender for Cloud workspace or a custom workspace. Data is stored in accordance with the workspace location.

Reference:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/plan-defender-for-servers-data- workspace>

NEW QUESTION 71

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that has auditing turned on. The subscription contains the users shown in the following table.

Name	License
Admin1	Microsoft Office 365 E5
Admin2	None

New audit retention policy

Name *

Policy1

Description

Record Types

AzureActiveDirectory

Activities

Added user

Users:

Show results for all users

Duration *

90 Days

6 Months

1 Year

Priority *

100

You plan to create a new user named User1.
How long will the user creation audit event be available if Admin1 or Admin2 creates User1? To answer, select the appropriate options in the answer area.
Each correct selection is worth one point.

Answer Area

Admin1:

6 months

30 days

90 days

6 months

1 year

Admin2:

90 days

30 days

90 days

6 months

1 year

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Admin1:

6 months

30 days

90 days

6 months

1 year

Admin2:

90 days

30 days

90 days

6 months

1 year

NEW QUESTION 73

- (Topic 6)
You have a Microsoft 365 subscription.
You view the Service health Overview as shown in the following exhibit.

Service health

October 18, 2022 4:20 PM

Overview Issue history Reported issues

View the issues and health status of all services that are available with your current subscriptions. [Learn more about Service Health](#)






 Report an issue  Customize

Active issues

Issue title	Affected service	Issue type
> Microsoft service health (6)		
Issues in your environment that require action (0)		

Microsoft service health

Shows the current health status of your Microsoft services, and updates when we fix issues.

Service	Status
Exchange Online	 3 advisories
Microsoft 365 suite	 2 advisories
Microsoft Teams	 1 advisory
OneDrive for Business	 1 advisory
SharePoint Online	 2 advisories

You need to ensure that a user named User1 can view the advisories to investigate service health issues. Which role should you assign to User1?

- A. Message Center Reader
- B. Reports Reader
- C. Service Support Administrator
- D. Compliance Administrator

Answer: B

Explanation:

Service Support admin

Assign the Service Support admin role as an additional role to admins or users who need to do the following in addition to their usual admin role:

- Open and manage service requests
- View and share message center posts
- Monitor service health

Incorrect:

* Message center reader

Assign the Message center reader role to users who need to do the following:

- Monitor message center notifications
- Get weekly email digests of message center posts and updates
- Share message center posts
- Have read-only access to Azure AD services, such as users and groups

* Reports reader

Assign the Reports reader role to users who need to do the following:

- View usage data and the activity reports in the Microsoft 365 admin center
- Get access to the Power BI adoption content pack
- Get access to sign-in reports and activity in Azure AD
- View data returned by Microsoft Graph reporting API

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/about-admin-roles?view=o365-worldwide>

NEW QUESTION 78


HOTSPOT - (Topic 6)

HOTSPOT

Your company has a Microsoft 365 E5 subscription. You need to perform the following tasks:

View the Adoption Score of the company. Create a new service request to Microsoft.

Which two options should you use in the Microsoft 365 admin center? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Reports

View the Adoption Score of the company.

How to enable Adoption Score To enable Adoption Score:

? Sign in to the Microsoft 365 admin center as a Global Administrator and go to Reports > Adoption Score

? Select enable Adoption Score. It can take up to 24 hours for insights to become available.

Box 2: Support

Create a new service request to Microsoft.

Sign in to Microsoft 365 with your Microsoft 365 admin account, and select Support > New service request. If you're in the admin center, select Support > New service request.

NEW QUESTION 79

- (Topic 6)

You have a Microsoft 365 subscription.

You need to create a data loss prevention (DLP) policy that is configured to use the Set headers action.

To which location can the policy be applied?

- A. OneDrive accounts
- B. Exchange email
- C. Teams chat and channel messages
- D. SharePoint sites

Answer: B

NEW QUESTION 82

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Passwordless capable	Multi-factor authentication (MFA) method registered
User1	Group1	Capable	Microsoft Authenticator app (push notification)
User2	Group2	Capable	Microsoft Authenticator app (push notification)
User3	Group1, Group2	Capable	Mobile phone, Windows Hello for Business

Each user has a device with the Microsoft Authenticator app installed.

From Microsoft Authenticator settings for the subscription, the Enable and Target settings are configured as shown in the exhibit. (Click the Exhibit tab.)

Microsoft Authenticator settings

Number Matching will begin to be enabled for all users of the Microsoft Authenticator app starting 27th of February 2023. [Learn more](#)

The Microsoft Authenticator app is a flagship authentication method, usable in passwordless or simple push notification approval modes. The app is free to download and use on Android/iOS mobile devices. [Learn more](#).

Enable and Target

Configure

Enable

Include

Exclude

Target

All users

Select groups

Add groups

Name	Type	Registration	Authentication mode
Group1	Group	Optional	Passwordless

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>
User2 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>
User3 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 84

- (Topic 6)
You have a Microsoft 365 tenant that contains two groups named Group1 and Group2.
You need to prevent the members of Group1 from communicating with the members of Group2 by using Microsoft Teams. The solution must comply with regulatory requirements and must not affect other user in the tenant.
What should you use?

- A. information barriers
- B. communication compliance policies
- C. moderated distribution groups
- D. administrator units in Azure Active Directory (Azure AD)

Answer: A

NEW QUESTION 85

- (Topic 6)
You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint. From Microsoft Defender for Endpoint you turn on the Allow or block file advanced feature. You need to block users from downloading a file named File1.exe.
What should you use?

- A. an indicator


- B. a suppression rule
- C. a device configuration profile

Answer: A

NEW QUESTION 88

HOTSPOT - (Topic 6)

Your network contains an on-premises Active Directory domain that is synced to Azure AD as shown in the following exhibit.



An on-premises Active Directory user account named Allan You is synchronized to Azure AD. You view Allan's account from Microsoft 365 and notice that his username is set to Allan @>ddatum.onmicrosoft.com.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From the Azure portal, you can reset the password of Allan Yoo.	<input type="radio"/>	<input type="radio"/>
From the Azure portal, you can configure the job title of Allan Yoo.	<input type="radio"/>	<input type="radio"/>
From the Azure portal, you can configure the usage location of Allan Yoo.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
From the Azure portal, you can reset the password of Allan Yoo.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, you can configure the job title of Allan Yoo.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, you can configure the usage location of Allan Yoo.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 93

- (Topic 6)

You have a Microsoft 365 E5 subscription.

From the Microsoft 365 Defender portal, you plan to export a detailed report of compromised users.

What is the longest time range that can be included in the report?

- A. 1 day
- B. 7 days

- C. 30 days
D. 90 days

Answer: C

Explanation:

View email security reports in the Microsoft 365 Defender portal
The aggregate view shows data for the last 90 days and the detail view shows data for the last 30 days
Reference:
<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/reports-email-security>

NEW QUESTION 98

- (Topic 6)
You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
User1	Reports Reader
User2	Exchange Administrator
User3	User Experience Success Manager

Which users can review the Adoption Score in the Microsoft 365 admin center?

- A. User1 only
B. User2 only
C. User1 and User2 only
D. User1 and User3 only
E. User1, User2, and User3

Answer: E

NEW QUESTION 103

HOTSPOT - (Topic 6)
You have a Microsoft 365 E5 subscription that uses Microsoft Intune. The subscription contains the resources shown in the following table.

Name	Type	Member of
User1	User	Group1
Device1	Device	Group2

User1 is the owner of Device1.
You add Microsoft 365 Apps Windows 10 and later app types to Intune as shown in the following table.
On Thursday, you review the results of the app deployments.

Name	Shows in Company Portal	Assignment	Microsoft Office app to install	Day of creation
App1	Yes	Group1 - Required	Word	Monday
App2	Yes	Group2 - Required	Excel	Tuesday
App3	Yes	Group1 - Available	PowerPoint	Wednesday

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Word is installed on Device1.	<input checked="" type="radio"/>	<input checked="" type="radio"/>
App3 is displayed in the Company Portal.	<input type="radio"/>	<input type="radio"/>
Excel is installed on Device1.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:
Answer Area

Statements	Yes	No
Word is installed on Device1.	<input checked="" type="radio"/>	<input checked="" type="radio"/>
App3 is displayed in the Company Portal.	<input checked="" type="radio"/>	<input type="radio"/>
Excel is installed on Device1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 107

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains five devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android 8.1.0
Device3	Android 10
Device4	iOS 12
Device5	iOS 14

All the devices have an app named App1 installed.

You need to prevent users from copying data from App1 and pasting the data into other apps.

Which policy should you create in Microsoft Endpoint Manager, and what is the minimum number of required policies? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Policy to create in Microsoft Endpoint Manager:

An app configuration policy

An app protection policy

A conditional access policy

A device compliance policy

Minimum number of required policies:

1

2

3

5

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Policy to create in Microsoft Endpoint Manager:

	▼
An app configuration policy	
An app protection policy	
A conditional access policy	
A device compliance policy	

Minimum number of required policies:

	▼
1	
2	
3	
5	

NEW QUESTION 109

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2.

You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings.

You install the Group Policy Management Console (GPMC) on Server1.

You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You raise the forest functional level to Windows Server 2016.

You copy the Group

Policy Administrative Templates from a Windows 10 computer to the Netlogon share on all the domain controllers.

Does this meet the goal?

- A. yes
- B. No

Answer: B

NEW QUESTION 111

- (Topic 6)

You have a Microsoft 365 E5 subscription that has Microsoft Defender for Endpoint integrated with Microsoft Endpoint Manager.

Devices are onboarded by using Microsoft Defender for Endpoint.

You plan to block devices based on the results of the machine risk score calculated by Microsoft Defender for Endpoint.

What should you create first?

- A. a device configuration policy
- B. a device compliance policy
- C. a conditional access policy
- D. an endpoint detection and response policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/advanced-threat-protection-configure>

NEW QUESTION 116

- (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Endpoint.

All the devices in your organization are onboarded to Microsoft Defender for Endpoint.

You need to ensure that an alert is generated if malicious activity was detected on a device during the last 24 hours.

What should you do?

- A. From the Microsoft Purview compliance portal, create a data loss prevention (DLP) policy.
- B. From Alerts queue, create a suppression rule and assign an alert.
- C. From Advanced hunting, create a query and a detection rule.
- D. From the Microsoft Purview compliance portal, create an audit log search.

Answer: C

NEW QUESTION 120

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the devices shown in the following table.

Platform	Count
Windows 10	50
Android	50
Linux	50

You need to configure an incident email notification rule that will be triggered when an alert occurs only on a Windows 10 device. The solution must minimize administrative effort. What should you do first?

- A. From the Microsoft 365 admin center, create a mail-enabled security group.
- B. From the Microsoft 365 Defender portal, create a device group.
- C. From the Microsoft Endpoint Manager admin center, create a device category.
- D. From the Azure Active Directory admin center, create a dynamic device group.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/machine-groups?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/configure-email-notifications?view=o365-worldwide>

NEW QUESTION 122

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Role
User1	Group1	User Administrator
User2	Group1	None
User3	Group2	None
User4	None	Global Administrator

You enable self-service password reset (SSPR) for Group1. You configure security questions as the only authentication method for SSPR.

Which users can use SSPR, and which users must answer security questions to reset their password? To answer, select the appropriate options in the answer area.

NOTE; Each correct selection is worth one point.

Answer Area

Users that can use SSPR:

User1, User2, and User4 only

User1 and User2 only

User1, User2, and User3 only

User1, User2, and User4 only

User1, User2, User3, and User4

Users that must answer security questions to reset their password:

User1 and User2 only

User1 only

User2 only

User1 and User2 only

User1, User2, and User3 only

User1, User2, and User4 only

User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users that can use SSPR:

User1, User2, and User4 only
 User1 and User2 only
 User1, User2, and User3 only
 User1, User2, and User4 only
 User1, User2, User3, and User4

Users that must answer security questions to reset their password:

User1 and User2 only
 User1 only
 User2 only
 User1 and User2 only
 User1, User2, and User3 only
 User1, User2, and User4 only
 User1, User2, User3, and User4

NEW QUESTION 127

- (Topic 6)

You have a Microsoft 365 tenant and a LinkedIn company page.

You plan to archive data from the LinkedIn page to Microsoft 365 by using the LinkedIn connector.

Where can you store data from the LinkedIn connector?

- A. a Microsoft OneDrive for Business folder
- B. a Microsoft SharePoint Online document library
- C. a Microsoft 365 mailbox
- D. Azure Files

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/archive-linkedin-data?view=o365-worldwide>

NEW QUESTION 128

- (Topic 6)

You have a Microsoft 365 subscription.

You configure a data loss prevention (DLP) policy.

You discover that users are incorrectly marking content as false positive and bypassing the DLP policy.

You need to prevent the users from bypassing the DLP policy. What should you configure?

- A. actions
- B. incident reports
- C. exceptions
- D. user overrides

Answer: D

Explanation:

A DLP policy can be configured to allow users to override a policy tip and report a false positive.

You can educate your users about DLP policies and help them remain compliant without blocking their work. For example, if a user tries to share a document containing sensitive information, a DLP policy can both send them an email notification and show them a policy tip in the context of the document library that allows them to override the policy if they have a business justification. The same policy tips also appear in Outlook on the web, Outlook, Excel, PowerPoint, and Word.

If you find that users are incorrectly marking content as false positive and bypassing the DLP policy, you can configure the policy to not allow user overrides.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

NEW QUESTION 132

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com.

For all user accounts, the Logon Hours settings are configured to prevent sign-ins outside of business hours.

You plan to sync contoso.com to an Azure AD tenant.

You need to recommend a solution to ensure that the logon hour restrictions apply when synced users sign in to Azure AD.

What should you include in the recommendation?

- A. pass-through authentication
- B. conditional access policies
- C. password synchronization
- D. Azure AD Identity Protection policies

Answer: A

Explanation:

Reference:

<https://nickblog.azurewebsites.net/2016/10/17/azure-ad-pass-through-authentication/>

NEW QUESTION 135

HOTSPOT - (Topic 6)

From the Microsoft Purview compliance portal, you create a retention policy named Policy 1.

You need to prevent all users from disabling the policy or reducing the retention period. How should you configure the Azure PowerShell command? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Set-RetentionCompliancePolicy
Set-ComplianceTag
Set-HoldCompliancePolicy
Set-RetentionCompliancePolicy
Set-RetentionPolicy
Set-RetentionPolicyTag

-Identity "Policy1"

-RestrictiveRetention
-enabled
-Force
-RestrictiveRetention
-RetentionPolicyTagLinks
-SystemTag

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Set-RetentionCompliancePolicy
Set-ComplianceTag
Set-HoldCompliancePolicy
Set-RetentionCompliancePolicy
Set-RetentionPolicy
Set-RetentionPolicyTag

-Identity "Policy1"

-RestrictiveRetention
-enabled
-Force
-RestrictiveRetention
-RetentionPolicyTagLinks
-SystemTag

NEW QUESTION 138

- (Topic 6)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Department
User1	Human resources
User2	Research
User3	Human resources
User4	Marketing

You need to configure group-based licensing to meet the following requirements:

? To all users, deploy an Office 365 E3 license without the Power Automate license option.

? To all users, deploy an Enterprise Mobility + Security E5 license.

? To the users in the research department only, deploy a Power BI Pro license.

? To the users in the marketing department only, deploy a Visio Plan 2 license.

What is the minimum number of deployment groups required?

- A. 1
B. 2
C. 3
D. 4
E. 5

Answer: C

Explanation:

One for all users, one for the research department, and one for the marketing department.

Note: What are Deployment Groups?

With Deployment Groups, you can orchestrate deployments across multiple servers and perform rolling updates, while ensuring high availability of your application throughout. You can also deploy to servers on-premises or virtual machines on Azure or any cloud, plus have end-to-end traceability of deployed artifact versions down to the server level.

Reference:

<https://devblogs.microsoft.com/devops/deployment-groups-is-now-generally-available-sharing-of-targets-and-more>

NEW QUESTION 142

HOTSPOT - (Topic 6)

Your company uses Microsoft Defender for Endpoint. Microsoft Defender for Endpoint contains the device groups shown in the following table.

Rank	Device group	Member
1	Group1	Name starts with Comp
2	Group2	Name starts with Comp And OS In Windows 10
3	Group3	OS In Windows Server 2016
Last	Ungrouped devices (default)	Not applicable

You onboard computers to Microsoft Defender for Endpoint as shown in the following table.

Name	Operating system
Computer1	Windows 10
Computer2	Windows Server 2016

Of which groups are Computer1 and Computer2 members? To answer, select the appropriate options in The answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Computer1:

Group1 only

Group1 only

Group2 only

Group1 and Group2

Ungrouped devices

Computer2:

Group1 only

Group1 only

Group3 only

Group1 and Group3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Computer1:

Group1 only

Group1 only

Group2 only

Group1 and Group2

Ungrouped devices

Computer2:

Group1 only

Group1 only

Group3 only

Group1 and Group3

NEW QUESTION 145

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to implement Microsoft Purview Privileged Access Management. Which Microsoft Office 365 workloads support privileged access?

- A. Microsoft Exchange Online only
- B. Microsoft Teams only
- C. Microsoft Exchange Online and SharePoint Online only
- D. Microsoft Teams and SharePoint Online only
- E. Microsoft Teams, Exchange Online, and SharePoint Online

Answer: A

Explanation:

Privileged access management

Having standing access by some users to sensitive information or critical network configuration settings in Microsoft Exchange Online is a potential pathway for compromised accounts or internal threat activities. Microsoft Purview Privileged Access Management helps protect your organization from breaches and helps to meet compliance best practices by limiting standing access to sensitive data or access to critical configuration settings. Instead of administrators having constant access, just-in-time access rules are implemented for tasks that need elevated permissions. Enabling privileged access management for Exchange Online in

Microsoft 365 allows your organization to operate with zero standing privileges and provide a layer of defense against standing administrative access vulnerabilities.

Note: When will privileged access support Office 365 workloads beyond Exchange? Privileged access management will be available in other Office 365 workloads soon.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management-solution-overview>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management>

NEW QUESTION 146

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Policy1	Anti-phishing
Policy2	Anti-spam
Policy3	Anti-malware
Policy4	Safe Attachments

All the policies are configured to send malicious email messages to quarantine. Which policies support a customized quarantine retention period?

- A. Policy1 and Policy2 only
- B. Policy2 and Policy4 only
- C. Policy3 and Policy4 only
- D. Policy1 and Policy3only

Answer: A

NEW QUESTION 148

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	Security Administrator
Admin3	Security Operator
Admin4	Security Reader
Admin5	Application Administrator

You are implementing Microsoft Defender for Endpoint

You need to enable role-based access control (RBAC) to restrict access to the Microsoft 365 Defender portal.

Which users can enable RBAC, and which users will no longer have access to the Microsoft 365 Defender portal after RBAC is enabled? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Users that can enable RBAC:

Admin1 and Admin2 only

Admin1 only

Admin1 and Admin2 only

Admin1, Admin2, and Admin5 only

Admin1, Admin2, Admin3, and Admin5 only

Users that will no longer have access to the Microsoft 365 Defender portal:

Admin3, Admin4, and Admin5 only

Admin5 only

Admin3 and Admin4 only

Admin4 and Admin5 only

Admin3, Admin4, and Admin5 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users that can enable RBAC:

Admin1 and Admin2 only
 Admin1 only
 Admin1 and Admin2 only
 Admin1, Admin2, and Admin5 only
 Admin1, Admin2, Admin3, and Admin5 only

Users that will no longer have access to the Microsoft 365 Defender portal:

Admin3, Admin4, and Admin5 only
 Admin5 only
 Admin3 and Admin4 only
 Admin4 and Admin5 only
 Admin3, Admin4, and Admin5 only

NEW QUESTION 149

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Microsoft Defender for Office 365 settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Microsoft Entra admin center, you assign SecAdmin1 the Security Administrator role.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

You need to assign the Security Administrator role. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/office-365-atp>

NEW QUESTION 154

- (Topic 6)

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1. Your company purchases a Microsoft 365 subscription.

You need to ensure that User1 is assigned the required role to create file policies and manage alerts in the Cloud App Security admin center.

Solution: From the Azure Active Directory admin center, you assign the Compliance administrator role to User1.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 157

- (Topic 6)

You have a Microsoft 365 subscription that contains an Azure AD tenant named contoso.com. The tenant includes a user named User1.

You enable Azure AD Identity Protection.

You need to ensure that User1 can review the list in Azure AD Identity Protection of users flagged for risk. The solution must use the principle of least privilege.

To which role should you add User1?

- A. Security Reader
- B. Global Administrator
- C. Owner
- D. User Administrator

Answer: A

NEW QUESTION 162

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and the users shown in the following table.

Name	Member of	Device
User1	Group1	Device1
User2	Group1	Device2, Device3

The devices are configured as shown in the following table.

Name	Platform	Azure AD join type
Device1	Windows 11	None
Device2	Windows 10	Joined
Device3	Android	Registered

You have a Conditional Access policy named CAPolicy1 that has the following settings:

- 1.Assignments
 - ? Users or workload identities: Group1
 - ? Cloud apps or actions: Office 365 SharePoint Online
 - ? Conditions
 - Filter for devices: Exclude filtered devices from the policy
 - Rule syntax: device.displayName -startsWith "Device"
- 2.Access controls
 - ? Grant
 - Grant: Block access
 - ? Session: 0 controls selected
 - 3.Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can access Site1 from Device1.	<input type="radio"/>	<input type="radio"/>
User2 can access Site1 from Device2.	<input type="radio"/>	<input type="radio"/>
User2 can access Site1 from Device3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 User1 is member of Group1 and has Device1.
 Device1 is not Azure AD joined.
 Note: Requiring a hybrid Azure AD joined device is dependent on your devices already being hybrid Azure AD joined.
 Box 2: Yes
 User2 is member of Group1 and has devices Device2 and Device3. Device2 is Azure AD joined.
 Device2 is excluded from CAPolicy1 (which would block access to Site1).
 Box 3: Yes
 User2 is member of Group1 and has devices Device2 and Device3.
 Device3 is Android and is Azure AD registered.
 Device3 is excluded from CAPolicy1 (which would block access to Site1).
 Note: On Windows 7, iOS, Android, macOS, and some third-party web browsers, Azure AD identifies the device using a client certificate that is provisioned when the device is registered with Azure AD. When a user first signs in through the browser the user is prompted to select the certificate. The end user must select this certificate before they can continue to use the browser.

NEW QUESTION 163

HOTSPOT - (Topic 6)
 You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Site1. Site1 contains the files shown in the following table.

Name	Number of IP addresses in the file
File1	2
File2	3

You have a data loss prevention (DLP) policy named DLP1 that has the advanced DLP rules shown in the following table.

Name	Content contains	Policy tip	If there is a match, stop processing	Priority
Rule1	3 or more IP addresses	Tip1	No	0
Rule2	1 or more IP addresses	Tip2	Yes	1
Rule3	2 or more IP addresses	Tip3	No	2

You apply DLP1 to Site1.
Which policy tip is displayed for each file? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

File1:

Tip2 only

Tip2 only

Tip3 only

Tip2 and Tip3

File2:

Tip1 and Tip2 only

Tip1 only

Tip3 only

Tip1 and Tip2 only

Tip1, Tip2, and Tip3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

File1:

Tip2 only

Tip2 only

Tip3 only

Tip2 and Tip3

File2:

Tip1 and Tip2 only

Tip1 only

Tip3 only

Tip1 and Tip2 only

Tip1, Tip2, and Tip3

NEW QUESTION 164

HOTSPOT - (Topic 6)
HOTSPOT

You have a Microsoft 365 E5 subscription that contains a user named User1. Azure AD Password Protection is configured as shown in the following exhibit.

Custom smart lockout

Lockout threshold ⓘ

15

Lockout duration in seconds ⓘ

600

Custom banned passwords

Enforce custom list ⓘ

YesNo

Custom banned password list ⓘ

3hundred
Eleven
Falcon
Project
Tailspin

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ

YesNo

Mode ⓘ

EnforcedAudit

User1 attempts to update their password to the following passwords:
? F@lcon

Guaranteed success with Our exam guides

visit - https://www.certshared.com

? Project22

? T4il\$pin45dg4

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

[Answer choice] will be accepted as a password.

Only T4il\$pin45dg4

Only F@lcon and T4il\$pin45dg4

Only Project22 and T4il\$pin45dg4

F@lcon, Project22, and T4il\$pin45dg4

If User1 enters the same wrong password 15 times, waits 11 minutes, and then enters the same wrong password again, the user [answer choice].

will be locked out

will trigger a user risk

can attempt to sign in again immediately

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Only T4il\$pin45dg4

Box 2: can attempt to sign in immediately Note: Manage Azure AD smart lockout values

Based on your organizational requirements, you can customize the Azure AD smart lockout values. Customization of the smart lockout settings, with values specific to your organization, requires Azure AD Premium P1 or higher licenses for your users. Customization of the smart lockout settings is not available for Azure China 21Vianet tenants.

To check or modify the smart lockout values for your organization, complete the following steps:

? Sign in to the Entra portal.

? Search for and select Azure Active Directory, then select Security > Authentication methods > Password protection.

? Set the Lockout threshold, based on how many failed sign-ins are allowed on an account before its first lockout.

? The default is 10 for Azure Public tenants and 3 for Azure US Government tenants.

? Set the Lockout duration in seconds, to the length in seconds of each lockout.

? The default is 60 seconds (one minute).

If the first sign-in after a lockout period has expired also fails, the account locks out again. If an account locks repeatedly, the lockout duration increases.

NEW QUESTION 167

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription.

Your network uses an IP address space of 51.40.15.0/24.

An Exchange Online administrator recently created a role named Role1 from a computer on the network.

You need to identify the name of the administrator by using an audit log search.

For which activities should you search and by which field should you filter in the audit log search? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Activities to search for:

Exchange mailbox activities

Site administration activities

Show results for all activities

Role administration activities

Field to filter by:

Item

User

Detail

IP address

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Activities to search for:

	▼
Exchange mailbox activities	
Site administration activities	
Show results for all activities	
Role administration activities	

Field to filter by:

	▼
Item	
User	
Detail	
IP address	

NEW QUESTION 172

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint.

When users attempt to access the portal of a partner company, they receive the message shown in the following exhibit.




You need to enable user access to the partner company's portal. Which Microsoft Defender for Endpoint setting should you modify?

- A. Alert notifications
- B. Alert suppression
- C. Custom detections
- D. Advanced hunting
- E. Indicators

Answer: E

Explanation:



This Website Is Blocked By Your Organization
Custom indicators will block malicious IPs, URLs, and domains. Then, they will display the above message for the user.
Reference: <https://jadexstrategic.com/web-protection/>

NEW QUESTION 176

- (Topic 6)
You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Passwordless authentication	Multi-factor authentication (MFA) method registered
User1	Not configured	Microsoft Authenticator app (push notification)
User2	Configured	Microsoft Authenticator app (push notification)
User3	Not configured	Mobile phone
User4	Not configured	Email

You plan to create a Conditional Access policy that will use GPS-based named locations. Which users can the policy protect?

- A. User2 and User4 only
- B. User1 and User3 only
- C. User1 only
- D. User1, User2, User3, and User4

Answer: C

NEW QUESTION 180

DRAG DROP - (Topic 6)
You have a Microsoft 365 subscription that contains the devices shown in the following table.

Name	Operating system	Microsoft Intune
Device1	Windows 11 Enterprise	Enrolled
Device2	iOS	Enrolled
Device3	Android	Not enrolled

You install Microsoft Word on all the devices.
You plan to configure policies to meet the following requirements:

- Word files created by using Windows devices must be encrypted automatically.
- If an Android device becomes jailbroken, access to corporate data must be blocked from Word.
- For iOS devices, users must be prevented from using native or third-party mail clients to connect to Microsoft 365.

Which type of polio/ should you configure for each device? To answer, drag the appropriate policy types to the correct devices. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Policy Types

App configuration policy

App protection policy

Compliance policy

Conditional Access policy

Answer Area

Device1:

Device2:

Device3:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Policy Types

App configuration policy

App protection policy

Compliance policy

Conditional Access policy

Answer Area

Device1: App protection policy

Device2: Conditional Access policy

Device3: Compliance policy

NEW QUESTION 185

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it As a result these questions will not appear in the review screen.

Your network contains an Active Directory forest. You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

- Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.
- User passwords must be 10 characters or more.

Solution: implement password hash synchronization and configure password protection in the Azure AD tenant.

Does this meet the goal?


- A. Yes
- B. No

Answer: B

NEW QUESTION 187

HOTSPOT - (Topic 6)

You have a Microsoft 365 ES subscription that has three auto retention policies as show in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE Each correct selection is worth one point.

Answer Area

If User1 creates a team in Microsoft Teams, the event is [answer choice].

not retained
retained for 90 days
retained for six months
retained for one year

If User2 adds a channel in Microsoft Teams, the event is [answer choice].

not retained
retained for 90 days
retained for six months
retained for one year

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

If User1 creates a team in Microsoft Teams, the event is [answer choice].

not retained
retained for 90 days
retained for six months
retained for one year

If User2 adds a channel in Microsoft Teams, the event is [answer choice].

not retained
retained for 90 days
retained for six months
retained for one year

NEW QUESTION 189

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Users have the devices shown in the following table.

Name	Platform	Owner	Enrolled in Microsoft Endpoint Manager
Device1	Android	User1	Yes
Device2	Android	User1	No
Device3	iOS	User1	No
Device4	Windows 10	User2	Yes
Device5	Windows 10	User2	No
Device6	iOS	User2	Yes

On which devices can you manage apps by using app configuration policies in Microsoft Endpoint Manager?

- A. Device1, Device4, and Device6
B. Device2, Device3, and Device5
C. Device1, Device2, Device3, and Device6
D. Device1, Device2, Device4, and Device5

Answer: C

Explanation:

You can create and use app configuration policies to provide configuration settings for both iOS/iPadOS or Android apps on devices that are and are not enrolled in Microsoft Endpoint Manager.

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview>

NEW QUESTION 192

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of
Admin1	Group1
Admin2	Group2
Admin3	Group1, Group2

You add the following assignment for the User Administrator role:

- ? Scope type: Directory
? Selected members: Group1
? Assignment type: Active
? Assignment starts: Mar 15, 2023

? Assignment ends: Aug 15, 2023

You add the following assignment for the Exchange Administrator role:

? Scope type: Directory

? Selected members: Group2

? Assignment type: Eligible

? Assignment starts: Jun 15, 2023

? Assignment ends: Oct 15, 2023

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

On July 15, 2023, Admin1 can reset the password of a user.

Yes

☐

No

☐

On June 20, 2023, Admin2 can manage Microsoft Exchange Online.

☐
☐

On May 1, 2023, Admin3 can reset the password of a user.

☐
☐

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Admin1 is member of Group1.

The User Administrator role assignment has Group1 as a member. The assignment type: Active

July 15, 2023 is with the assignment period.

A User Administrator can manage all aspects of users and groups, including resetting passwords for limited admins.

Box 2: No

Admin2 is member of Group2.

The Exchange Administrator role assignment has Group2 as a member. The assignment type: Eligible

June 20, 2023 is with the assignment period. The assignment must be approved.

Note: Eligible assignment requires member or owner to perform an activation to use the role. Activations may also require providing a multi-factor authentication (MFA), providing a business justification, or requesting approval from designated approvers.

Box 3: Yes

Admin3 is member of Group1 and Group2.

The User Administrator role assignment has Group1 as a member. The assignment type: Active

May 1, 2023 is with the assignment period.

NEW QUESTION 194

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains 100 Windows 10 devices.

You plan to deploy a Windows 10 Security Baseline profile that will protect secrets stored in memory.

What should you configure in the profile?

A. Microsoft Defender Credential Guard

B. BitLocker Drive Encryption (BitLocker)

C. Microsoft Defender

D. Microsoft Defender Exploit Guard

Answer: A

NEW QUESTION 196

DRAG DROP - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the devices shown in the following table.

Type	Number of devices	Operating system	Enrollment status
Corporate	150	Windows 11	Azure AD-joined, Microsoft Intune-managed
Bring your own device (BYOD)	25	Windows 11	Unmanaged

You need to onboard the devices to Microsoft Defender for Endpoint. The solution must minimize administrative effort.

What should you use to onboard each type of device? To answer, drag the appropriate onboarding methods to the correct device types. Each onboarding method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Onboarding method

A local script

Group Policy

Integration with Microsoft Defender for Cloud

Microsoft Intune

Virtual Desktop Infrastructure (VDI) scripts

Device Type

Corporate:

BYOD:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Onboarding method

A local script

Group Policy

Integration with Microsoft Defender for Cloud

Microsoft Intune

Virtual Desktop Infrastructure (VDI) scripts

Device Type

Corporate: Microsoft Intune

BYOD: Integration with Microsoft Defender for Cloud

NEW QUESTION 200

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and export the 10 user accounts.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

The question states that “all the user account synchronizations completed successfully”. If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 202

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains 100 Windows 10 devices. You plan to attack surface reduction (ASR) rules for the Windows 10 devices.

You configure the ASR rules in audit mode and collect audit data in a Log Analytics workspace.

You need to find the ASR rules that match the activities on the devices.

How should you complete the Kusto query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

AlertInfo

DeviceEvents

DeviceInfo

lookup

project

render

where


ActionType startswith 'ASR'

- A. Mastered

B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 206

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Endpoint security.

You need to create a group and assign the Endpoint Security Manager role to the group. Which type of group can you use?

- A. Microsoft 365 only
- B. security only
- C. mail-enabled security and security only
- D. mail-enabled security, Microsoft 365, and security only
- E. distribution, mail-enabled security, Microsoft 365, and security

Answer: D

NEW QUESTION 211

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune and contains the devices shown in the following table.


Name	Platform	Intune
Device1	iOS	Enrolled
Device2	macOS	Not enrolled

You need to onboard Device1 and Device2 to Microsoft Defender for Endpoint.

What should you use to onboard each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Device1:

Microsoft Endpoint Manager

A local script

Group Policy

Microsoft Endpoint Manager

An app from the Google Play store

Integration with Microsoft Defender for Cloud

Device2:

A local script

A local script

Group Policy

Microsoft Endpoint Manager

An app from the Google Play store

Integration with Microsoft Defender for Cloud

NEW QUESTION 212

- (Topic 6)
You have a Microsoft 365 E5 tenant that contains 500 Windows 10 devices. The devices are enrolled in Microsoft intune. You plan to use Endpoint analytics to identify hardware issues. You need to enable Window health monitoring on the devices to support Endpoint analytics What should you do?

- A. Configure the Endpoint analytics baseline regression threshold.
- B. Create a configuration profile.
- C. Create a Windows 10 Security Baseline profile
- D. Create a compliance policy.

Answer: B

NEW QUESTION 217

HOTSPOT - (Topic 6)
You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of Microsoft 365 role group
Admin1	Content Explorer List viewer
	Content Explorer Content viewer
Admin2	Security Administrator
	Content Explorer List Viewer

You have labels in Microsoft 365 as shown in the following table.

Name	Type
Label1	Sensitivity
Label2	Retention

The content in Microsoft 365 is assigned labels as shown in the following table.

Name	Type	Label
File1	File in SharePoint Online	Label1
Mail1	Email message in Exchange Online	Label2

You have labels In Microsoft 365 as shown in the following table.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area

Statements

Admin1 can view the contents of File1 by using Content explorer.

Admin2 can view the contents of File1 by using Content explorer.

Admin2 can use Content explorer to verify that Label2 is assigned to Mail1.

Yes

No

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Admin1 can view the contents of File1 by using Content explorer.

Admin2 can view the contents of File1 by using Content explorer.

Admin2 can use Content explorer to verify that Label2 is assigned to Mail1.

Yes

No

NEW QUESTION 221

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365.

You need to identify the settings that are below the Standard protection profile settings in the preset security policies.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Portal:

Microsoft 365 Defender portal

Microsoft 365 admin center

Microsoft 365 Defender portal

Microsoft Purview compliance portal

Feature:

Configuration analyzer

Configuration analyzer

Preset security policies

Threat tracker

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Portal:

Microsoft 365 Defender portal

Microsoft 365 admin center

Microsoft 365 Defender portal

Microsoft Purview compliance portal

Feature:

Configuration analyzer

Configuration analyzer

Preset security policies

Threat tracker

NEW QUESTION 224

HOTSPOT - (Topic 6)

Your company uses Microsoft Defender for Endpoint.

The devices onboarded to Microsoft Defender for Endpoint are shown in the following table.

Name	Device group
Device1	ATP1
Device2	ATP1
Device3	ATP2

The alerts visible in the Microsoft Defender for Endpoint alerts queue are shown in the following table.

Name	Device
Alert1	Device1
Alert2	Device2
Alert3	Device3

You create a suppression rule that has the following settings:

- Triggering IOC: Any IOC
- Action: Hide alert
- Suppression scope: Alerts on ATP1 device group

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Answer Area

Statements	Yes	No
After you create the suppression rule, Alert1 is visible in the alerts queue.	<input type="radio"/>	<input type="radio"/>
After you create the suppression rule, Alert3 is visible in the alerts queue.	<input type="radio"/>	<input type="radio"/>
After you create the suppression rule, a new alert triggered on Device2 is visible in the alerts queue.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
After you create the suppression rule, Alert1 is visible in the alerts queue.	<input checked="" type="radio"/>	<input type="radio"/>
After you create the suppression rule, Alert3 is visible in the alerts queue.	<input checked="" type="radio"/>	<input type="radio"/>
After you create the suppression rule, a new alert triggered on Device2 is visible in the alerts queue.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 229

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Users access Microsoft 365 from both their laptop and a corporate Virtual Desktop Infrastructure (VDI) solution.

From Azure AD Identity Protection, you enable a sign-in risk policy.

Users report that when they use the VDI solution, they are regularly blocked when they attempt to access Microsoft 365.

What should you configure?

- A. the Tenant restrictions settings in Azure AD
- B. a trusted location
- C. a Conditional Access policy exclusion
- D. the Microsoft 365 network connectivity settings

Answer: B

Explanation:

There are two types of risk policies in Azure Active Directory (Azure AD) Conditional Access you can set up to automate the response to risks and allow users to self-remediate when risk is detected:

Sign-in risk policy User risk policy

Configured trusted network locations are used by Identity Protection in some risk detections to reduce false positives.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-risk-policies>

<https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION 231

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to configure Microsoft Defender for Office 365 to meet the following requirements:

- A user's email sending patterns must be used to minimize false positives for spoof protection.
- Documents uploaded to Microsoft Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365.

What should you configure for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

A user's email sending patterns must be used to minimize false positives for spoof protection:

Domains to protect

Domains to protect

Mailbox intelligence

Users to protect

Documents uploaded to Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365:

Global settings for safe attachments

Global settings for safe attachments

The Safe Attachments policy settings


The Safe Links policy settings

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 232

- (Topic 6)

You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Name	Source	Last sign in
User1	Azure AD	Yesterday
User2	Active Directory Domain Services (AD DS)	Two days ago
User3	Active Directory Domain Services (AD DS)	Never

Azure AD Connect has the following settings:

? Password Hash Sync: Enabled

? Pass-through authentication: Enabled

You need to identify which users will be able to authenticate by using Azure AD if connectivity between on-premises Active Directory and the internet is lost.

Which users should you identify?

- A. none
- B. Used only1
- C. User1 and User2 only
- D. User1. User2, and User3

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 234

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

From the Microsoft 365 Defender, you create a role group named US eDiscovery Managers by copying the eDiscovery Manager role group.

You need to ensure that the users in the new role group can only perform content searches of mailbox content for users in the United States.

Solution: From the Microsoft 365 Defender, you modify the roles of the US eDiscovery Managers role group.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 239

- (Topic 6)

You have a Microsoft 365 E5 tenant. You configure sensitivity labels.

Users report that the Sensitivity button is unavailability in Microsoft Word for the web. The sensitivity button is available in Word for Microsoft 365.

You need to ensure that the users can apply the sensitivity labels when they use Word for the web.

What should you do?

- A. Copy policies from Azure information Protection to the Microsoft 365 Compliance center
- B. Publish the sensitivity labels.
- C. Create an auto-labeling policy
- D. Enable sensitivity labels for files in Microsoft SharePoint Online and OneDrive.

Answer: B

NEW QUESTION 244

DRAG DROP - (Topic 6)

DRAG DROP

You have a Microsoft 365 E5 tenant.

You need to implement compliance solutions that meet the following requirements:

- Use a file plan to manage retention labels.
- Identify, monitor, and automatically protect sensitive information.
- Capture employee communications for examination by designated reviewers.

Which solution should you use for each requirement? To answer, drag the appropriate solutions to the correct requirements. Each solution may be used once, more than once, or not at all. You may need to drag the split bat between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Solutions

Data loss prevention

Information governance

Insider risk management

Records management

Answer Area

Identify, monitor, and automatically protect sensitive information:

Capture employee communications for examination by designated reviewers:

Use a file plan to manage retention labels:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solutions

Data loss prevention

Information governance

Insider risk management

Records management

Answer Area

Identify, monitor, and automatically protect sensitive information:

Capture employee communications for examination by designated reviewers:

Use a file plan to manage retention labels:

NEW QUESTION 248

- (Topic 6)
You have a Microsoft 365 subscription.
You have a data loss prevention (DLP) policy that blocks sensitive data from being shared in email messages.
You need to modify the policy so that when an email message containing sensitive data is sent to both external and internal recipients, the message is only prevented from being delivered to the external recipients.
What should you modify?

- A. the policy rule exceptions
- B. the DLP policy locations
- C. the policy rule conditions
- D. the policy rule actions

Answer: C

NEW QUESTION 252

HOTSPOT - (Topic 6)
Your company has a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Role	Office 365 role group
User1	None	Compliance Data Administrator
User2	Global Administrator	None

You create a retention label named Label 1 that has the following configurations:

- Retains content for five years
- Automatically deletes all content that is older than five years

You turn on Auto labeling for Label1 by using a policy named Policy1. Policy1 has the following configurations:

- Applies to content that contains the word Merger
- Specifies the OneDrive accounts and SharePoint sites locations

You run the following command.
Set-RetentionCompliancePolicy Policy1 -RestrictiveRetention Strue -Force
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

User1 can add Exchange email as a location to Policy1.

User2 can remove SharePoint sites from Policy1.

User2 can add the word Acquisition to Policy1.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can add Exchange email as a location to Policy1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can remove SharePoint sites from Policy1.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can add the word Acquisition to Policy1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 256

- (Topic 6)
You have a Microsoft 365 E5 subscription that uses Azure Advanced Threat Protection (ATP).
You need to create a detection exclusion in Azure ATP. Which tool should you use?

- A. the Security & Compliance admin center
- B. Microsoft Defender Security Center
- C. the Microsoft 365 admin center
- D. the Azure Advanced Threat Protection portal
- E. the Cloud App Security portal

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/defender-for-identity/what-is> <https://docs.microsoft.com/en-us/defender-for-identity/excluding-entities-from-detections>

NEW QUESTION 260

HOTSPOT - (Topic 6)
You have a Microsoft 365 E5 subscription that contains a user named User1 and the administrators shown in the following table.
User1 reports that after sending 1,000 email messages in the morning, the user is blocked from sending additional emails. You need to identify the following:
• Which administrators can unblock User1
• What to configure to allow User1 to send at least 2,000 emails per day without being blocked
What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Administrators:

Admin2 only

Admin1 only

Admin2 only

Admin1 and Admin2 only

Admin2 and Admin3 only

Admin1, Admin2, and Admin3

Settings:

Anti-spam

Anti-spam

Anti-phishing

Anti-malware

Advanced delivery

Enhanced filtering

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Administrators:

Admin2 only
Admin1 only
Admin2 only
Admin1 and Admin2 only
Admin2 and Admin3 only
Admin1, Admin2, and Admin3

Settings:

Anti-spam
Anti-spam
Anti-phishing
Anti-malware
Advanced delivery
Enhanced filtering

NEW QUESTION 265

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the security groups shown in the following table.

Name	Membership type	Membership rule
Group1	Assigned	Not applicable
Group2	Dynamic	(user.department -eq "Finance")
Group3	Dynamic	(user.department -eq "R&D")

The subscription contains the users shown in the following table.

Name	Department	Assigned group membership
User1	Finance	Group1
User2	Technical	None
User3	R&D	Group1

You have a Conditional Access policy that has the following settings:

- Assignments o Users

Include: Group1

Exclude: Group2. Group3 o Target resources

Cloud apps App1

Access controls Grant

Block access

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can sign in to App1.	<input type="radio"/>	<input type="radio"/>
User2 can sign in to App1.	<input type="radio"/>	<input type="radio"/>
User3 can sign in to App1.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can sign in to App1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can sign in to App1.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can sign in to App1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 269

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Users have Android or iOS devices and access Microsoft 365 resources from computers that run Windows 11 or MacOS.

You need to implement passwordless authentication. The solution must support all the devices.

Which authentication method should you use?

- A. Windows Hello
- B. FIDO2 compliant security keys
- C. Microsoft Authenticator app

Answer: C

NEW QUESTION 272

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription. You need to meet the following requirements:

Automatically encrypt documents stored in Microsoft OneDrive and SharePoint.

Enable co-authoring for Microsoft Office documents encrypted by using a sensitivity label. Which two settings should you use in the Microsoft Purview compliance portal? To answer,

select the appropriate settings in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Solutions

 Catalog

 Audit

 Content search

 Communication compliance

 Data loss prevention

 eDiscovery

 Data lifecycle management

 Information protection

 Information barriers

 Insider risk management

 Records management

 Privacy Risk Management

 Privacy Subject Rights Requests

 Settings

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Information protection

Automatically encrypt documents stored in Microsoft OneDrive and SharePoint.

How to integrate Microsoft Purview Information Protection with Defender for Cloud Apps Enable Microsoft Purview Information Protection

All you have to do to integrate Microsoft Purview Information Protection with Defender for Cloud Apps is select a single checkbox. By enabling automatic scan, you enable searching for sensitivity labels from Microsoft Purview Information Protection on your Office 365 files without the need to create a policy. After you enable it, if you have files in your cloud environment that are labeled with sensitivity labels from Microsoft Purview Information Protection, you'll see them in Defender for Cloud Apps.

To enable Defender for Cloud Apps to scan files with content inspection enabled for sensitivity labels:

In the Microsoft 365 Defender portal, select Settings. Then choose Cloud Apps. Then go to Information Protection -> Microsoft Information Protection.

Note: Encryption of data at rest

Encryption at rest includes two components: BitLocker disk-level encryption and per-file encryption of customer content.

BitLocker is deployed for OneDrive for Business and SharePoint Online across the service. Per-file encryption is also in OneDrive for Business and SharePoint Online in Microsoft 365 multi-tenant and new dedicated environments that are built on multi-tenant technology.

Box 2: Settings

Enable co-authoring for Microsoft Office documents encrypted by using a sensitivity label.


- * 1. Sign in to the Microsoft Purview compliance portal as a global admin for your tenant.
- * 2. From the navigation pane, select Settings > Co-authoring for files with sensitivity files.
- * 3. On the Co-authoring for files with sensitivity labels page, read the summary description, prerequisites, and what to expect.
- * 4. Then select Turn on co-authoring for files with sensitivity labels, and Apply.
- * 5. Wait 24 hours for this setting to replicate across your environment before you use this new feature for co-authoring.

NEW QUESTION 275

HOTSPOT - (Topic 6)

Your network contains an on-premises Active Directory domain named adatum.com that syncs to Azure AD by using the Azure AD Connect Express Settings. Password write back is disabled.

You create a user named User1 and enter Pass in the Password field as shown in the following exhibit.



The Azure AD password policy is configured as shown in the following exhibit. Password policy

Set the password policy for all users in your organization. Days before passwords expire 90

Days before a user is notified about 14 expiration

You confirm that User1 is synced to Azure AD.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can sign in to Azure AD.	<input type="radio"/>	<input type="radio"/>
User1 can change the password immediately by using the My Apps portal.	<input type="radio"/>	<input type="radio"/>
From Azure AD, User1 must change the password every 90 days.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can sign in to Azure AD.	<input checked="" type="radio"/>	<input type="radio"/>
User1 can change the password immediately by using the My Apps portal.	<input type="radio"/>	<input checked="" type="radio"/>
From Azure AD, User1 must change the password every 90 days.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 276

- (Topic 6)

You have a Microsoft 365 subscription.

You configure a new Azure AD enterprise application named App1. App1 requires that a user be assigned the Reports Reader role.

Which type of group should you use to assign the Reports Reader role and to access App1?

- A. a Microsoft 365 group that has assigned membership
- B. a Microsoft 365 group that has dynamic user membership
- C. a security group that has assigned membership
- D. a security group that has dynamic user membership

Answer: C

Explanation:

To grant permissions to assignees to manage users and group access for a specific enterprise app, go to that app in Azure AD and open in the Roles and Administrators list for

that app. Select the new custom role and complete the user or group assignment. The assignees can manage users and group access only for the specific app.

Note: You can add the following types of groups:

Assigned groups - Manually add users or devices into a static group.

Dynamic groups (Requires Azure AD Premium) - Automatically add users or devices to user groups or device groups based on an expression you create.

Note:

Security groups

Security groups are used for granting access to Microsoft 365 resources, such as SharePoint. They can make administration easier because you need only administer the group rather than adding users to each resource individually.

Security groups can contain users or devices. Creating a security group for devices can be used with mobile device management services, such as Intune.

Security groups can be configured for dynamic membership in Azure Active Directory, allowing group members or devices to be added or removed automatically based on user attributes such as department, location, or title; or device attributes such as operating system version.

Security groups can be added to a team.

Microsoft 365 Groups can't be members of security groups. Microsoft 365 Groups

Microsoft 365 Groups are used for collaboration between users, both inside and outside your company. With each Microsoft 365 Group, members get a group email and shared workspace for conversations, files, and calendar events, Stream, and a Planner.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/roles/custom-enterprise-apps> <https://learn.microsoft.com/en-us/microsoft-365/admin/create-groups/compare-groups?> <https://learn.microsoft.com/en-us/mem/intune/apps/apps-deploy>

NEW QUESTION 278

- (Topic 6)

You purchase a new computer that has Windows 10, version 21H1 preinstalled.

You need to ensure that the computer is up-to-date. The solution must minimize the number of updates installed.

What should you do on the computer?

- A. Install all the feature updates released since version 21H1 and the latest quality update only.
- B. Install the latest feature update and all the quality updates released since version 21H1.
- C. Install the latest feature update and the latest quality update only.
- D. Install all the feature updates released since version 21H1 and all the quality updates released since version 21H1 only.

Answer: C

NEW QUESTION 281

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 tenant.

You plan to create a retention policy as shown in the following exhibit.

Information governance > Create retention policy

✓ Name

✓ Locations

✓ Retention settings

● Finish

Review and finish

It might take up to one day to apply this policy to the locations you selected.

Policy name
contoso
Edit

Description
Edit

Locations to apply the policy
Exchange email (All Recipients)
SharePoint sites (All Sites)
OneDrive accounts (All Accounts)
Microsoft 365 Groups (All Groups)
Edit

Retention settings
Delete items at end of retention period
Delete items that are older than 7 years based on when they were created
Edit

Items that are currently older than 7 years will be deleted after you turn on this policy. This is especially important to note for locations scoped to 'All sources' (for example, 'All Teams chats') because all matching items in those locations across your organization will be permanently deleted.

Back

Submit

Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Microsoft SharePoint files that are affected by the policy will be [answer choice].

recoverable for up to seven years
deleted seven years after they were created
retained for only seven years from when they were created

Once the policy is created, [answer choice].

some data may be deleted immediately
data will be retained for a minimum of seven years
users will be prevented from permanently deleting email messages for seven years

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Deleted seven years after they were created. From the exhibit:
The retention policy applies to SharePoint sites.
Delete items that are older than 7 years based on when they were created.
Box 2: data will retained for a minimum of seven years
The longest retention period wins. If content is subject to multiple retention settings that retain content for different periods of time, the content will be retained until the end of the longest retention period for the item.
Note: Use a retention policy to assign the same retention settings for content at a site or mailbox level, and use a retention label to assign retention settings at an item level (folder, document, email).
For example, if all documents in a SharePoint site should be retained for 5 years, it's more efficient to do this with a retention policy than apply the same retention label to all documents in that site. However, if some documents in that site should be retained for 5 years and others retained for 10 years, a retention policy wouldn't be able to do this. When you need to specify retention settings at the item level, use retention labels.

NEW QUESTION 283

- (Topic 6)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

Guaranteed success with Our exam guides

visit - https://www.certshared.com

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com. You need to ensure that User2 can access the resources in Azure AD.
 Solution: From the on-premises Active Directory domain, you assign User2 the Allow logon locally user right. You instruct User2 to sign in as user2@fabrikam.com.
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This is not a permissions issue.
 The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.

NEW QUESTION 284

- (Topic 6)
 You have a Microsoft 365 E5 tenant that contains the devices shown in the following table.

Name	Platform
Device1	MacOS
Device2	Windows 10 Pro
Device3	Windows 10 Enterprise
Device4	Ubuntu 18.04 LTS

You plan to implement attack surface reduction (ASR) rules. Which devices will support the ASR rules?

- A. Device 1, Device2, and Device3 only
- B. Device3 only
- C. Device2 and Device3 only
- D. Device1, Device2, Devices and Device4

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/enable-attack-surface-reduction?view=o365-worldwide#requirements>

NEW QUESTION 289

HOTSPOT - (Topic 6)
 You have a Microsoft 365 E5 tenant that connects to Microsoft Defender for Endpoint. You have devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Windows 8.1
Device3	iOS
Device4	Android

You plan to use risk levels in Microsoft Defender for Endpoint to identify whether a device is compliant. Noncompliant devices must be blocked from accessing corporate resources.
 You need to identify which devices can be onboarded to Microsoft Defender for Endpoint, and which Endpoint security policies must be configured.
 What should you identify? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Devices that can onboarded to Microsoft Defender for Endpoint:

Device 1 only

Device 1 and Device 2 only

Device 1 and Device 3 only

Device 1 and Device 4 only

Device 1, Device 2, and Device 4 only

Device 1, Device 2, Device 3, and Device 4

Endpoint security policies that must be configured:

A conditional access policy only

A device compliance policy only

A device configuration profile only

A device configuration profile and a conditional access policy only

Device configuration profile, device compliance policy, and conditional access policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Text, table Description automatically generated with medium confidence

NEW QUESTION 292

- (Topic 6)
 You have a Microsoft 365 E5 tenant that contains the devices shown in the following table.

Name	Platform	Azure Active Directory (Azure AD)
Device1	Windows 10	Joined
Device2	Windows 10	Registered
Device3	Windows 10	Not joined or registered
Device4	Android	Registered

You plan to review device startup performance issues by using Endpoint analytics. Which devices can you monitor by using Endpoint analytics?

- A. Device1 only
- B. Device1 and Device2 only
- C. Device1, Device2, and Device3 only
- D. Device1, Device2, and Device4 only
- E. Device1, Device2, Device3, and Device4

Answer: A

Explanation:
 Reference:
<https://docs.microsoft.com/en-us/mem/analytics/overview>

NEW QUESTION 293

DRAG DROP - (Topic 6)
 You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365. You need to configure policies to meet the following requirements:
 ? Customize the common attachments filter.
 ? Enable impersonation protection for sender domains.
 Which type of policy should you configure for each requirement? To answer, drag the appropriate policy types to the correct requirements. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Policy Types

☐ Anti-malware
☐ Anti-phishing
☐ Anti-spam
☐ Safe Attachments

Answer Area

Customize the common attachments filter:
 Enable impersonation protection for sender domains:

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: Anti-malware

Customize the common attachments filter. See step 5 below.

* 1. Use the Microsoft 365 Defender portal to create anti-malware policies

In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-Malware in the Policies section. To go directly to the Anti-malware page, use <https://security.microsoft.com/antimalwarev2>

* 2. On the Anti-malware page, select Create to open the new anti-malware policy wizard. On the Name your policy page, configure these settings:

Name: Enter a unique, descriptive name for the policy. Description: Enter an optional description for the policy.

* 3. When you're finished on the Name your policy page, select Next.

* 4. On the Users and domains page, identify the internal recipients that the policy applies to (recipient conditions)

* 5. On the Protection settings page, configure the following settings: Protection settings section:

Enable the common attachments filter: If you select this option, messages with the specified attachments are treated as malware and are automatically quarantined. You can modify the list by clicking Customize file types and selecting or deselecting values in the list.

* 6. Etc.

Box 2: Anti-phishing

Enable impersonation protection for sender domains. Anti-phishing policies in Microsoft 365

The high-level differences between anti-phishing policies in EOP and anti-phishing policies in Defender for Office 365 are described in the following table:

Feature	Anti-phishing policies in EOP	Anti-phishing policies in Defender for Office 365
Automatically created default policy	✓	✓
Create custom policies	✓	✓
Common policy settings*	✓	✓
Spoof settings	✓	✓
First contact safety tip	✓	✓
Impersonation settings		✓
Advanced phishing thresholds		✓

NEW QUESTION 298

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	UserGroup1
User2	UserGroup2
User3	UserGroup3

The tenant contains the devices shown in the following table.

Name	Owner	Installed apps	Platform	Microsoft Intune
Device1	User1	None	Windows 10	Enrolled
Device2	User2	App2	Android	Not enrolled
Device3	User3	None	iOS	Not enrolled

You have the apps shown in the following table.

Name	Type
App1	iOS store app
App2	Android store app
App3	Microsoft store app

You plan to use Microsoft Endpoint Manager to manage the apps for the users.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
App1 can be assigned as a required install for User3.	<input type="radio"/>	<input type="radio"/>
App2 can be uninstalled from Device2 by using Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>
App3 can be installed automatically for UserGroup1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
App1 can be assigned as a required install for User3.	<input type="radio"/>	<input checked="" type="radio"/>
App2 can be uninstalled from Device2 by using Microsoft Endpoint Manager.	<input type="radio"/>	<input checked="" type="radio"/>
App3 can be installed automatically for UserGroup1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 302
HOTSPOT - (Topic 6)
HOTSPOT
You have a Microsoft 365 tenant.
You create a retention label as shown in the Retention Label exhibit. (Click the Retention Label tab.)

Create retention label

✓ Name

✓ Retention settings

● Finish

Review and finish

Name

Name

6Months

Edit

Retention settings

Retention period

6 months

Edit

Retention action

Retain and Delete

Edit

Based on

Based on when it was created

Edit

Back

Create label

Cancel

You create a label policy as shown in the Label Policy exhibit. (Click the Label Policy tab.)

Auto-labeling > Create auto-labeling policy

✓ Name

● Info to label

● Create content query

○ Scope

○ Label

○ Finish

Apply label to content matching this query

Conditions

ProjectX

+ Add condition

Back

Next

Cancel

The label policy is configured as shown in the following table.

Configuration	Value
Label to auto-apply	6Months
Locations	Exchange email

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Any sent email message that contains the word ProjectX will be deleted immediately.	<input type="radio"/>	<input type="radio"/>
Any sent email message that contains the word ProjectX will be retained for six months.	<input type="radio"/>	<input type="radio"/>
Users are required to manually apply a label to email messages that contain the word ProjectX.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
Box 2: Yes
Box 3: No

NEW QUESTION 303
HOTSPOT - (Topic 6)
You have a Microsoft 365 E5 tenant.
You have a sensitivity label configured as shown in the Sensitivity label exhibit. (Click the Sensitivity label tab.)

Review your settings and finish

Name

Sensitivity1

Display name

Sensitivity1

Description for users

Sensitivity1

Scope

File.Email

Encryption

Content marking

Watermark: Watermark

Header: Header

Auto-labeling

Group settings

Site settings

Auto-labeling for database columns

None

You have an auto-labeling policy as shown in the Auto-labeling policy exhibit. (Click the Auto-labeling policy tab.)

Auto-labeling policy

[Edit Policy](#)[Delete Policy](#)

Policy name

Auto-labeling policy

Description

Label in simulation

Sensitivity1

Info to label

IP Address

Apply to content in these locations

Exchange email All

Rules for auto-applying this label

Exchange email 1 rule

Mode

On

Comment

A user sends an email that contains the components shown in the following table.

Type	File	Includes IP address
Mail body	Not applicable	No
Attachment	File1.docx	Yes
Attachment	File2.xml	Yes

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Sensitivity1 is applied to the email.	<input type="radio"/>	<input type="radio"/>
A watermark is added to File1.docx.	<input type="radio"/>	<input type="radio"/>
A header is added to File2.xml.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Sensitivity1 is applied to the email.	<input checked="" type="radio"/>	<input type="radio"/>
A watermark is added to File1.docx.	<input type="radio"/>	<input checked="" type="radio"/>
A header is added to File2.xml.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 307

DRAG DROP - (Topic 6)
DRAG DROP

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD). The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2016	File Server Resource Manager (FSRM)
Server2	Windows Server 2016	None

You use Azure Information Protection.

You need to ensure that you can apply Azure Information Protection labels to the file stores on Server1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Authorize Server1.

Install the Microsoft Rights Management connector on Server2.

Install a certificate on Server2.

Install a certificate on Server1.

Register a service principal name for Server1.

Run GenConnectorConfig.ps1 on Server1.

Run GenConnectorConfig.ps1 on Server2.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Authorize Server1.	Install the Microsoft Rights Management connector on Server2.
Install the Microsoft Rights Management connector on Server2.	Authorize Server1.
Install a certificate on Server2.	
Install a certificate on Server1.	
Register a service principal name for Server1.	Run GenConnectorConfig.ps1 on Server1.
Run GenConnectorConfig.ps1 on Server1.	
Run GenConnectorConfig.ps1 on Server2.	

NEW QUESTION 309

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 E5 tenant.

Users at the company use the following versions of Microsoft Office:

- Microsoft 365 Apps for enterprise
- Office for the web
- Office 2016
- Office 2019

The company currently uses the following Office file types:

- .docx
- .xlsx
- .doc
- xls

You plan to use sensitivity labels. You need to identify the following:

- Which versions of Office require an add-in to support the sensitivity labels.
- Which file types support the sensitivity labels.

What should you identify? To answer, select the appropriate options in the answer area, NOTE: Each correct selection is worth one point.

Answer Area

Office versions that require an add-in to support the sensitivity labels:

- Microsoft 365 Apps for enterprise and Office for the web only
- Office 2016 only
- Office 2019 only
- Office for the web only
- Office 2016 and Office 2019 only
- Microsoft 365 Apps for enterprise only
- Microsoft 365 Apps for enterprise and Office for the web only

Office file types that support the sensitivity labels:

- .docx and .xlsx
- .doc only
- .docx only
- .xls only
- .xlsx only
- .doc and .xls
- .docx and .xlsx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Office versions that require an add-in to support the sensitivity labels:

- Microsoft 365 Apps for enterprise and Office for the web only
- Office 2016 only
- Office 2019 only
- Office for the web only
- Office 2016 and Office 2019 only
- Microsoft 365 Apps for enterprise only
- Microsoft 365 Apps for enterprise and Office for the web only

Office file types that support the sensitivity labels:

- .docx and .xlsx
- .doc only
- .docx only
- .xls only
- .xlsx only
- .doc and .xls
- .docx and .xlsx

NEW QUESTION 310

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that contains the administrative units shown in the following table.

Name	Members
AU1	Group1, User2
AU2	Group2, User3, User4

The groups contain the members shown in the following table.

Name	Members
Group1	User1
Group2	User2, User4

The users are assigned the roles shown in the following table.

Name	Role	Scope
User1	None	Not applicable
User2	Password Administrator	AU1
User3	License Administrator	Organization
User4	None	Not applicable

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE; Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User2 can reset the password of User1.	<input type="radio"/>	<input type="radio"/>
User2 can reset the password of User4.	<input type="radio"/>	<input type="radio"/>
User3 can assign licenses to User1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User2 can reset the password of User1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can reset the password of User4.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can assign licenses to User1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 315

HOTSPOT - (Topic 5)

You need to configure the Office 365 service status notifications and limit access to the service and feature updates. The solution must meet the technical requirements.

What should you configure in the Microsoft 365 admin center? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To configure the notifications:

Briefing email

Briefing email

Help desk information

Organization information

To limit access:

Release preferences

Privileged Access

Release preferences

Office installation options

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 320

HOTSPOT - (Topic 5)

You are evaluating the use of multi-factor authentication (MFA).

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Users will have 14 days to register for MFA after they sign in for the first time.	<input type="radio"/>	<input type="radio"/>
Users must use the Microsoft Authenticator app to complete MFA.	<input type="radio"/>	<input type="radio"/>
After registering, users must use MFA for every sign-in.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Users will have 14 days to register for MFA after they sign in for the first time.	<input checked="" type="radio"/>	<input type="radio"/>
Users must use the Microsoft Authenticator app to complete MFA.	<input checked="" type="radio"/>	<input type="radio"/>
After registering, users must use MFA for every sign-in.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 322

HOTSPOT - (Topic 5)

You need to ensure that Admin4 can use SSPR.

Which tool should you use. and which action should you perform? To answer, select the appropriate options m the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action:

Enable password writeback.

Enable app registrations.

Enable password writeback.

Enable password hash synchronization.

Disable password hash synchronization.

Tool:

Azure AD Connect

Azure AD Connect

Synchronization Rules Editor

Microsoft Entra admin center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action:

Tool:

NEW QUESTION 324

- (Topic 5)

You need to configure just in time access to meet the technical requirements. What should you use?

- A. entitlement management
- B. Azure AD Privileged Identity Management (PIM)
- C. access reviews
- D. Azure AD Identity Protection

Answer: B

NEW QUESTION 328

- (Topic 5)

You need to configure Azure AD Connect to support the planned changes for the Montreal Users and Seattle Users OUs. What should you do?

- A. From the Microsoft Azure AD Connect wizard, select Customize synchronization options.
- B. From PowerShell, run the Add-ADSyncConnectorAttributeInclusion cmdlet.
- C. From PowerShell, run the start-ADSyncSyncCycle cmdlet.
- D. From the Microsoft Azure AD Connect wizard, select Manage federation.

Answer: A

NEW QUESTION 329

- (Topic 4)

You are evaluating the required processes for Project1.

You need to recommend which DNS record must be created while adding a domain name for the project.

Which DNS record should you recommend?

- A. host (A)
- B. host information
- C. text (TXT)
- D. alias (CNAME)

Answer: D

Explanation:

When you add a custom domain to Office 365, you need to verify that you own the domain. You can do this by adding either an MX record or a TXT record to the DNS for that domain.

Note:

There are several versions of this question in the exam. The question has two possible correct answers:

Text (TXT)

Mail exchanger (MX)

incorrect answer options you may see on the exam include the following: alias (CNAME)

Host (A) host (AAA)

Pointer (PTR) Name Server (NS)

host information (HINFO) pointer (PTR)

Reference:

<https://docs.microsoft.com/en-us/office365/admin/get-help-with-domains/create-dns-records-at-any-dns-hosting-provider>

NEW QUESTION 333

HOTSPOT - (Topic 3)

You need to configure the information governance settings to meet the technical requirements.

Which type of policy should you configure, and how many policies should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Policy type:

Retention
Label
Retention
Auto-labeling

Number of required policies:

2
1
2
3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Policy type:

Retention
Label
Retention
Auto-labeling

Number of required policies:

2
1
2
3

NEW QUESTION 335

HOTSPOT - (Topic 3)

You need to ensure that User2 can review the audit logs. The solutions must meet the technical requirements.

To which role group should you add User2, and what should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role group:

Reviewer
Global reader
Data Investigator
Compliance Management

Tool:

Exchange admin center
SharePoint admin center
Microsoft 365 admin center
Microsoft 365 security center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Role group: ▼

Reviewer
Global reader
Data Investigator
Compliance Management

Tool: ▼

Exchange admin center
SharePoint admin center
Microsoft 365 admin center
Microsoft 365 security center

NEW QUESTION 338

- (Topic 3)

You need to configure Office on the web to meet the technical requirements. What should you do?

- A. Assign the Global reader role to User1.
- B. Enable sensitivity labels for Office files in SharePoint Online and OneDrive.
- C. Configure an auto-labeling policy to apply the sensitivity labels.
- D. Assign the Office apps admin role to User1.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-sharepoint-onedrive-files?view=o365-worldwide>

NEW QUESTION 340

HOTSPOT - (Topic 3)

You need to configure automatic enrollment in Intune. The solution must meet the technical requirements.

What should you configure, and to which group should you assign the configurations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Configure: ▼

Device configuration profiles Enrollment restrictions
The mobile device management (MDM) user scope
The mobile application management (MAM) user scope

Group: ▼

UserGroup1
UserGroup2
DeviceGroup1
DeviceGroup2

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Configure: ▼

Device configuration profiles Enrollment restrictions
The mobile device management (MDM) user scope
The mobile application management (MAM) user scope

Group: ▼

UserGroup1
UserGroup2
DeviceGroup1
DeviceGroup2

NEW QUESTION 344

- (Topic 3)

You need to create the DLP policy to meet the technical requirements. What should you configure first?

- A. sensitive info types
- B. the Insider risk management settings
- C. the event types
- D. the sensitivity labels

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-test-tune-dlp-policy?view=o365-worldwide>

NEW QUESTION 348

- (Topic 3)

You need to configure the compliance settings to meet the technical requirements. What should you do in the Microsoft Endpoint Manager admin center?

- A. From Compliance policies, modify the Notifications settings.
- B. From Locations, create a new location for noncompliant devices.
- C. From Retire Noncompliant Devices, select Clear All Devices Retire State.
- D. Modify the Compliance policy settings.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/device-compliance-get-started>

NEW QUESTION 351

- (Topic 1)

You need to create the Microsoft Store for Business. Which user can create the store?

- A. User2
- B. User3
- C. User4
- D. User5

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/microsoft-store/roles-and-permissions-microsoft-store-for-business>

NEW QUESTION 356

- (Topic 1)

On which server should you use the Defender for identity sensor?

- A. Server1
- B. Server2
- C. Server3
- D. Server4
- E. Servers5

Answer: A

Explanation:

However, if the case study had required that the DCs can't have any s/w installed, then the answer would have been a standalone sensor on Server2. In this scenario, the given answer is correct. BTW, ATP now known as Defender for Identity.

NEW QUESTION 359

- (Topic 2)

You need to protect the U.S. PII data to meet the technical requirements. What should you create?

- A. a data loss prevention (DLP) policy that contains a domain exception
- B. a Security & Compliance retention policy that detects content containing sensitive data
- C. a Security & Compliance alert policy that contains an activity
- D. a data loss prevention (DLP) policy that contains a user override

Answer: A

NEW QUESTION 360

- (Topic 1)

You need to ensure that User1 can enroll the devices to meet the technical requirements. What should you do?

- A. From the Azure Active Directory admin center, assign User1 the Cloud device administrator role.
- B. From the Azure Active Directory admin center, configure the Maximum number of devices per user setting.
- C. From the Intune admin center, add User1 as a device enrollment manager.
- D. From the Intune admin center, configure the Enrollment restrictions.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/sccm/mdm/deploy-use/enroll-devices-with-device-enrollment-manager>

NEW QUESTION 365

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement identity protection by configuring a sign-in risk policy and a user risk policy. Which type of risk is detected by each policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sign-in risk policy:

- Leaked credentials
- Atypical travel
- Leaked credentials
- Possible attempt to access Primary Refresh Token (PRT)

User risk policy:

- Malicious IP address
- Leaked credentials
- Malicious IP address
- Suspicious browser

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Sign-in risk policy:

- Leaked credentials
- Atypical travel
- Leaked credentials
- Possible attempt to access Primary Refresh Token (PRT)

User risk policy:

- Malicious IP address
- Leaked credentials
- Malicious IP address
- Suspicious browser

NEW QUESTION 367

- (Topic 6)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Microsoft 365 admin role	Microsoft Exchange Online admin role
User1	Global Administrator	None
User2	Exchange Administrator	None
User3	Service Support Administrator	None
User4	None	Organization Management

You plan to use Exchange Online to manage email for a DNS domain. An administrator adds the DNS domain to the subscription. The DNS domain has a status of Incomplete setup. You need to identify which user can complete the setup of the DNS domain. The solution must use the principle of least privilege. Which user should you identify?

- A. User1
- B. User2
- C. User3
- D. User4

Answer: A

NEW QUESTION 371

DRAG DROP - (Topic 6)

You have a Microsoft 365 E5 tenant that contains 500 Android devices enrolled in Microsoft Intune.

You need to use Microsoft Endpoint Manager to deploy a managed Google Play app to the devices.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create an app configuration policy

Link the account to Intune

Create a Microsoft account

Configure a mobile device management (MDM) push certificate

Add the app

Create a Google account

Assign the app

Answer Area

>

<

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create an app configuration policy

Link the account to Intune

Create a Microsoft account

Configure a mobile device management (MDM) push certificate

Add the app

Create a Google account

Assign the app

Answer Area

Create a Google account

Link the account to Intune

Add the app

Assign the app

NEW QUESTION 372
HOTSPOT - (Topic 6)
You have a Microsoft 365 E5 subscription.
You configure a new alert policy as shown in the following exhibit.

How do you want the alert to be triggered?

- ☐ Every time an activity matches the rule
- ☐ When the volume of matched activities reaches a threshold

More than or equal to activities

During the last minutes

On

- ☒ When the volume of matched activities becomes unusual

On

You need to identify the following:

? How many days it will take to establish a baseline for unusual activity.

? Whether alerts will be triggered during the establishment of the baseline.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

How many days it will take to establish the baseline:

1
5
7
10

Whether the alerts will be triggered during the establishment of the baseline:

Alerts will be triggered.
Alerts will not be triggered.
Alerts will be triggered only after the process to establish the baseline has been running for one day.

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

How many days it will take to establish the baseline:

1
5
7
10

Whether the alerts will be triggered during the establishment of the baseline:

Alerts will be triggered.
Alerts will not be triggered.
Alerts will be triggered only after the process to establish the baseline has been running for one day.

NEW QUESTION 376

- (Topic 6)

You have a Microsoft 365 E5 subscription.
You create a Conditional Access policy that blocks access to an app named App1 when users trigger a high-risk sign-in event.
You need to reduce false positives for impossible travel when the users sign in from the corporate network.
What should you configure?

- A. exclusion groups
- B. multi-factor authentication (MFA)
- C. named locations
- D. user risk policies

Answer: C

NEW QUESTION 381

- (Topic 6)

You have a Microsoft 365 tenant.
You plan to manage incidents in the tenant by using the Microsoft 365 security center. Which Microsoft service source will appear on the Incidents page of the Microsoft 365 security center?

- A. Microsoft Defender for CloudUse the
- B. Microsoft Purview
- C. Azure Arc
- D. Microsoft Defender for Identity

Answer: D

Explanation:


Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender/investigate-alerts?view=o365-worldwide>

NEW QUESTION 383

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following exhibit.



	Name	Group type	Security enabled	Role assignments allowed
<input type="checkbox"/>	GR Group1	Microsoft 365	No	No
<input type="checkbox"/>	G Group2	Microsoft 365	Yes	No
<input type="checkbox"/>	GR Group3	Security	Yes	No
<input type="checkbox"/>	GR Group4	Security	Yes	Yes

To which groups can you assign Microsoft 365 E5 licenses?

- A. Group1 and Group2 only
- B. Group2 and Group3 only
- C. Group3 and Group4 only
- D. Group 1, Group2. and Group3 only
- E. Group2, Group3, and Group4 only

Answer: C

NEW QUESTION 386

- (Topic 6)

You have a Microsoft 365 E5 tenant.
You plan to create a custom Compliance Manager assessment template based on the ISO 27001:2013 template.
You need to export the existing template.
Which file format should you use for the exported template?

- A. CSV
- B. XLSX
- C. JSON
- D. XML

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/compliance-manager-templates?view=o365-worldwide#export-a-template>

NEW QUESTION 387

- (Topic 6)

Your company has digitally signed applications.

You need to ensure that Microsoft Defender Advanced Threat Protection (Microsoft Defender ATP) considers the digitally signed applications safe and never analyzes them.

What should you create in the Microsoft Defender Security Center?

- A. a custom detection rule
- B. an allowed/blocked list rule
- C. an alert suppression rule
- D. an indicator

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/manage-indicators>

NEW QUESTION 389

- (Topic 6)

You have an Azure AD tenant that contains the users shown in the following table

Name	Role
Admin1	User Administrator
Admin2	Password Administrator
Admin3	Exchange Administrator

You need to compare the permissions of each role. The solution must minimize administrative effort.

Which portal should you use?

- A. the Microsoft Purview compliance portal
- B. the Microsoft 365 admin center
- C. the Microsoft 365 Defender portt1
- D. the Microsoft Entra admin center

Answer: A

NEW QUESTION 390

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You need to evaluate compliance with European Union privacy regulations for customer data.

What should you do in the Microsoft 365 compliance center?

- A. Create a Data Subject Request (DSR)
- B. Create a data loss prevention (DLP) policy for General Data Protection Regulation (GDPR) data
- C. Create an assessment based on the EU GDPR assessment template
- D. Create an assessment based on the Data Protection Baseline assessment template

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/compliance/regulatory/gdpr-action-plan>

NEW QUESTION 391

- (Topic 6)

Your company has an Azure AD tenant named contoso.com that includes the users shown in the following table.

Name	Usage location	Membership
User1	United States	Group1, Group2
User2	Not set	Group2
User3	Not set	Group1
User4	Canada	Group1

Group2isa member of Group1.

You assign an Office 365 Enterprise E3 license to Group1. How many Office 365 E3 licenses are assigned?

- A. 1
- B. 2

- C. 3
- D. 4

Answer: C

NEW QUESTION 394

HOTSPOT - (Topic 6)

HOTSPOT

You have an Azure AD tenant that contains the administrative units shown in the following table.

Name	Members
AU1	User1, User2
AU2	User3

You have the following users:

? A user named User1 that is assigned the Password Administrator for AU1 and AU2.

? A user named User2 that is assigned the User Administrator for AU1.

? A user named User3 that is assigned the User Administrator for the tenant.

For each of the following statements, select Yes if the statement is true. Otherwise, select

No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

User1 can reset the password of User3.

Yes

☐

No

☐

User2 can update the display name of User1.

☐☐

User1 can reset the password of User2.

☐☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

User1 is assigned the Password Administrator for AU1 and AU2. User3 is in AU2. User3 is User Adminstrator.

Password administrators cannot reset User Administrators passwords.

Note: Password Administrator

Users with this role have limited ability to manage passwords. This role does not grant the ability to manage service requests or monitor service health. Whether a Password Administrator can reset a user's password depends on the role the user is assigned.

Role that password can be reset	Password Admin	Helpdesk Admin	Auth Admin	User Admin	Privileged Auth Admin	Global Admin
User Admin	<input type="checkbox"/>			✓	✓	✓
Usage Summary Reports Reader		✓	✓	✓	✓	✓

Box 2: Yes

Box 3: No

User1 is assigned the Password Administrator for AU1 and AU2. User2 is in AU1. User2 is User Adminstrator.

Password administrators cannot reset User Administrators passwords.

Note: User Administrator

Can manage all aspects of users and groups, including resetting passwords for limited admins.

NEW QUESTION 397

HOTSPOT - (Topic 6)

You have a hybrid deployment of Azure AD that contains the users shown in the following table.

Name	Description
User1	Azure AD Connect sync account
User2	Contributor for Azure AD Connect Health
User3	Application administrator in Azure AD

You need to identify which users can perform the following tasks:

- View sync errors in Azure AD Connect Health.
- Configure Azure AD Connect Health settings.

Which user should you identify for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

View sync errors in Azure AD Connect Health:

User2

User1

User2

User3

Configure Azure AD Connect Health settings:

User1

User1

User2

User3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

View sync errors in Azure AD Connect Health:

User2

User1

User2

User3

Configure Azure AD Connect Health settings:

User1

User1

User2

User3

NEW QUESTION 399

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-102 Practice Exam Features:

- * MS-102 Questions and Answers Updated Frequently
- * MS-102 Practice Questions Verified by Expert Senior Certified Staff
- * MS-102 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-102 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-102 Practice Test Here](#)