

# Microsoft

## Exam Questions MS-203

Microsoft 365 Messaging



### NEW QUESTION 1

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

? The advertising department users must not see the editorial department users in the global address list

? (GAL).

? The editorial department users must not see the advertising department users in the GAL.

? The editorial department users must be treated as external recipients of the advertising department users.

? The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort.

What should you recommend?

A. In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.

B. Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.

C. Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.

D. Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

**Answer: D**

#### Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

### NEW QUESTION 2

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully. What should you do?

A. Run the Microsoft Support and Recovery Assistant for Office 365.

B. Activate the installation of Office 365 ProPlus.

C. Modify the license assigned to User1.

D. Install a new certificate on the computer of User1.

**Answer: C**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

### NEW QUESTION 3

- (Topic 5)

Your company has a partnership with another company named contoso.com.

You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically. You enable Azure Information Protection.

What should you do next?

A. Create a data loss prevention (DLP) policy.

B. Create a mail flow rule.

C. Configure a remote domain.

D. Configure an Outbound connector.

**Answer: B**

#### Explanation:

Reference:

<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information-protection/>

### NEW QUESTION 4

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders

? Reattaches the attachments after scanning is complete

? Quarantines malicious attachments

Which action should you select for Policy1?

A. Monitor

B. Block

C. Dynamic Delivery


D. Replace

Answer: C

NEW QUESTION 5

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization and a Microsoft 365 E5 subscription. From the Microsoft 365 admin center, you open Data migration as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

The Microsoft Office 365 Hybrid Configuration wizard [answer choice].

must be downloaded
was completed
was not run

The move mailboxes, the [answer choice] virtual directory must be available to Exchange Online.

Autodiscover
ecp
EWS
mapi
PowerShell

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

- <https://www.stellarinfo.com/blog/hybrid-migration-migrate-exchange-mailboxes-office-365/>
- <https://www.kerneldatarecovery.com/blog/migrate-from-exchange-on-premises-to-exchange-online-in-hybrid-environment/>

NEW QUESTION 6

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

**NEW QUESTION 7**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a supervision policy.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**  
You should create a Data Loss Prevention (DLP) policy.

**NEW QUESTION 8**

DRAG DROP - (Topic 5)  
You have a Microsoft Exchange Server 2019 organization.  
You plan to implement a hybrid deployment between Exchange Online and Exchange Server.  
You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.  
To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

Global Admin

Organization Management

**NEW QUESTION 9**

DRAG DROP - (Topic 5)  
Your company has a Microsoft 365 subscription for a domain named contoso.com.  
The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.  
You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.  
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



**Actions**

**Answer Area**

- Add an accepted domain to Office 365.
- Create a migration endpoint and a migration batch.
- Create an Office 365 connector.
- Start the migration batch.
- Provision a mailbox in Office 365 for each Litware user.

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

**Actions**

**Answer Area**

- |  |  |
|--|--|
| Add an accepted domain to Office 365.                    | Add an accepted domain to Office 365.                    |
| Create a migration endpoint and a migration batch.       | Provision a mailbox in Office 365 for each Litware user. |
| Create an Office 365 connector.                          | Create a migration endpoint and a migration batch.       |
| Start the migration batch.                               | Start the migration batch.                               |
| Provision a mailbox in Office 365 for each Litware user. |  |

**NEW QUESTION 10**

- (Topic 5)  
You have a Microsoft Exchange Server 2019 organization.  
You need to provide a user named User1 with the ability to create and manage transport rules.  
To which management role group should you add User1?

- A. Compliance Management  
B. Server Management  
C. Records Management  
D. Hygiene Management

Answer: C

Explanation:

References:  
<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

**NEW QUESTION 10**

- (Topic 5)  
You have a Microsoft Exchange Online tenant and the devices shown in the following table.

Name	Operating system	Microsoft Outlook version
Device1	Windows	Outlook 2019
Device2	MacOS	Outlook 2016 for Mac
Device3	iOS	Outlook for iOS
Device4	Windows	Outlook on the web

You plan to implement sensitivity labels for users to apply to email messages.  
 Which Microsoft Outlook versions will support sensitivity labels without requiring additional software?

- A. Outlook 2019 and Outlook on the web only
- B. Outlook on the web only
- C. Outlook 2019. Outlook 2016 for Ma
- D. Outlook for iO
- E. and Outlook on the web
- F. Outlook for iOS and Outlook on the web only
- G. Outlook 2019 only

**Answer:** D

#### NEW QUESTION 11

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.	

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

#### NEW QUESTION 15

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy-to-mail-users>

**NEW QUESTION 20**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel    : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name                : Mobile Mailbox Settings
DefaultAccessLevel  : False
IsIntuneManaged    : False
HasAzurePremiumSubscription : False
DeviceFiltering     :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

**NEW QUESTION 24**

- (Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtpAddress property for the mailbox of Ben Smith.
- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

**Answer:** C

**NEW QUESTION 27**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to place a hold on all email messages stored in the mailbox of a user named User1.

What should you create first?

- A. an eDiscovery case
- B. sensitive info type
- C. a data loss prevention (DLP) policy
- D. an information barrier segment

**Answer:** A

**Explanation:**

You can use an eDiscovery case to create and manage eDiscovery holds that can be applied to user mailboxes and other content locations in Microsoft Purview1. You can also use an eDiscovery case to search for and export content from mailboxes and other locations1.

An eDiscovery case is different from a Litigation Hold, which is a hold that is applied to user mailboxes in Exchange Online1. A Litigation Hold isn't identified by a GUID1.

A sensitive info type is a predefined or custom entity that can be used to identify and protect sensitive data in Microsoft Purview2. It is not related to placing a hold on email messages.

A data loss prevention (DLP) policy is a policy that helps prevent the accidental or intentional sharing of sensitive information outside your organization2. It is not related to placing a hold on email messages.

An information barrier segment is a group of users who are allowed or blocked from communicating with each other in Microsoft Teams or SharePoint Online2. It is not related to placing a hold on email messages.

**NEW QUESTION 31**

- (Topic 5)



You have a Microsoft Exchange Online tenant.

You plan to implement an on-premises alarm system that will send email alerts by using SMTP. The alarm system will NOT support TLS.

You need to ensure that the alarm system can send the alerts to both internal and external recipients by using Exchange Online.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Configure SMTP AUTH client submission.
- B. Configure the alarm system settings to use a TXT record of the tenant.
- C. Create a connector.
- D. Configure the alarm system settings to use an MX record of the tenant.
- E. Configure direct send.

**Answer:** CE

**Explanation:**

? C. Create a connector1. A connector is a configuration setting that controls how email messages are delivered to or received from your own email servers or a partner organization1. You need to create a connector to route mail between Exchange Online and your on-premises alarm system that uses SMTP1. You can specify the IP address of your alarm system as a trusted sender and configure the connector to use certificate-based authentication or IP address-based authentication1.

? E. Configure direct send2. Direct send is an option that allows you to send mail directly from your printer or application to Microsoft 365 or Office 365 without using a local email server2. You need to configure direct send on your alarm system settings to use an MX record of the tenant as the SMTP server address2. For example, contoso-com.mail.protection.outlook.com2. Direct send does not require TLS encryption or SMTP authentication2.

**NEW QUESTION 33**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a “third-party messaging solution” suggests that the answer to this question should be No although technically it would work. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

**NEW QUESTION 34**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

**Answer:** A

Explanation:

Answer Area

Group type:

Distribution list
Microsoft 365
Security

Configuration:

Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 35

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.  
You plan to move several mailboxes to Microsoft 365.  
You need to configure hybrid mail flow to meet the following requirements:  
? All email messages received from the internet must be filtered for spam by Microsoft 365.  
? Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.  
What should you configure? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Mail exchanger (MX) record to configure:

Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

TCP 25
TCP 2525
TCP 587
TCP 993

NEW QUESTION 39

- (Topic 5)

You have a Microsoft Exchange Online tenant.  
Users use Microsoft Outlook as their primary email client.  
The users report that email messages received from a partner company are often delayed before being delivered.  
You need to analyze the message header of one of the delayed messages to identify the cause of the delay.  
What are two actions that you can perform? Each correct answer presents a complete solution.  
NOTE: Each correct selection is worth one point.

- A. From Message trace in the Exchange admin center, create a custom query.
- B. From the Exchange admin center, review the Queued messages report.
- C. Run the Microsoft Remote Connectivity Analyzer.
- D. From Outlook, review the properties of the message.
- E. From the Exchange admin center, review the mail flow rules.

Answer: AD

NEW QUESTION 40

HOTSPOT - (Topic 5)  
Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses.  
The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites.  
You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.  
Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	

Policy setting	Policy name Description Applied to	Test
		If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

#### Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test  If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect Protect all domains I own Protect specific domains Action > User impersonation Action > Domain impersonation Safety tips > User impersonation Safety tips > Domain impersonation Safety tips > Unusual characters Mailbox intelligence	<input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="On"/>
Spoof	Enable antispoofting protection Action	<input type="text" value="On"/> <input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

#### NEW QUESTION 44

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

**Answer:** C

#### NEW QUESTION 46

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com
- E. portal.office.com

**Answer:** AC

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

#### NEW QUESTION 49

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B



**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>**NEW QUESTION 53**

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment contains the resources shown in the following table.

Type	Quantity	Location
User mailbox	500	On-premises
Department mailbox	50	On-premises
Public folder	10	On-premises
Resource mailbox	15	On-premises

You need to migrate the mailboxes from the on-premises Exchange Server 2019 organization to Exchange Online. The department mailboxes will be migrated to shared mailboxes.

What is the minimum number of Exchange Online licenses required?

- A. 500
- B. 515
- C. 550
- D. 575

**Answer:** A**NEW QUESTION 55**

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

**Answer:** C**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an- organization-relationship>**NEW QUESTION 57**

- (Topic 4)

You need to ensure that Alex Wilber can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

**Answer:** BD**NEW QUESTION 61**

HOTSPOT - (Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, letter, email Description automatically generated

Box 1: Yes

The Safe Attachments 1 policy applies to Group1. Alex Wilber is in Group1.

Box 2: No

Megan Bowen is in Group2. The Safe Attachments 2 policy applies to Group2. The Safe Attachments 2 policy will block the email rather than remove the attachment and deliver the email.

Box 3: No

Lynne Robbins is in the Sales department which means she is a member of Group3. She is also a member of Group2 and Group4.

The Safe Attachments 2 policy blocks emails and applies to Group2. There are no other Safe Attachments policies that apply to Group3 or Group4. Therefore, Safe Attachments 2 is the only policy that applies to Lynne Robbins so you do not need to increase the priority of the policy to block the emails.

**NEW QUESTION 66**

- (Topic 4)

You need to ensure that Allan Deyoung can create a new public folder for the sales department.

Which two actions should you perform first? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

**NEW QUESTION 68**

- (Topic 4)

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace. What should you do?

- A. Add Allan Deyoung to the Organization Management role group
- B. Add Allan Deyoung to the Security Administrator role group
- C. For Allan Deyoun
- D. set ElcProcessingDisabled to true
- E. For Isaiah Lange
- F. set ElcProcessingDisabled to true

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

**NEW QUESTION 69**

- (Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector.

Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

**Answer:** C

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 70**

- (Topic 3)  
You need to generate a report for the mobile devices that meets the technical requirements.  
Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

**Answer:** B

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

**NEW QUESTION 74**

HOTSPOT - (Topic 3)  
You need to ensure that In-Place Archiving is enabled for the marketing department users.  
Which user should perform the change, and which tool should the user use? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

User:

▼

Admin2 only

Admin3 only

Admin1 and Admin3 only

Admin2 and Admin4 only

Tool:

▼

Microsoft 365 admin center

Microsoft 365 security center

Microsoft 365 compliance center

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

**NEW QUESTION 79**

HOTSPOT - (Topic 3)  
You need to configure the new smartboard to support the planned changes.  
Which three settings should you configure? To answer, select the appropriate settings in the answer area.  
NOTE: Each correct selection is worth one point.

**Booking options**  
Assign settings for the booking policy that defines when this resource can be scheduled

☐ Allow repeating meetings

☐ Allow scheduling only during work hours

☐ Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Search a mail or email

☐ Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Graphical user interface, text, application, email Description automatically generated

**NEW QUESTION 80**  
HOTSPOT - (Topic 3)  
How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.



## Answer Area

DPTs:

▼

0

1

2

3

4

RPTs:

▼

0

1

2

3

4

5

6

7

Personal tags:

▼

0

1

2

3

4

5

6

7

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Box 1: 1

Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:

? Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2

Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:

? Automatically delete items in the Junk Email folder after 30 days.  
 ? Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:

? Enable users to tag items for deletion after one year.  
 ? Enable users to tag items for deletion after two years.  
 ? Enable users to tag items to be archived after one year.

### NEW QUESTION 85

- (Topic 2)

You need to configure the required objects for the branch office administrators. What should you create for each administrator?

- A. a management role assignment policy and a management role group
- B. a management role scope and a management role assignment
- C. a management role scope and a management role group
- D. a management role and a management role assignment policy

**Answer:** C

### Explanation:

Reference:

<https://practical365.com/exchange-server/exchange-server-role-based-access-control-in-action/>

### NEW QUESTION 87

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named adatum.com that contains a user named User1.

You plan to perform a new message trace for User1. The message trace must generate an Enhanced summary report.

Which three Delivery status options can be included in the report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

### New message trace

Senders ⓘ

U

User1@adatum.com

×

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

Custom time range

Last 2 day(s)

90301510721 day12 hr6 hr0

Detailed search options

^

Delivery status ⓘ

All

All

Delivered

Expanded

Failed

Pending

Quarantined

Filtered as spam

Getting status

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

Answer Area

New message trace

Senders ⓘ

U

User1@adatum.com

×

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

Custom time range

Last 2 day(s)

90301510721 day12 hr6 hr0

Detailed search options ^

Delivery status ⓘ

All

All

Delivered

Expanded

Failed

Pending

Quarantined

Filtered as spam

Getting status

**NEW QUESTION 90**  
HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.  
Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

Policy type:

Retention policy

Auto-labeling policy

Retention label policy

Retention policy

Sensitivity label policy

First create:

A label

A data connector

A label

A messaging records management (MRM) retention tag

An adaptive scope

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

Answer Area

Policy type:

Retention policy

Auto-labeling policy

Retention label policy

Retention policy

Sensitivity label policy

First create:

A label

A data connector

A label

A messaging records management (MRM) retention tag

An adaptive scope

NEW QUESTION 93

HOTSPOT - (Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>


NEW QUESTION 95

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.  
You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.


Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 97

HOTSPOT - (Topic 5)

Your network contains an Active Directory Domain Services (AD DS) domain.  
You have a Microsoft 365 subscription. All mailboxes are hosted in Microsoft Exchange Online.  
You have the DNS domains shown in the following table.

Name	Description
corp.contoso.com	AD DS domain
contoso.com	Verified custom domain for Azure AD
contoso.onmicrosoft.com	Default Azure AD tenant

You need to ensure that the Autodiscover service can be used to configure Microsoft Outlook settings for devices connecting from the internet. How should you configure the DNS record for Autodiscover? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Type of DNS record: CNAME

In DNS domains: contoso.com only

- A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**  
**Answer Area**

Type of DNS record: CNAME

In DNS domains: contoso.com only

**NEW QUESTION 102**

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.  
 B. Create an organizational relationship.  
 C. Create two remote domains.  
 D. Run the Office 365 Exchange Hybrid Configuration wizard.  
 E. Configure two mail flow rules.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 107**

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365  
 B. the Organization Management role in Office 365  
 C. the Mailbox Import Export role in Office 365  
 D. the Global reader role in Azure Active Directory (Azure AD)  
 E. the Global administrator role in Office 365

**Answer:** AC

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

#### NEW QUESTION 109

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

**Answer:** CD

#### Explanation:

Explanation/Reference: Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

#### NEW QUESTION 112

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Group1.

The members of Group1 need to create user mailboxes. The solution must use the principle of least privilege.

To which role group should you add Group1?

- A. Recipient Management
- B. Security Operator
- C. Help Desk
- D. Organization Management

**Answer:** A

#### NEW QUESTION 116

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside

in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

#### NEW QUESTION 117

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, add the fabrikam.com email domain.
- B. From the Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Microsoft 365 admin center, modify the organization profile.
- D. From the Exchange admin center, add a remote domain for fabrikam.com.
- E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.

**Answer:** AE

#### Explanation:

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.

#### NEW QUESTION 120

- (Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'."



You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

**Answer:** C

**Explanation:**

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-error/>

#### NEW QUESTION 122

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

**Answer:** A

#### NEW QUESTION 125

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<div><div></div><div>Set-MoveRequest</div><div>Set-MigrationBatch</div><div>Set-MigrationConfig</div></div>	-Identity "user1@litware.com"	<div><div></div><div>-CompleteAfter(Get-Date)</div><div>-SuspendWhenReadyToComplete \$false</div><div>-PreventCompletion \$false</div></div>
---	-------------------------------	--

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

<div><div></div><div>Set-MoveRequest</div><div>Set-MigrationBatch</div><div>Set-MigrationConfig</div></div>	-Identity "user1@litware.com"	<div><div></div><div>-CompleteAfter(Get-Date)</div><div>-SuspendWhenReadyToComplete \$false</div><div>-PreventCompletion \$false</div></div>
---	-------------------------------	--

Resume-MoveRequest -Identity "user1@litware.com"

#### NEW QUESTION 126

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 needs to be able to search mailboxes and purge email.

To which role group should you add Use1?

- A. eDiscovery Manager
- B. Security Administrator
- C. Compliance Data Administrator
- D. Organization Management

**Answer:** A

#### NEW QUESTION 129

HOTSPOT - (Topic 5)

Your company has an Exchange Online tenant.

A partner company named Fourth Coffee also uses Exchange Online.

You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users.



How should you complete the command? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

▼

New-SharingPolicy

New-AvailabilityConfig

New-OrganizationRelationship

-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"

-FreeBusyAccessEnabled \$true -FreeBusyAccessLevel

▼

None

LimitedDetails

AvailabilityOnly

-FreeBusyAccessScope "Executives"

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

▼

New-SharingPolicy

New-AvailabilityConfig

New-OrganizationRelationship

-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"

-FreeBusyAccessEnabled \$true -FreeBusyAccessLevel

▼

None

LimitedDetails

AvailabilityOnly

-FreeBusyAccessScope "Executives"

### NEW QUESTION 133

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

### NEW QUESTION 138

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to use a third-party service to archive all the email messages that are sent and received by the Exchange mailboxes.

You need to copy all the sent and received messages automatically to the third-party service.

What should you configure?

- A. a content search
- B. a retention policy
- C. an archive policy
- D. a journal rule

**Answer: D**

### NEW QUESTION 141

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the

public folder, she receives a non-delivery report (NDR). You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group

D. Grant the Create items permission to the Default group

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

#### NEW QUESTION 144

- (Topic 5)

You discover that Policy1 failed to apply to the Executives group.

You need to ensure that Policy1 is applied to all the members of the Executives group. What should you do?

- A. Increase the priority of Policy1.
- B. Decrease the priority of Strict Preset Security Policy.
- C. Remove the Executives group from the Strict protection preset security policy.
- D. Modify the Strict protection preset security policy to match Policy? and assign the Strict protection preset security policy to contoso.com.

**Answer:** C

**Explanation:**

Preset security policies are policies that provide a centralized location for applying all of the recommended spam, malware, and phishing policies to users at once1

. The policy settings are not configurable and are set by Microsoft based on best practice1s

. There are two types of preset security policies: Standard protection and Strict protection1

. Standard protection is a baseline protection profile that's suitable for most user1s. Strict protection is a more aggressive protection profile for selected users who are high value targets or priority users1.

If you want to apply Policy1 to the Executives group, you need to remove them from the Strict protection preset security policy first. Otherwise, the preset security policy will take precedence over Policy1 and prevent it from being applied2.

To remove the Executives group from the Strict protection preset security policy, you can follow these steps2:

? Login to the Microsoft Security portal at <https://security.microsoft.com>.

? On the left nav, under Email & collaboration, select Policies & rules.

? Select Threat policies.

? Select Preset Security Policies underneath the Templated policies heading

? Select Manage underneath the Strict protection preset.

? Select Specific recipients and remove the Executives group from the list of recipients.

? Select Save.

#### NEW QUESTION 149

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

**Answer:** CD

#### NEW QUESTION 150

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com. You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com. You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New-MigrationEndpoint -Name MEP1

▼
-Autodiscover
-ExchangeRemoteMove
-SkipVerification
-TestMailbox

▼
-DomainController
-RemoteServer
-RPCProxyServer
-SourceMailboxLegacyDN

server1.contoso.com

- A. Mastered
- B. Not Mastered

**Answer:** A

Explanation:

New-MigrationEndpoint -Name MEP1

-Autodiscover

-ExchangeRemoteMove

-SkipVerification

-TestMailbox

-DomainController

-RemoteServer

-RPCProxyServer

-SourceMailboxLegacyDN

server1.contoso.com

NEW QUESTION 153

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers     : {}
ReceivingTransportServers : {EX01, EX02}
SendingTransportServers  : {EX01, EX02}
OnPremisesSmartHost      : mail.litware.com
Domains                  : {litware.com}
Features                  : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses      : {}
TlsCertificateName       : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                          L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

ClientAccessServers

Domains

Features

ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

ClientAccessServers

Domains

Features

ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?view=exchange-ps

NEW QUESTION 158

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.

### Default (Default)

● Always on | Priority Lowest

Protection settings



To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

add a new file entry to the Tenant Allow/Block List

create a new anti-malware policy

customize the file types for the default anti-malware policy

disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

create a new anti-malware policy

enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy

select a different quarantine policy for the default anti-malware policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

add a new file entry to the Tenant Allow/Block List

create a new anti-malware policy

customize the file types for the default anti-malware policy

disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

create a new anti-malware policy

enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy

select a different quarantine policy for the default anti-malware policy

NEW QUESTION 160

DRAG DROP - (Topic 5)

You purchase a Microsoft 365 subscription.

You create mailboxes for 10 users. Each user has a PST file stored in a network share. You need to migrate the PST files to the mailboxes.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Create a PST Import mapping file

Upload the PST files to Microsoft Office 365

Install AzCopy

Start the PST Import job

Create a PST Import job

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a PST Import mapping file

Upload the PST files to Microsoft Office 365

Install AzCopy

Start the PST Import job

Create a PST Import job

Answer Area

Install AzCopy

Upload the PST files to Microsoft Office 365

Create a PST Import mapping file

Create a PST Import job

Start the PST Import job



NEW QUESTION 165

DRAG DROP - (Topic 5)

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment. You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

- ? Use an Active Directory user account named App1service as a service account.
- ? Be able to receive email requests by using an email address of app1@contoso.com.
- ? Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a shared mailbox for App1service

In Azure AD, register an enterprise application for App1

Sync the App1service account to Azure AD

Create a user mailbox for App1service

Assign a license to App1service

Assign app1@contoso.com as an email address to App1service

Answer Area

>

<

↑

↓

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Actions

Create a shared mailbox for App1service

In Azure AD, register an enterprise application for App1

Sync the App1service account to Azure AD

Create a user mailbox for App1service

Assign a license to App1service

Assign app1@contoso.com as an email address to App1service

Answer Area

Sync the App1service account to Azure AD

Assign a license to App1service

Assign app1@contoso.com as an email address to App1service

NEW QUESTION 170

DRAG DROP - (Topic 5)

Your company has two departments named Dept1 and Dept2. You have a Microsoft Exchange Online tenant.

You need to deploy custom offline address books (OABs) that contain address lists for each department. The solution must meet the following requirements:

- Dept1 and Dept2 must each have its own OAB.
- The users in Dept1 must NOT list the users in Dept2 in its OAB.
- The Dept2 users must NOT list the Dept1 users in its OAB.
- All users must be able to use the global address list (GAL) to search for users in both departments.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Run the new-globalAddressList cmdlet to create a custom address list.

Run the new-addressList cmdlet to create a custom address list for each department.

Run the new-offlineAddressbook cmdlet to create a new OAB for each department.

Run the new-mailAddressPolicy cmdlet to create a new address book policy for each department.

Run the update-mailAddressPolicy cmdlet to assign an address book policy to each department.

Answer Area

>

<

↑

↓

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Actions

Run the new-globeAddressList cmdlet to create a custom address list.

Run the new-addresslist cmdlet to create a custom address list for each department.

Run the new-offlineAddressbook cmdlet to create a new OAB for each department.

Run the new-externalAddressPolicy cmdlet to create a new address book policy for each department.

Run the update-externalAddressPolicy cmdlet to assign an address book policy to each department.

Answer Area

Run the new-AddressList cmdlet to create a custom address list for each department.

Run the new-offlineAddressbook cmdlet to create a new OAB for each department.

Run the new-externalAddressPolicy cmdlet to create a new address book policy for each department.

Run the update-externalAddressPolicy cmdlet to assign an address book policy to each department.

NEW QUESTION 173

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.  
You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.  
Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

Assign an Exchange Online license.

Create a public folder mailbox.

Create a public folder.

Create a Microsoft 365 group.

Create a shared mailbox.

Mail-enable the public folder.

Set an email address on a pubic folder.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Assign an Exchange Online license.

Create a public folder mailbox.

Create a public folder.

Create a Microsoft 365 group.

Create a shared mailbox.

Mail-enable the public folder.

Set an email address on a pubic folder.

Answer Area

Create a public folder mailbox.

Create a public folder.

Mail-enable the public folder.

NEW QUESTION 177

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.  
You need to add a custom domain named contoso.com that meets the following requirements:  
« All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.  
« Recipient email systems must validate the messaging server for contoso.com)  
Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.



All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:



Recipient email systems must validate the messaging server for contoso.com:



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record<sup>1</sup>. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain<sup>1</sup>. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online<sup>1</sup>.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record<sup>2</sup>. An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain<sup>2</sup>. It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record<sup>2</sup>. You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain<sup>2</sup>.

**NEW QUESTION 182**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name,

and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

**NEW QUESTION 185**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From the Exchange organization, you modify the properties of the Send connectors.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 187

- (Topic 5)  
You have a Microsoft Exchange Server 2019 organization.  
You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.  
What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:  
<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 191

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant. From a computer named Client1, you run the

Network connectivity test results for your location

Please open this website on a Windows PC and use a modern browser to run the advanced tests.

Summary Details

Here are the detailed connectivity test results for your location. [Learn about the tests we run](#)

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

To correct the network connectivity issues, you must [answer choice] on Client1.

from the user to Microsoft 365

from Microsoft 365 to the user

from the user to Microsoft 365

on the internal Microsoft network

round by the web browser

Network egress location (the location where your network connects to your ISP)	Copenhagen, Capital Region, Denmark
⚠ Your distance from the network egress location	4,618 miles (7,431 kilometers)
⚠ Customers in your metropolitan area with better performance	58% of people in your area have a better network
⚠ Exchange service front door location	Staffanstorp, Sweden (119 ms). Potential 108

Best Exchange service front door(s) for your location

Boydton, VA, United States  
Chicago, IL, United States  
Des Moines, IA, United States  
Manassas, VA, United States  
Phoenix, AZ, United States  
San Antonio, TX, United States  
Toronto, ON, Canada

Microsoft Remote Connectivity Analyzer, perform a network test, and receive the results shown in the following exhibit.

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

To correct the network connectivity issues, you must [answer choice] on Client1.

from the user to Microsoft 365

from Microsoft 365 to the user

from the user to Microsoft 365

on the internal Microsoft network

check the network routing configuration

check the network routing configuration

edit the Location services

validate the default gateway

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



#### Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

▼

from the user to Microsoft 365

from Microsoft 365 to the user

from the user to Microsoft 365

on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

▼

check the network routing configuration

check the network routing configuration

edit the Location services

validate the default gateway

#### NEW QUESTION 196

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

A. Yes

B. No

**Answer: A**

#### Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

#### NEW QUESTION 197

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.

Which record should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record Type:

▼

Host(A)

Alias(CNAME)

Text(TXT)

Target:

▼

autodiscover.contoso.com

autodiscover.outlook.com

autodiscover.office365.com

A. Mastered

B. Not Mastered

**Answer: A**

#### Explanation:

Record Type:

▼

Host(A)

Alias(CNAME)

Text(TXT)

Target:

▼

autodiscover.contoso.com

autodiscover.outlook.com

autodiscover.office365.com

**NEW QUESTION 199**

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users. Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

**Answer:** A

**Explanation:**

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

**NEW QUESTION 202**

- (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You plan to configure the environment to support a hybrid deployment.

You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online.

Which two ports should be open between Exchange Online and the on-premises organization? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. 25
- B. 80
- C. 143
- D. 389
- E. 443
- F. 993

**Answer:** AE

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports-and-endpoints>

**NEW QUESTION 206**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

Users report that a domain named contoso.com sent them phishing email messages that contain URLs.

You need to ensure that the messages are identified as phishing. The solution must ensure that contoso.com and all its subdomains and paths are matched.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**



**NEW QUESTION 208**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer.

The Outlook Web App policy has the following settings.

ClassicAttachmentsEnabled	: True
ReferenceAttachmentsEnabled	: True
SaveAttachmentsToCloudEnabled	: True
MessagePreviewDisabled	: False
ForceWebReadyDocumentViewingFirstOnPublicComputers	: False
ForceWebReadyDocumentViewingFirstOnPrivateComputers	: False
ActionForUnknownFileAndMIMETypes	: Block
OWALightEnabled	: False
ForceSaveAttachmentFilteringEnabled	: False
ConditionalAccessPolicy	: ReadOnlyPlusAttachmentsBlocked

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Table Description automatically generated with medium confidence

**NEW QUESTION 210**

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1.

Server1 uses a certificate from a third-party certification authority (CA). The certificate is enabled for the SMTP service.

You replace the certificate with a new certificate.

You discover that delivery fails for all email messages sent from Server1 to your Microsoft 365 tenant.

You receive the following error message for all the queued email messages: "450 4.4.101 Proxy session setup failed on Frontend with 451 4.4.0 Primary target IP address responded with 451 5.7.3 STARTTLS is required to send mail."

You need to ensure that the messages are delivered successfully from Server1 to the Microsoft 365 tenant.

What should you do?

- A. From the Exchange admin center, update the certificate thumbprint in the properties of a connector  
B. From Server1, regenerate the certificate and select Make private keys exportable  
C. From the firewall, disable SMTP content inspection  
D. From Server1, enable the new certificate for the IMAP4 service

**Answer:** C

**NEW QUESTION 211**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three Azure Active Directory (Azure AD) security groups named Administrators, Managers, and Marketing. The tenant contains the users shown in the following table.

Name	Group membership
User1	Managers
User2	Marketing
User3	Administrators
User4	None

The tenant contains the resources shown in the following table.



Name	Type
ConferenceRoom1	Room
ConferenceRoom2	Room
Projector1	Equipment

ConferenceRoom1 has the following policy.

```
PS C:\> get-calendarprocessing "ConferenceRoom1"|fl Allb*,allr*,booking*,req*,res*
AllBookInPolicy      : False
AllRequestOutOfPolicy : False
AllRequestInPolicy   : False
BookInPolicy         : (/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=7fddfdd211974ea68d22dae2c891db02-Managers)
RequestOutOfPolicy    : {}
RequestInPolicy       : (/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=03a5a93a90ad4296907830a3ecla8f94-User2)
ResourceDelegates     : (User4)
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User2 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User4 can book ConferenceRoom1 pending approval from User3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Yes

The BookInPolicy allows the Managers group. User1 is in the Managers group so User 1 can book ConferenceRoom1 automatically without the approval of User4.

Box 2: No

The BookInPolicy allows the Managers group. User2 is not in the Managers group so User 2 cannot book ConferenceRoom1 automatically without the approval of User4.

Box 3: No

The RequestInPolicy does not include User4. Therefore, User3 is not allowed to request to book the meeting room either with or without approval.

#### NEW QUESTION 216

- (Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage

What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For all users, run the set-user cmdlet and specify the -RemotePowershellEnabled parameter.
- C. Create a conditional access policy and apply the policy to Admin1.
- D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

**Answer: A**

#### NEW QUESTION 221

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).

How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the

answer area.

NOTE: Each correct selection is worth one point.



• • • • •

Answer Area

Subject name:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

• • • • •

Answer Area

Subject name:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

NEW QUESTION 222

- (Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.  
 A partner company has an Exchange Online subscription for an email domain named fabrikam.com.  
 You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.  
 What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

Answer: C

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

NEW QUESTION 223

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.  
 You are migrating mailboxes to Exchange Online by using remote mailbox move requests. A recent security breach at the company required that the passwords of all privileged accounts be changed.  
 Since the password change, mailbox move requests are failing. You need to ensure that the mailbox migration can resume. What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

Answer: A

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view=exchange-ps>

NEW QUESTION 224

- (Topic 5)

You have a Microsoft 365 subscription for a company named Fabrikam, Inc. The company uses an Exchange Online tenant that has an email domain named fabrikam.com.

Fabrikam works with a partner company Contoso, Ltd. that uses an email domain named contoso.com.

A new security policy at Contoso states that any email sent from partners to Contoso employees must use TLS encryption.

You need to ensure that email sent from Fabrikam to Contoso uses TLS. What should you create in the tenant?

- A. a new connector that specifies the contoso.com SMTP domain
- B. a remote domain named contoso.com
- C. a new connector that specifies the fabrikam.com SMTP domain
- D. a remote domain named fabrikam.com

**Answer:** A

**Explanation:**

Configure a Send connector in Fabrikam to point to Contoso.

**NEW QUESTION 228**

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

Name	Members
Managers	User1, User2, User3
Finance	User4, User5, User6

All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- Apply to all email messages sent to current and future users in the Finance group.
- Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Users, groups, and domains: The Finance group

Phishing threshold & protection: User4, User5, and User6

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Users, groups, and domains: The Finance group

Phishing threshold & protection: User4, User5, and User6

**NEW QUESTION 232**

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development

department.  
 You discover that the mailbox of a user named User1 has a Litigation Hold enabled.  
 You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.  
 Which two actions should you perform? Each correct answer presents part of the solution.  
 NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
- B. From PowerShell, run the Get-Mailbox cmdlet.
- C. From the Exchange admin center, run a per-mailbox Litigation Hold report.
- D. run a per-mailbox Litigation Hold report.
- E. From PowerShell, run the Get-MailboxStatistics cmdlet.

**Answer:** BC

**Explanation:**  
<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

**NEW QUESTION 236**

- (Topic 5)  
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
 You have a Microsoft Exchange Online tenant that contains 1,000 users.  
 A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."  
 You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

**Answer:** B

**Explanation:**  
 Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

**NEW QUESTION 239**

HOTSPOT - (Topic 5)  
 You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.  
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

References:  
<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>  
<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest- permissions/>

NEW QUESTION 243

- (Topic 5)  
You have a Microsoft Exchange Server 2019 hybrid deployment.  
You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.  
What should you do?

- A. Run the Hybrid Configuration wizard.  
B. Modify the organization relationship.  
C. Create an organization sharing policy.  
D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 244

DRAG DROP - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.  
Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Use Azure Storage Explorer to upload the PST files.	
Create a mapping file.	
Start the PST import job.	
Use AzCopy to upload the PST files.	
Create a PST import job.	
Retrieve the shared access signature (SAS) URL.	

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:



Actions	Answer Area
Use Azure Storage Explorer to upload the PST files.	Retrieve the shared access signature (SAS) URL.
Create a mapping file.	Use AzCopy to upload the PST files.
Start the PST import job.	Create a mapping file.
Use AzCopy to upload the PST files.	Create a PST import job.
Create a PST import job.	Start the PST import job.
Retrieve the shared access signature (SAS) URL.	

NEW QUESTION 247

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

? In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email

& Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

? On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

? The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.

- Description: Enter an optional description for the policy. When you're finished, click Next.

? On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.

- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.

- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (\*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or

<recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

? On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

\_ MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk filtering verdict is taken on the message.

\_ MarkAsSpamBulkMail is Off: The message is stamped with the BCL, but no action is taken for a Bulk filtering verdict. In effect, the BCL threshold and Bulk filtering verdict action are irrelevant.

- Increase spam score, Mark as spam\* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

- From these countries\*: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Next.

? On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

\_ Spam

\_ High confidence spam Phishing

\_ High confidence phishing Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X- header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header field value is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

\_ Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.

\_ Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

? On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the

Blocked section, you can add blocked senders and blocked domains. The steps to add entries to any of the lists are the same:

\_ Click the link for the list that you want to configure: Allowed > Senders: Click Manage (nn) sender(s). Allowed > Domains: Click Allow domains. Blocked

> Senders: Click Manage (nn) sender(s). Blocked > Domains: Click Block domains.

\_ In the flyout that appears, do the following steps: Click + Add senders or Add domains.

\_ In the Add senders or Add domains flyout that appears, enter the sender's email address in the Sender box or the domain in the Domain box. As you're typing, the value appears below the box. When you're finished typing the email address or domain, select the value below the box.

\_ Repeat the previous step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Add senders or Add domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

\_ Select one or more entries from the list. You can also use the Search box to find values in the list.

\_ After you select at least one entry, the delete icon appears. Click the delete icon to remove the selected entries.

When you're finished, click Done.

Back on the Allow & block list page, click Next when you're ready to continue.

? On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

? On the confirmation page that appears, click Done.

**NEW QUESTION 248**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 no longer receives email in Outlook for Windows, but can see new messages in Outlook on the web

You plan to use the Microsoft Remote Connectivity Analyzer to run a connectivity test to verify whether MAPI over HTTP is failing.

Which test should you run?

- A. Outlook Connectivity
- B. Synchronization, Notification, Availability, and Automatic Replies
- C. Exchange ActiveSync
- D. Office 365 Single Sign-on Test
- E. Inbound SMTP Email

**Answer:** E

#### NEW QUESTION 251

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name,

and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

#### NEW QUESTION 253

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

**Answer:** A

#### Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy. Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

#### NEW QUESTION 255

SIMULATION - (Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.





Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that when emails containing an attachment that uses an .ace extension is sent to your company, the email is blocked. Each time an email is blocked, a notification must be sent to security@contoso.com.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

? In the EAC, in the left navigation pane, select mail flow, and then select rules.

? Select New (+), and then select Create a new rule.

? In the New Rule window, select More options.

? In the Name box, specify a name for the new rule.

? Select the \*Apply this rule if drop-down list, point to Any attachment, and then select File extension includes these words.

? In the Specify words or phrases window, type the file name extension of any attachment that you want to block, and then select the plus symbol (+) to add the file name extension to the list. When the list is completed, select OK.

? Select the Do the following drop-down list, point to Block the message, and then select Reject the message and include an explanation or select Delete the message without notifying anyone.

If it's required, add a statement to inform users who will receive the non-delivery report (NDR) of the reason that mail delivery failed, and then select OK.

? Specify any additional options such as rule auditing and rule activation or deactivation time, and then select Save.

**NEW QUESTION 257**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You run the following commands.

New-Management-Scope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives"

-RecipientRestrictionFilter (ReceipientType -eq "UserMailbox")

New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients"

-CustomRecipientWriteScope "VIP Mailboxes"

You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

**Answer: A**

**Explanation:**

References:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou->



in-exchange-2010-sp1?forum=exchangesvradminlegacy

### NEW QUESTION 261

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

A user reports that an expected email message from an internet recipient was never delivered, and the sender never received a non-delivery report (NDR).

You need to troubleshoot inbound message delivery to meet the following requirements:

- Verify DNS and MX connectivity for the target domain.
- Verify whether the message was quarantined.

What should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Verify DNS and MX connectivity for the target domain:	<div>Microsoft Remote Connectivity Analyzer</div> <div>Message trace</div> <div>Microsoft Remote Connectivity Analyzer</div> <div>The Inbound messages mail flow report</div>
Verify whether the message was quarantined:	<div>Message trace</div> <div>Message trace</div> <div>Microsoft Remote Connectivity Analyzer</div> <div>The Inbound messages mail flow report</div>

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

Verify DNS and MX connectivity for the target domain:	<div>Microsoft Remote Connectivity Analyzer</div> <div>Message trace</div> <div>Microsoft Remote Connectivity Analyzer</div> <div>The Inbound messages mail flow report</div>
Verify whether the message was quarantined:	<div>Message trace</div> <div>Message trace</div> <div>Microsoft Remote Connectivity Analyzer</div> <div>The Inbound messages mail flow report</div>

### NEW QUESTION 262

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- ? Sending out-of-office replies to an email domain named fabrikam.com.
- ? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes  
B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

### NEW QUESTION 267

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users  
B. Create an offline address book (OAB) that contains the contoso.com users  
C. Create a separate GAL that contains the contoso.com users  
D. Modify the default GAL to exclude the litwareinc.com users  
E. Create a new email address policy for the contoso.com users  
F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

**Answer:** BCF

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

**NEW QUESTION 270**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You implement hybrid connectivity to Microsoft 365. You need to ensure that users can use the Microsoft Outlook mobile app on their device to access their onpremises mailbox. What should you do?

- A. Run Azure AD Connect.
- B. Run Set-CASMailbox -OutlookMobileEnabled for each user.
- C. Enable Hybrid Modern Authentication (HMA).
- D. Configure Active Directory Federation Services (AD FS).

**Answer: C**

**Explanation:**

Reference:  
<https://techcommunity.microsoft.com/t5/exchange-team-blog/announcing-hybrid-modern-authentication-forexchange-on-premises/ba-p/607476>

**NEW QUESTION 272**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. You enable DKIM for contoso.com and create the required DNS CNAME record for the first key. You need to create the second DNS CNAME record required to support DKIM, How should you complete the second DNS record? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

CNAME record:

selector2\_domainkey

select2\_domainkey

selector.domainkey

selector2\_dkim

selector2\_domainkey

Points to:

selector2-contoso-com\_domainkey

select2\_domainkey.contoso.com

selector2.contoso.com\_dkim

selector2.contoso-com\_domainkey

selector2-contoso-com\_domainkey

.contosocom.onmicrosoft.com

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Answer Area

CNAME record:

selector2\_domainkey

select2\_domainkey

selector.domainkey

selector2\_dkim

selector2\_domainkey

Points to:

selector2-contoso-com\_domainkey

select2\_domainkey.contoso.com

selector2.contoso.com\_dkim

selector2.contoso-com\_domainkey

selector2-contoso-com\_domainkey

.contosocom.onmicrosoft.com

**NEW QUESTION 277**

- (Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100. The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019. You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company. What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of \*.

**Answer: C**

#### NEW QUESTION 279

HOTSPOT - (Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:	<div style="border: 1px solid black; padding: 2px;">▼</div> <div style="border: 1px solid black; padding: 2px;"> <p>Configure Microsoft Azure Active Directory Connect</p> <p>Create a federation trust between Exchange and Microsoft Office 365</p> <p>Establish identity federation by using Active Directory Federation Services</p> <p>Create a sharing policy</p> </div>
Contoso:	<div style="border: 1px solid black; padding: 2px;">▼</div> <div style="border: 1px solid black; padding: 2px;"> <p>Establish identity federation by using Active Directory Federation Services</p> <p>Configure Microsoft Azure Active Directory Connect</p> <p>Create an organization relationship</p> <p>Create a federation trust between Exchange and Microsoft Office 365</p> </div>

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

#### NEW QUESTION 282

- (Topic 5)

You have a Microsoft Exchange Online subscription.

You need to prevent all Android devices from using Exchange ActiveSync to sync email.

Other devices must

be allowed to sync email by using Exchange ActiveSync. What should you use?

- A. data loss prevention (DLP) policies
- B. Exchange ActiveSync access settings
- C. device access rules
- D. mobile device mailbox policies

**Answer: C**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

#### NEW QUESTION 285

- (Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online.

You have the appropriate permissions to perform the mailbox migrations. You need to prepare the environment for the planned migration.

What should you do?

- A. Disable Microsoft Outlook for the web.
- B. Install the Hybrid Agent.
- C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
- D. Enable the MRSPProxy service on an on-premises Exchange server.

**Answer: D**

#### Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>



**NEW QUESTION 289**

- (Topic 5)  
You have a Microsoft Exchange Online tenant named contoso.com.  
Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.  
You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

**Answer:** A

**Explanation:**

Reference:  
<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

**NEW QUESTION 294**

DRAG DROP - (Topic 5)  
Your company named ADatum Corporation has a Microsoft 365 subscription. ADatum acquires a company named Contoso, Ltd.  
In the subscription, you create a new mailbox for each user at Contoso.  
You need to provide the Contoso users with a global address list (GAL) that contains only their email addresses.  
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

Create an address book policy (ABP) named Contoso-AB that uses the GAL.

Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.

Create a new set of address lists for the Contoso users.

Assign Contoso-AB to all the mailboxes of the Contoso users.

Create a new GAL named Contoso GAL.

**Answer Area**

>

<

↑

↓

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Actions**

Create an address book policy (ABP) named Contoso-AB that uses the GAL.

Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.

Create a new set of address lists for the Contoso users.

Assign Contoso-AB to all the mailboxes of the Contoso users.

Create a new GAL named Contoso GAL.

**Answer Area**

Create a new GAL named Contoso GAL.

Create an address book policy (ABP) named Contoso-AB that uses the GAL.

Assign Contoso-AB to all the mailboxes of the Contoso users.

**NEW QUESTION 299**

- (Topic 5)  
You have a Microsoft Exchange Online tenant that contains a user named User1.  
You need to ensure that User1 can perform the following tasks from the Microsoft Purview compliance portal:  
• Create, edit, delete, and control access to Core eDiscovery cases.  
• Use Content search to bulk delete email messages.  
The solution must follow the principle of least privilege. To which role group should you add User1?

- A. Compliance Administrator
- B. Compliance Data Administrator
- C. Organization Management
- D. eDiscovery Manager

**Answer:** D



NEW QUESTION 301

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two groups named Group1 and Group2. You need to ensure that the members of Group1 can perform In-Place eDiscovery searches only for the members of Group2. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create an administrative unit that contains Group1.

Configure the write scope and assign Group2 to the new role group.

Copy the Discovery Management role group.

Create a custom management scope that contains the membership of Group2.

Copy the Recipient Management role group.

Configure the write scope and assign Group1 to the new role group.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create an administrative unit that contains Group1.

Configure the write scope and assign Group2 to the new role group.

Copy the Discovery Management role group.

Create a custom management scope that contains the membership of Group2.

Copy the Recipient Management role group.

Configure the write scope and assign Group1 to the new role group.

Answer Area

>

<

Create a custom management scope that contains the membership of Group2.

Copy the Recipient Management role group.

Configure the write scope and assign Group1 to the new role group.

NEW QUESTION 302

DRAG DROP - (Topic 5)

You plan to migrate to Microsoft Exchange Online. The solution must meet the following requirements.

- ? Messages sent by the research & development department at your company must be routed to the internet through an on-premises data loss prevention (DLP) appliance.
- ? The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified.

What features should you use to meet the requirements? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Exchange Features

Conditional mail routing

Directory Based Edge Blocking (DBEB)

Enhanced Filtering

Remote domains

Answer Area

Messages sent by the research & development department must be routed to the internet through an on-premises data loss prevention (DLP) appliance:

The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Exchange Features

Conditional mail routing

Directory Based Edge Blocking (DBEB)

Enhanced Filtering

Remote domains

Answer Area

Messages sent by the research & development department must be routed to the internet through an on-premises data loss prevention (DLP) appliance:

The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified:

Conditional mail routing

Enhanced Filtering

NEW QUESTION 306

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

A. Yes

B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

#### NEW QUESTION 309

- (Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com

B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.

C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.

D. Add relecloud.com to the ATP anti-phishing list of misted domains.

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies?view=o365-worldwide>

#### NEW QUESTION 311

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization. You use a smart host for all email communication between the organization and the

Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization.

What should you do first?

A. Create a Receive connector that allows anonymous authentication.

B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.

C. Modify the Send connector to use DNS delivery.

D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

**Answer: D**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchangepps>

#### NEW QUESTION 315

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 can create, manage, and remove Exchange recipient objects.

What should you assign to User1?

A. a sharing policy

B. a role assignment policy

C. a role group

D. an administrative unit

**Answer: C**

#### NEW QUESTION 320

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant. You have the following Microsoft Outlook clients:

- Outlook

- Outlook for iOS

- Outlook on the web

What is the maximum message size supported by each Outlook client? To answer, drag the appropriate sizes to the correct clients. Each size may be used once,

more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

Sizes

25 MB

33 MB

112 MB

150 MB

250 MB

Answer Area

Outlook:

Outlook for iOS:

Outlook on the web:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Sizes

25 MB

33 MB

112 MB

150 MB

250 MB

Answer Area

Outlook: 150 MB

Outlook for iOS: 33 MB

Outlook on the web: 112 MB

NEW QUESTION 321

- (Topic 5)  
You have a Microsoft Exchange Online tenant that has an email domain named comoso.com. Contoso.com routes all inbound email messages through a third-party email protection service. You discover that all the inbound email messages contain the source IP address of the email protection service. You need to ensure that all the inbound email messages retain the source IP address of the original sender. What should you do?

- A. Modify the SPF TXT record of contoso.com.
- B. Enable Enhanced Filtering for Connectors.
- C. Configure a mail flow rule.
- D. Add an entry for a spoofed sender to Tenant Allow/Block Lists.

Answer: B

NEW QUESTION 326

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days. User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence. You need to temporarily suspend the processing of the Inbox messages for User1. How should you complete the command? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

▼

Set-CASMailbox

Set-Mailbox

Set-OutlookProtectionRule

Set-RetentionPolicy

"User1"

▼

-ECPEnabled \$true

-ElcProcessingDisabled \$true

-RetentionEnabled \$true

-RetentionHoldEnabled \$true

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼

~~Set-CASMailbox~~

~~Set-Mailbox~~

~~Set-OutlookProtectionRule~~

Set-RetentionPolicy

"User1"

▼

-ECPEnabled \$true

-ElcProcessingDisabled \$true

-RetentionEnabled \$true

-RetentionHoldEnabled \$true



### NEW QUESTION 330

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. Users access their email by using Microsoft Outlook 2019.

The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL).

From Outlook on the web, the users can see the new user in the GAL immediately.

You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019.

What should you do?

- A. Modify the default email address policy.
- B. Create an address book policy (ABP).
- C. Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- D. Modify the offline address (OAB) schedule.

**Answer: D**

#### Explanation:

References:

<https://www.howto-outlook.com/howto/oabupdate.htm#syncschedules>

### NEW QUESTION 333

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Archive mailboxes are enabled for all users. You need to ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit. The solution must apply automatically to all current and future mailboxes.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Set-Mailbox -Identity \* -ArchiveQuota "Unlimited"

To ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit and to apply the solution automatically to all

current and future mailboxes, you can use the Set-Mailbox cmdlet in PowerShell and specify the -ArchiveQuota parameter.

Here is an example of how you could complete the PowerShell command: Copy code

Set-Mailbox -Identity \* -ArchiveQuota "Unlimited"

This command will set the archive mailbox size to unlimited for all mailboxes in the tenant. Please note that, when you set the archive mailbox size to unlimited, the user's mailbox will continue to grow until it reaches the available storage space in the tenant.

You could also set a specific size limit, for example: Copy code

Set-Mailbox -Identity \* -ArchiveQuota "50 GB"

This command will set the archive mailbox size to 50 GB for all mailboxes in the tenant. You can then use the Get-Mailbox cmdlet to verify the new archive mailbox size for all mailboxes in the tenant:

Copy code

Get-Mailbox -Identity \* | Select DisplayName, ArchiveQuota

This command will return the DisplayName and ArchiveQuota properties for all mailboxes in the tenant.

### NEW QUESTION 338

- (Topic 5)

Graphical user interface,

You have a Microsoft Exchange Online tenant that contains an email domain named contoso.com.

You have a partner organization that uses an email domain named fabrikam.com. You plan to add a connector to secure the email messages sent from fabrikam.com to contoso.com.

You need to ensure that only fabrikam.com can use the connector. What should you do?

- A. Configure the connector to verify the contoso.com domain with a certificate.
- B. Configure the connector to verify the fabrikam.com domain with a certificate.
- C. Add fabrikam.com as a remote domain.
- D. Add fabrikam.com as an accepted domain.

**Answer: B**

### NEW QUESTION 340

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MS-203 Practice Exam Features:

- \* MS-203 Questions and Answers Updated Frequently
- \* MS-203 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The MS-203 Practice Test Here](#)**