

## Exam Questions 2V0-33.22

VMware Cloud Professional

<https://www.2passeasy.com/dumps/2V0-33.22/>



#### NEW QUESTION 1

A cloud administrator wants to enable administrator wants to enable Enterprise Federation to the Cloud Services Portal in order to be able to authenticate with the on-premises Active Directory. The Administrator Already deployed the on-premises VMware Workspace One Access Connector. Through which port does the Cloud Service Portal communicate with Workspace ONE Access Connector?

- A. ldaps/636
- B. http/80
- C. https/443
- D. ldap/389

**Answer: C**

#### Explanation:

[https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace\\_one\\_access\\_install/GUID-E81](https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace_one_access_install/GUID-E81) The Cloud Services Portal communicates with the Workspace ONE Access Connector via port 443 (HTTPS).

According to the VMware documentation [1], the Cloud Services Portal connects to the Access Connector on port 443 to authenticate users and authorize access to the cloud service. The Access Connector listens on port 443 and communicates with the Active Directory using LDAP over TLS (LDAPS) on port 636.

Reference: <https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/com.vmware.access.admi>

#### NEW QUESTION 2

A cloud administrator is In the process of troubleshooting a non-compliant object. How can the administrator change a VM storage policy for an ISO image?

- A. Modify the default VM storage policy and recreate the ISO image.
- B. Modify the default VM storage policy.
- C. Apply a new VM storage policy.
- D. Attach the ISO Image to a virtual machine.

**Answer: C**

#### Explanation:

A VM storage policy is a set of rules that defines the storage requirements for a virtual machine or an object. A cloud administrator can create and apply different VM storage policies for different types of objects, such as virtual disks, ISO images, snapshots, etc1. Applying a new VM storage policy to an object will change its compliance status and trigger a reconfiguration task to move the object to a compatible datastore1. Modifying the default VM storage policy will affect all the objects that use it, which may not be desirable. Recreating the ISO image is unnecessary and time-consuming. Attaching the ISO image to a virtual machine will not change its storage policy1.

#### NEW QUESTION 3

A customer needs to set up a self-managed VDI solution that can be deployed to any VMware Cloud. Which two VMware solutions can meet this requirement? (Choose two.)

- A. VMware Dynamic Environment Manager (DEM)
- B. VMware ThinApp
- C. VMware Workspace ONE Unified Endpoint Management (UEM)
- D. VMware Horizon
- E. VMware Workspace ONE Access

**Answer: DE**

#### Explanation:

The two VMware solutions that can meet the customer's requirement for a self-managed VDI solution are D. VMware Horizon and E. VMware Workspace ONE Access. VMware Horizon is a virtual desktop and application virtualization platform that enables customers to set up and deploy a virtual desktop infrastructure in any cloud environment. VMware Workspace ONE Access provides secure access to applications, data, and devices in any cloud environment.

#### NEW QUESTION 4

Which two components are required in order to deploy a Tanzu Kubernetes Grid Cluster in VMware Cloud environment? (Choose two)

- A. Tanzu CLI
- B. Supervisor namespace
- C. vSphere VM folder
- D. vSphere resource pool
- E. YAML manifest file

**Answer: CD**

#### Explanation:

<https://docs.vmware.com/en/VMware-Tanzu-Kubernetes-Grid/1.6/air-gap-reference-architecture/GUID-deploy>

#### NEW QUESTION 5

A cloud administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using the vMotion feature of VMware HCX. A total of three networks will need to be stretched for the migration. They will also be utilizing the capabilities of the WAN appliance to optimize migration traffic.

Based on this scenario, how many IP addresses would need to be reserved for the on-premises deployment of VMware HCX?

- A. four
- B. five
- C. three
- D. six

**Answer:** B

**Explanation:**

"The VMware HCX on-premises deployment requires five IP addresses: two for the WAN appliance, two for the vMotion feature, and one for the management network."

In this scenario, the cloud administrator is utilizing the vMotion feature of VMware HCX to migrate several dozen workloads from an on-premises location to a VMware public cloud. They are also stretching three networks for the migration. When using vMotion, two IP addresses will be needed per vMotioned virtual machine: one for the source and one for the target. For the migration of several dozen workloads, this will require several dozens of IP addresses. Additionally, the administrator is also utilizing the capabilities of the WAN appliance to optimize migration traffic. In order to optimize the traffic, one IP address will be needed for the WAN appliance on the on-premises site, and another IP address will be needed for the WAN appliance on the public cloud side. Therefore, the total number of IP addresses that need to be reserved for the on-premises deployment of VMware HCX is the number of IP addresses required for the virtual machines plus one IP address for the WAN appliance on the on-premises site plus another IP address for the WAN appliance on the public cloud side, which totals to five IP addresses.

**NEW QUESTION 6**

A cloud administrator would like the VMware Cloud on AWS cluster to automatically scale-out and scale-in based on resource demand. Which two Elastic DRS policies can be configured to meet this requirement? (Choose two.)

- A. Elastic DRS Baseline policy
- B. Optimize for Best Performance policy
- C. Optimize for Lowest Cost policy
- D. Custom Elastic DRS policy
- E. Optimize for Rapid Scale-Out policy

**Answer:** DE

**Explanation:**

The two Elastic DRS policies that can be configured to meet the requirement of automatically scaling out and in based on resource demand are the Custom Elastic DRS policy and the Optimize for Rapid Scale-Out policy. The Custom Elastic DRS policy allows you to configure the cluster to scale out when certain resource utilization thresholds are met, while the Optimize for Rapid Scale-Out policy allows you to configure the cluster to scale out when resource utilization is high and scale in when utilization is low.

Elastic DRS is a feature of VMware Cloud on AWS that enables automatic scaling of the cluster based on resource demand. To meet the requirement of automatic scaling, the administrator can configure a custom Elastic DRS policy or the Optimize for Rapid Scale-Out policy. Custom Elastic DRS policy allows administrator to define the custom rules for scale-out and scale-in based on resource utilization thresholds. Optimize for Rapid Scale-Out policy automatically scales-out the cluster when resource utilization threshold is met.

**NEW QUESTION 7**

A Cloud Administrator is responsible for which three of the listed operations in VMware Cloud on AWS? (Choose three.)

- A. VMware Tools Updates
- B. VMWare NSX Manager Updates
- C. Guest Operating System Updates
- D. Hardware Bios / Firmware Updates
- E. VMware vCenter Server Updates
- F. Network Connectivity

**Answer:** ACF

**Explanation:**

A Cloud Administrator is responsible for VMware vCenter Server Updates (see [1] for more details), VMware NSX Manager Updates (see [2] for more details), and Network Connectivity (see [3] for more details). These tasks involve ensuring that the VMware Cloud on AWS environment is up-to-date and running smoothly, and that any changes made to the environment are properly implemented and adhere to the security and performance requirements. Additionally, the Cloud Administrator is responsible for ensuring that all guest operating systems, VMware Tools, and hardware bios/firmware are kept up-to-date and that any necessary patches or updates are applied.

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.administration/GUID>

**NEW QUESTION 8**

A cloud administrator is trying to increase the disk size of a virtual machine (VM) within a VMware Cloud solution. The VM is on a datastore with sufficient space, but they are unable to complete the task.

Which file is preventing the administrator from completing this task?

- A. The .nvram file
- B. The .vmtx file
- C. The .vmdk file
- D. The .vmsn file

**Answer:** C

**Explanation:**

The .vmdk file contains the virtual machine's hard disk configuration and is preventing the administrator from increasing the disk size. The .vmdk file must be edited to allow the administrator to increase the disk size. More specifically, the administrator must edit the descriptor file within the .vmdk file to change the capacity of the disk.

**NEW QUESTION 9**

What is the key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client?

- A. The on-premises VMware vSphere version must be vSphere 6.5 or later.
- B. VMware Cloud on AWS software-defined data center (SDDC) does NOT reveal the on-premises inventory
- C. Minimal overhead is required in the on-premises data center.

D. Centralized administration is available through the VMware vSphere Client.

**Answer:** A

**Explanation:**

The key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client is that the Cloud Gateway Appliance reveals the on-premises inventory while the VMware vSphere Client does not reveal the on-premises inventory. With the Cloud Gateway Appliance, a VMware Cloud on AWS software-defined data center (SDDC) is able to communicate with the on-premises vCenter Server, allowing the on-premises inventory to be visible in the VMware Cloud on AWS console. With the VMware vSphere Client, the on-premises inventory is not revealed and is not accessible from the vSphere Client.

**NEW QUESTION 10**

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPsec VPN connection. The administrator is informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPsec VPN connection.

**Answer:** B

**Explanation:**

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPsec VPN connection is unlikely to be effective as IPsec VPN has inherent limitations such as encryption overhead and packet fragmentation.

**NEW QUESTION 10**

A cloud administrator needs to provide the security team with the ability to query and audit events and provide custom real-time alerts for the VMware NSX firewall running in VMware Cloud on AWS.

Which solution would the administrator use to accomplish this goal?

- A. CloudHealth by VMware
- B. VMware vRealize Log Insight Cloud
- C. VMware vRealize Network Insight Cloud
- D. VMware vRealize Operations Cloud

**Answer:** B

**Explanation:**

VMware vRealize Log Insight Cloud is a cloud-based log management and analytics solution that provides real-time visibility and analytics for VMware Cloud on AWS [1]. It allows security teams to query and audit events and set up custom real-time alerts. Additionally, it provides detailed insights into the activity of the VMware NSX firewall, allowing administrators to quickly identify suspicious activity and take action.

**NEW QUESTION 14**

Which three factors should a cloud administrator consider when sizing a new VMware Cloud software-defined data center (SDDC) to support the migration of workloads from an on-premises SDDC? (Choose three.)

- A. Total number of 10Gb network ports required
- B. Host hardware type in the target VMware Cloud
- C. Total number of on-premises hosts
- D. Total number of workloads
- E. Total amount of available storage across all on-premises datastores
- F. Average size of workload resources (CPU & RAM)

**Answer:** DEF

**Explanation:**

- Total number of workloads. This determines how many hosts are needed in the VMware Cloud SDDC cluster.
- Total amount of available storage across all on-premises datastores. This determines how much storage capacity is needed in the VMware Cloud SDDC cluster.
- Average size of workload resources (CPU & RAM). This determines how much compute capacity is needed in the VMware Cloud SDDC cluster.

<https://docs.vmware.com/en/VMware-Cloud/services/vmc-cloud-sizer-user/GUID-7CECF719-E56B-4830-84E>

**NEW QUESTION 15**

A cloud administrator is developing a new Private cloud in Google VMware Engine and wants to allow for Maximum growth. What are two valid subnet sizes that meets the requirement for the VMware vSphere/vSAN subnet? (Choose two.)

- A. /21
- B. /24
- C. /22
- D. /23
- E. /20

**Answer:** AE

**Explanation:**

<https://cloud.google.com/vmware-engine/docs/concepts-vlans-subnets>

**NEW QUESTION 20**

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.

What is the proper sequence to create the required network segments?

- A. \* 1- Create a new segment attached to the Tier-0 gateway\* 2. Configure the segment DHCP ip-helper
- B. \* 1. Create a DHCP server profile\* 2. Create a new segment attached to the Tier-0 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. \* 1. Create a new segment attached to the Tier-1 gateway\* 2. Configure the segment DHCP ip-helper
- D. \* 1. Create a DHCP relay profile\* 2. Create a new segment attached to the Tier-1 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

**Answer:** B

**Explanation:**

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam ([https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www\\_edu&a=one&id\\_subject=45954](https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954)), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

**NEW QUESTION 23**

Which types of networks are available when creating a segment in VMware Cloud on AWS?

- A. Routed, Extended, Disconnected
- B. Advertised, Extended, Isolated
- C. Routed, Stretched, Disconnected
- D. Advertised, Stretched, Isolated

**Answer:** A

**Explanation:**

VMware Cloud on AWS GovCloud supports three types of network segments: routed, extended and disconnected.  
 Routed networks: Routed networks allow you to route traffic between the on-premises data center and the VMware Cloud on AWS environment using a VPN or AWS Direct Connect.  
 Extended networks: Extended networks allow you to extend the on-premises network to the VMware Cloud on AWS environment using VXLAN. This type of network allows you to extend the on-premises VLANs to the cloud environment, providing a seamless network extension.  
 Disconnected networks: Disconnected networks are used when there is no direct connectivity between the on-premises data center and the VMware Cloud on AWS environment. This type of network allows you to create isolated networks in the cloud environment for specific use cases, such as disaster recovery or testing.  
[https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-\(US\)/services/vmc-govcloud-networking-secu](https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-(US)/services/vmc-govcloud-networking-secu)

**NEW QUESTION 25**

The VMware Cloud on Dell EMC subscription entitles companies to services and support in addition to the server and rack hardware and SDDC software. Which two services are included in the subscription? (Choose two.)

- A. Onsite support for hardware break-fix within four hours
- B. Remote lifecycle management of the SDDC software
- C. Automated capacity forecasting and expansion
- D. Remote lifecycle management of virtual machine operating system software
- E. Professional services assistance with application migration

**Answer:** AB

**Explanation:**

VMware Cloud on Dell EMC is a fully managed VMware Cloud Service which includes a physical Dell VxRail hyper-converged infrastructure built to a customer's capacity needs and is delivered onsite preloaded with VMware vSphere®, VMware NSX®, and VMware vSAN™ software. Included with this service is full management of the hardware infrastructure, including monitoring, software patching and upgrades, security updates, lifecycle management, and break-fix service in the event of a hard failure. This service is backed by an Enterprise-grade Service Level Agreement (SLA). Figure 1 shows the VMware Cloud on Dell EMC infrastructure in greater detail, including all hardware necessary to deploy the infrastructure quickly right out of the crate.

**NEW QUESTION 27**

Which statement accurately describes vSphere distributed switches? (Select one option)

- A. A distributed switch is a virtual switch that is configured for a single ESXi host.
- B. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports.
- C. Each ESXi host can have only one distributed switch configured at any time.
- D. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch.

**Answer:** D

**Explanation:**

A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch. A standard switch is different from a distributed switch

in that standard switches contain VMkernel ports, but the entire configuration is managed by each ESXi host. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch and can contain multiple VMkernel ports. Each ESXi host can have multiple distributed switches configured at any time.

### NEW QUESTION 31

Which logical switching component provides layer 2 forwarding functionality in a VMware Cloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS
- D. Transport node

**Answer: C**

#### Explanation:

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation here: [https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx\\_24\\_sdn\\_networking/GUID-A4A6E4A8](https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8)

### NEW QUESTION 33

A cloud administrator is tasked with moving critical business workloads between two VMware Cloud on AWS software-defined data centers (SDDCs) located in different geographical regions. The following requirements must be met:

- Migrate 300 virtual machines from region A to region B with minimal downtime of the applications.
- Non-disruptively resume application access of the targeted virtual machines in the event the migration fails.
- Support concurrent switch over of the application workloads to occur during a pre-defined maintenance window.

Which VMware HCX migration type should be used to meet these requirements?

- A. VMware HCX Cold Migration
- B. VMware HCX Bulk Migration
- C. VMware HCX vMotion
- D. VMware HCX Replication Assisted vMotion

**Answer: D**

#### Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E54D8791> "VMware HCX Replication Assisted vMotion (RAV) uses the HCX Interconnect appliance along with replication and vMotion technologies to provide large scale, parallel migrations with zero downtime." Understanding VMware HCX Replication Assisted vMotion: <https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E>

### NEW QUESTION 35

A cloud administrator is asked to evaluate a number of disaster recovery solutions for the business. The current on-premises environment is built around the latest version of VMware vSphere 7.0.

The following requirements must be met:

- Follow an on-demand cloud consumption model
- Must be a managed offering
- Deliver a recovery point objective (RPO) of no more than 30 minutes
- Rapid power-on of recovered virtual machines/ assuming cloud capacity availability
- Must accommodate for single region failure Which solution would meet these requirements?

- A. VMware Cloud Disaster Recovery
- B. VMware Cloud on AWS Stretched Cluster
- C. VMware vSphere Replication
- D. VMware Site Recovery Manager

**Answer: A**

#### Explanation:

VMware Cloud Disaster Recovery is a managed disaster recovery-as-a-service offering that is built on the latest version of VMware vSphere 7.0. It provides an on-demand cloud consumption model, allowing administrators to rapidly power-on recovered virtual machines in the cloud, assuming cloud capacity availability. Additionally, VMware Cloud Disaster Recovery delivers a recovery point objective (RPO) of no more than 30 minutes, and can accommodate for single region failure.

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application-vmware-technical-support-guide>

<https://www.vmware.com/pdf/techsupportguide.pdf>

Quick-Start Tutorial for VMware Dynamic Environment Manager ... <https://techzone.vmware.com/resource/quick-start-tutorial-vmware-dynamic-environment-manager>

VMware Cloud Disaster Recovery ----- \* Protect your workloads running on VMware Cloud on AWS SDDC using high-frequency snapshots to achieve RPOs as low as 30 minutes. \* Availability Zone Failure

Handling <https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recovery-rel>

### NEW QUESTION 37

How is a Tanzu Kubernetes cluster deployed in a VMware Cloud environment?

- A. Using the VMware Cloud Console
- B. Using VMware Tanzu Mission Control
- C. Using the standard open-source kubectl
- D. Using the vSphere Plugin for kubectl

**Answer:** A

**Explanation:**

Tanzu Kubernetes clusters can be deployed in a VMware Cloud environment using the VMware Cloud Console. The VMware Cloud Console provides a user-friendly interface that allows users to quickly deploy and manage Tanzu Kubernetes clusters. The standard open-source kubectl can also be used to deploy Tanzu Kubernetes clusters. However, this requires a more in-depth knowledge of the kubectl command-line interface. Additionally, users can use the vSphere Plugin for kubectl to deploy and manage Tanzu Kubernetes clusters. This plugin provides a graphical user interface to manage the clusters, as well as additional features such as the ability to make cluster-level changes

**NEW QUESTION 40**

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

**Answer:** A

**Explanation:**

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

**NEW QUESTION 42**

Which two key components are required in every instance in the VMware Cloud software-defined datacenter (SDDC)? (Choose two.)

- A. VMware vSphere
- B. VMware vRealize Operations
- C. VMware Tanzu Kubernetes Grid
- D. VMware NSX-T
- E. CloudHealth by VMware

**Answer:** AD

**Explanation:**

The correct answers are A and D. Every instance in the VMware Cloud software-defined datacenter (SDDC) requires VMware vSphere and VMware NSX-T. VMware vSphere is a virtualization platform that allows customers to manage, deploy, and configure virtual machines and other related components. VMware NSX-T is a network virtualization platform that provides security and networking services to virtualized environments.

**NEW QUESTION 46**

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

**Answer:** AD

**Explanation:**

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS using port 443. They must then request a public IP address in the VMware Cloud console.

**NEW QUESTION 47**

Given what you know about cloud, which examples illustrate its benefits? Select all options that apply.

- A. An organization requires fewer developers when it uses the cloud.
- B. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- C. A business stores infrequently accessed data in the cloud to benefit from reduced on-premises storage costs.
- D. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- E. A developer codes an application in a cloud-based environment, and, with a few simple commands, deploys the application on the business website.
- F. In seconds, you receive a large amount of storage using a cloud option.

**Answer:** BCEF

**Explanation:**

Example B illustrates the benefit of cloud computing where an organization can manage its cloud resources by using different cloud providers that are separate and isolated from each other. This allows the organization to make use of features and services offered by different cloud providers in order to benefit from the best of different services.

Example C illustrates the benefit of cloud computing where a business can store infrequently accessed data in the cloud in order to benefit from reduced on-premises storage costs, as cloud storage is usually cheaper than on-premise storage.  
 Example E illustrates the benefit of cloud computing where a developer can code an application in a cloud-based environment, and, with a few simple commands, deploy the application on the business website. This eliminates the need for the developer to set up and manage the application on their own, as the cloud platform handles the deployment and hosting of the application.  
 Example F illustrates the benefit of cloud computing where a large amount of storage can be made available in seconds using a cloud option. This is useful for businesses that require a large amount of storage but don't have the resources to set up and manage their own storage solution.  
 For more information on the benefits of cloud computing, see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.getting-started/GUID-F>

#### NEW QUESTION 49

What is the purpose of the VMware Cloud on AWS Compute Gateway (CGW)?

- A. A Tier-1 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- B. A Tier-1 router that handles workload traffic that is connected to routed compute network segments
- C. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- D. A Tier-0 router that handles workload traffic that is connected to routed compute network segments

**Answer:** B

#### Explanation:

Compute Gateway (CGW) The CGW is a Tier 1 router that handles network traffic for workload VMs connected to routed compute network segments. Compute gateway firewall rules, along with NAT rules, run on the Tier 0 router. In the default configuration, these rules block all traffic to and from compute network segments (see Configure Compute Gateway Networking and Security).  
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-on-aws-networking-security.pdf>

#### NEW QUESTION 51

A cloud administrator wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC. Which type of connection should be used for this type of traffic?

- A. Policy-based virtual private network (VPN)
- B. Private L2 virtual private network (VPN)
- C. Route-based virtual private network (VPN)
- D. Private line

**Answer:** C

#### Explanation:

The best option for a cloud administrator who wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC is a Route-Based Virtual Private Network (VPN). This type of connection offers enhanced performance [1][2], flexibility, scalability, and security compared to other options, such as Policy-Based Virtual Private Network (VPN), Private L2 Virtual Private Network (VPN), or Private Line.

According to the VMware official site, "Route-based VPN enables a secure connection between two or more sites, or between a site and a mobile user, and provides better performance and scalability than a policy-based VPN. Route-based VPNs are also more secure than policy-based VPNs, because the traffic is encrypted with a unique encryption key for each tunnel, rather than relying on a shared key for all tunnels. This allows for secure and reliable connections for devices and applications located in different physical locations." [1]

[1] <https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/com.vmware.nsx.admin.doc/GUID-D6B7B9E>

#### NEW QUESTION 55

A cloud administrator is managing a VMware Cloud on AWS environment consisting of a single cluster with six hosts. There have been no changes made to the Elastic DRS configuration.

In which two situations will Elastic DRS add another a host to the cluster? (Choose two.)

- A. When availability zone failure occurs
- B. When memory utilization reaches 90%
- C. When network utilization reaches 90%
- D. When CPU utilization reaches 90%
- E. When storage utilization reaches 80%

**Answer:** AE

#### Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>  
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>

#### NEW QUESTION 56

Which Tanzu Kubernetes Grid component provides authentication, ingress, logging and service discovery?

- A. Tanzu Supervisor cluster
- B. Tanzu CU
- C. Tanzu Kubernetes cluster
- D. Tanzu Kubernetes Grid extensions

**Answer:** C

#### Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-> <https://docs.vmware.com/en/VMware->

vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-

#### NEW QUESTION 57

VMware Engine cloud administrator is tasked with ensuring that a dedicated, secure, high-speed, and low-latency connection exists between an on-premises VMware Engine. Which two options are available for Google Cloud VMware Engine? (Choose two.)

- A. Partner Interconnect
- B. Global Reach
- C. Dedicated Interconnect
- D. ExpressRoute
- E. Direct Connect

**Answer:** AC

#### Explanation:

<https://cloud.google.com/architecture/private-cloud-networking-for-vmware-engine>

Dedicated Interconnect provides a private[1][2], dedicated connection between your on-premises network and Google's network. It offers low latency, high bandwidth, and a secure connection. Partner Interconnect provides a connection to Google Cloud Platform through a partner's network, such as a service provider or a carrier. It offers the same low latency, high bandwidth, and secure connection, but is slightly slower than Dedicated Interconnect.

References: [1]<https://cloud.google.com/interconnect/docs/concepts/types>[2]<https://docs.vmware.com/en/VMware-Cloud-on>

#### NEW QUESTION 58

A company needs to Increase its Infrastructure capacity quickly to accommodate their rapid business growth. Which cloud use case describes their requirement?

- A. Maintain and Modernize
- B. Consolidate and Migrate
- C. Disaster Recovery
- D. Maintain and Expand

**Answer:** A

#### Explanation:

<https://www.vmware.com/mena/topics/glossary/content/digital-transformation.html>

#### NEW QUESTION 63

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and Configure Microsoft Azure ExpressRoute.

**Answer:** AD

#### Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and

cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...

<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vms> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air

[https://www.vmware.com/pdf/vchs\\_networking\\_guide.pdf](https://www.vmware.com/pdf/vchs_networking_guide.pdf)

#### NEW QUESTION 64

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible.

Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

**Answer:** AD

#### Explanation:

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide  
<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7  
<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

### LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

#### NEW QUESTION 65

Which vSphere HA default response is applied when a virtual machine crashes on a VMware Cloud cluster?

- A. Restart the impacted virtual machine on the same host in the same SDDC cluster
- B. Shut down the impacted virtual machine and do not restart it anywhere
- C. Restart the impacted virtual machine on other hosts in other SDDC Cluster
- D. Restart the impacted virtual machine on other hosts in the same SDDC Cluster

**Answer: D**

#### Explanation:

VMware High Availability (HA) is a feature of the VMware Cloud platform that monitors the health of virtual machines and restarts virtual machines on other hosts if they crash or become unresponsive. This ensures that the virtual machines are always available and that no downtime is experienced. The default response is to restart the impacted virtual machine on other hosts in the same SDDC Cluster, however, this can be customized to suit the needs of the customer.

References:

[1][https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability\\_and\\_scala](https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability_and_scala)

#### NEW QUESTION 68

A cloud administrator is tasked with migrating workloads from an on-premises environment to a VMware Cloud on AWS software-defined datacenter (SDDC) with no downtime while retaining their IP Address. Which connectivity type should be used?

- A. Private policy-based IPsec VPN
- B. Private route-based IPsec VPN
- C. Open VPN
- D. Private Layer 2 VPN

**Answer: D**

#### Explanation:

Private L2 VPN: To migrate running VMs between SDDCs in different geographical locations.

You use a private layer 2 (L2) VPN to extend an on-premises network to your cloud SDDC. This extended network is a single subnet with a single broadcast domain.

You can use L2 VPNs to migrate VMs to and from your cloud SDDC, for disaster recovery, or for dynamic access to cloud computing resources (often called cloud bursting).

VM migrations across an L2 VPN support VLAN tagging and GENEVE frame encapsulation when migrating between a cloud SDDC to another SDDC.

The L2 VPN tunnel extends layer 2 networks across geographic sites. VMs can move across sites (using vSphere vMotion) and keep the same IP addresses using an L2 VPN.

#### NEW QUESTION 72

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- > The cluster should be able to scale automatically when additional resources are required.
- > Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

**Answer: B**

#### Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically

when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met. For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

#### NEW QUESTION 76

Which two use cases can be met with VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts? (Choose two.)

- A. Administrator rights in SDDC Manager to configure and operate the solution
- B. Ability to create public services
- C. Applications needing local data processing and/or low latency integrations
- D. Critical workloads that use restricted data
- E. On demand rapid scalability

**Answer:** CD

#### Explanation:

The two use cases that can be met with VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts are Option C: Applications needing local data processing and/or low latency integrations, and Option D: Critical workloads that use restricted data.

VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts both provide local data processing and low latency integrations, making them ideal for applications that require quick and efficient access to data. Additionally, the highly secure infrastructure of both solutions make them a great choice for critical workloads that use restricted data.

For more information, please refer to the official VMware documentation on VMware Cloud on Dell EMC: <https://www.vmware.com/products/vmware-cloud-on-dellemc.html> And the official VMware documentation on VMware Cloud on AWS Outposts: <https://www.vmware.com/products/vmware-cloud-on-aws-outposts.html>

#### NEW QUESTION 77

Which three components can be part of a virtual machine template? (Choose three.)

- A. Installed applications, tools, and patches
- B. vSphere tags
- C. Custom attributes
- D. Virtual Machine hardware configuration
- E. Guest operating system
- F. Virtual machine snapshots

**Answer:** ADE

#### Explanation:

To create a virtual machine template, you will need to configure the virtual machine hardware configuration, install the necessary applications, tools, and patches, and select the guest operating system. The template can also include vSphere tags and custom attributes to further customize the virtual machine. Additionally, the template can include virtual machine snapshots which will save the current state of the virtual machine and can be used to quickly restore the machine to the same state.

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application> What is Server Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/server-virtualization.html>

#### NEW QUESTION 78

A cloud administrator is deploying a new software-defined data center (SDDC) in VMware Cloud on AWS. Long-term planning indicates that a minimum of 30 hosts are required.

What is a valid management network CIDR based on the requirements?

- A. 10.4.0.0/23
- B. 10.3.0.0/24
- C. 10.2.0.0/16
- D. 10.1.0.0/20

**Answer:** D

#### Explanation:

A valid management network CIDR based on the requirements is 10.1.0.0/20, as this provides a range of 4096 IP addresses, which is more than enough for 30 hosts. A /23 CIDR only provides 512 IP addresses, which is not enough for 30 hosts, while a /24 CIDR provides 256 IP addresses and a /16 CIDR provides 65,536 IP addresses, which is more than is needed for the 30 hosts.

<https://blogs.vmware.com/cloud/2019/10/03/selecting-ip-subnets-sddc/>

#### NEW QUESTION 83

A Cloud Administrator is managing a VMware Cloud environment consisting of a single cluster with 10 hosts. The administrator is trying to create a new virtual machine and is getting the following error message: cannot complete file creation operation. There are currently 2 unable failure domains. the operation requires 3 more usable fault domain. failed to create object.

- A. The VM storage policy is configured Incorrectly for the cluster.
- B. There is insufficient CPU and memory based on the current virtual machine resource reservation settings.
- C. One of the hosts is in maintenance mode.
- D. vSphere Distributed Resource Scheduler (DRS) is enabled.

**Answer:** C

#### Explanation:

The error message that the Cloud Administrator is receiving indicates that the cluster is not able to meet the requirements of the new virtual machine due to

insufficient fault domains. The most likely cause of this is that one of the hosts is in maintenance mode. When a host is in maintenance mode, it is not available to the cluster, and thus cannot provide the necessary fault domains. To correct this issue, the Cloud Administrator should ensure that all hosts in the cluster are available and not in maintenance mode before attempting to create the new virtual machine.

#### NEW QUESTION 88

A cloud administrator is asked to configure access to the VMware Cloud Services Console based on the following requirement:

- Groups and users should be synchronized from the internal Active Directory Which two options should the administrator configure to meet this requirement? (Choose two.)

- A. Workspace ONE Access connector
- B. Enterprise federation with dynamic (connectorless) authentication setup
- C. SAML 2.0 Identity Provider
- D. Enterprise federation with connector-based authentication setup
- E. Workspace ONE Assist

**Answer:** AC

#### Explanation:

The Workspace ONE Access connector is used to synchronize groups and users from the internal Active Directory to the VMware Cloud Services Console. Additionally, the administrator should configure a SAML 2.1 Identity Provider to enable single sign-on (SSO) capability and secure access to the VMware Cloud Services Console.

#### NEW QUESTION 93

A cloud Administrator is receiving complaints about an application experiencing intermittent network connectivity. Which VMware Cloud tools can help the administrator check if packets are being dropped?

- A. VRealize Log Insight
- B. Port mirroring
- C. IPFIX
- D. Traceflow

**Answer:** D

#### Explanation:

IPFIX (Internet Protocol Flow Information Export) is a standard for the format and export of network flow information for troubleshooting, auditing, or collecting analytics information. Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination. Use Traceflow to inspect the path of a packet. Traceflow traces the transport node-level path of a packet. The trace packet traverses the logical switch overlay, but is not visible to interfaces attached to the logical switch. In other words, no packet is actually delivered to the test packet's intended recipients. vRealize Log Insight is a log collection and analytics virtual appliance that enables administrators to collect, view, manage and analyze syslog data. Log Insight provides real-time monitoring of application logs, network traces, configuration files, messages and performance data.

#### NEW QUESTION 97

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-33.22 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-33.22 Product From:

<https://www.2passeasy.com/dumps/2V0-33.22/>

### Money Back Guarantee

#### **2V0-33.22 Practice Exam Features:**

- \* 2V0-33.22 Questions and Answers Updated Frequently
- \* 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- \* 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year