

Exam Questions 2V0-21.23

VMware vSphere 8.x Professional

<https://www.2passeasy.com/dumps/2V0-21.23/>



NEW QUESTION 1

An administrator wants to create virtual machine (VM) templates and store them in a content library. The administrator would like to use the content library to manage different versions of these templates so that reverting to an earlier version is an option. How should the administrator create these templates?

- A. Select a VM in the vCenter inventory. Clone the VM to the content library as a VM template type.
- B. Select a VM template in the vCenter inventor
- C. Clone the template to the content library.
- D. Export a VM in the vCenter inventory to an OVF templat
- E. Import the OVF template into the content library.
- F. Convert a VM to a template in the vCenter inventory. Clone the template to the content library.

Answer: A


Explanation:

Option A is correct because it allows the administrator to clone a VM to the content library as a VM template type, which can be used to create and manage different versions of these templates in the content library. Option B is incorrect because it requires the administrator to convert a VM to a template in the vCenter inventory first, which is an extra step. Option C is incorrect because it requires the administrator to export a VM to an OVF template and import it into the content library, which are extra steps. Option D is incorrect because it requires the administrator to convert a VM to a template in the vCenter inventory and clone it to the content library, which are extra steps. References:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2

NEW QUESTION 2

Refer to the exhibit.



An administrator set up the following configuration:

- The distributed switch has four ESXi hosts, and each host has two 10 Gbps NICs.
- In the Network I/O Control configuration, the amount of bandwidth reserved for virtual machine (VM) traffic is 4 Gbps.

The administrator wants to guarantee that VMs in the Retail distributed port group can access 50 percent of the available reserved bandwidth for VM traffic. Given this scenario, what should the size (in Gbps) of the Retail network resource pool be?

- A. 40
- B. 32
- C. 8
- D. 16

Answer: D

Explanation:

$4\text{Gbps} * 8\text{Nic} = 32\text{Gbps} * 50\% = 16\text{Gbps}$

NEW QUESTION 3

What are two uses cases for VMware Tools? (Choose two.)

- A. Time synchronization with an NTP server
- B. Direct deployment of the Aria Automation Config minion
- C. Share folders between ESXi hosts and guest OS file systems
- D. Ability to shut down a virtual machine remotely
- E. Support for unsupported network device drivers

Answer: CD

Explanation:


<https://www.stevenbright.com/2022/03/deploy-salt-minions-automatically-using-vmware-tools/>

Two use cases for VMware Tools are direct deployment of the Aria Automation Config minion and ability to shut down a virtual machine remotely. Direct deployment of the Aria Automation Config minion is a feature that allows the administrator to deploy a configuration management agent to a virtual machine using VMware Tools. This feature enables automation and orchestration of virtual machine configuration tasks. Ability to shut down a virtual machine remotely is a

feature that allows the administrator to gracefully power off a virtual machine from the vSphere Client or other VMware products. This feature requires VMware Tools to be installed and running on the guest operating system. References:
<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vmwaretools.doc/GUID-28C39A00-74>

NEW QUESTION 4

Refer to the exhibit.



After updating a predefined alarm on VMware vCenter, an administrator enables email notifications as shown in the attached alarm; however, notifications are NOT being sent.

Where must the mail server settings be configured by the administrator to resolve this issue?

- A. In the ESXi host system config
- B. In the alarm rule definitions
- C. In the vCenter settings in the vSphere Client
- D. in the vCenter Management Interface

Answer: C

Explanation:

Option C is correct because it allows the administrator to configure the mail server settings in the vCenter settings in the vSphere Client, which are required for sending email notifications for alarms. Option A is incorrect because it configures the mail server settings on an ESXi host system, which are not used for sending email notifications for alarms. Option B is incorrect because it configures the alarm rule definitions, which are already enabled in the exhibit. Option D is incorrect because it configures the vCenter Management Interface, which is not used for sending email notifications for alarms. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.monitoring.doc/GUID-A2A4371A-B88>

NEW QUESTION 5

An administrator is responsible for performing maintenance tasks on a vSphere cluster. The cluster has the following configuration:

- . Identically configured vSphere ESXi hosts (esx01, esx02, esx03 and esx04)
 - All workloads are deployed into a single VMFS datastore provided by the external storage array
 - vSphere High Availability (HA) has not been enabled
 - vSphere Distributed Resource Scheduler (DRS) has not been enabled
- Currently, a critical production application workload (VM1) is running on esx01. Given this scenario, which two actions are required to ensure VM1 continues to run when esx01 is placed into maintenance mode? (Choose two.)

- A. Fully automated DRS must be enabled on the cluster so that VM1 will be automatically migrated to another host within the cluster when esx01 is placed into maintenance mode.
- B. VM1 must be manually shut down and cold migrated to another host within the cluster using vSphere vMotion before esx01 is placed into maintenance mode.
- C. vSphere HA must be enabled on the cluster so that VM1 will be automatically migrated to another host within the cluster when esx01 is placed into maintenance mode.
- D. VM1 must be manually live migrated to another host within the cluster using vSphere vMotion before esx01 is placed into maintenance mode.
- E. VM1 must be manually migrated to another host within the cluster using vSphere Storage vMotion before esx01 is placed into maintenance mode.

Answer: AD

Explanation:

Two actions that are required to ensure VM1 continues to run when esx01 is placed into maintenance mode are enabling fully automated DRS on the cluster, which allows balancing the workload across hosts and migrating VMs without user intervention; and manually live migrating VM1 to another host within the cluster using vSphere vMotion, which allows moving a running VM without downtime.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-F01B2F12-C5BB-> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-F01B2F12-C5B>

NEW QUESTION 6

Which three features are only available when using vSphere Distributed Switches instead of vSphere Standard Switches? (Choose three.)

- A. 802.1Q tagging
- B. Port mirroring
- C. Netflow
- D. Configuration backup and restore
- E. IPv6 support
- F. IPv4 support

Answer: BCD

Explanation:

Three features that are only available when using vSphere Distributed Switches instead of vSphere Standard Switches are port mirroring, which allows monitoring network traffic on a virtual switch port; Netflow, which allows collecting IP traffic information from a virtual switch; and configuration backup and restore, which allows saving and restoring distributed switch settings.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.networking.doc/GUID-D5960C77-0D1> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.networking.doc/GUID-A59628EA-985> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.networking.doc/GUID-E9EB9D18-692>

NEW QUESTION 7

An administrator is tasked with looking into the disaster recovery options for protecting a database server using VMware vSphere Replication.

The following requirements must be met:

- The virtual machine must remain online during the protection.
- The virtual machine's snapshots must be used as part of the replication process. Which step must the administrator complete to accomplish this task?

- A. Configure the virtual machine storage policy.
- B. Enable guest OS VSS quiescing for this virtual machine.
- C. Perform a full initial synchronization of the source virtual machine to the target location.
- D. Configure network traffic isolation for vSphere Replication.

Answer: C

Explanation:

<https://docs.vmware.com/en/vSphere-Replication/8.7/com.vmware.vsphere.replication-admin.doc/GUID-C2493>

NEW QUESTION 8

An administrator manages VM templates and ISO images for a remote office. Their main requirements are to store these templates in a single repository and manage different versions of the templates.

What solution should the administrator deploy to meet these requirements?

- A. A subscribed content library
- B. A local content library
- C. A vSAN datastore
- D. A shared VMFS datastore

Answer: B

Explanation:

<https://4sysops.com/archives/how-to-create-a-vmware-content-library/#:~:text=A%20VMware%20content%20l>

NEW QUESTION 9

An administrator is tasked with configuring vSphere Trust Authority. The administrator has completed the following steps:

- Set up the workstation
- Enabled the Trust Authority Administrator
- Enabled the Trust Authority State
- Collected information about the ESXi hosts and vCenter to be trusted Which step does the administrator need to complete next?

- A. Import the Trusted Host information to the Trust Authority Cluster
- B. Import the Trusted Cluster information to the Trusted Hosts
- C. Create the Key Provider on the Trusted Cluster
- D. Import the Trusted Host information to the Trusted Cluster

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/images/GUID-D205B3C1> <https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-security/GUID-39D8AB34-AD45-4B0A-8FB0-7A1>

NEW QUESTION 10

An administrator is tasked with installing VMware vCenter. The vCenter Server Appliance must support an environment of:

- 400 hosts
- 4000 virtual machines

Which two resources must be allocated, at a minimum, to meet the requirements? (Choose two.)

- A. 16 vCPUs
- B. 30 GB Memory
- C. 4 vCPUs
- D. 8 vCPUs
- E. 20 GB Memory

Answer: BD

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-88571D8A-46E1-464>

NEW QUESTION 10

An administrator is tasked with implementing a backup solution capable of backing up the Supervisor cluster, vSphere Pods, and persistent volumes.

Which two solutions must be used to meet this requirement? (Choose two.)

- A. VMware vCenter
- B. Standalone Velero and Restic
- C. NSX-T Manager
- D. vSphere Host Client
- E. Velero Plugin for vSphere

Answer: BE

NEW QUESTION 11

An administrator creates a virtual machine that contains the latest company-approved software, tools and security updates. Company policy requires that only full clones are allowed for server workloads.

A combination of which two tasks should the administrator complete to prepare for the deployment of this virtual machine for multiple users? (Choose two.)

- A. Set appropriate permissions on the virtual machine.
- B. Create a virtual machine customization specification.
- C. Upgrade the virtual hardware.
- D. Convert the virtual machine to a template.
- E. Take a snapshot of the virtual machine.

Answer: BD


Explanation:

Option B and D are correct because they allow the administrator to create a virtual machine customization specification, which can be used to customize guest operating system settings for multiple virtual machines, and convert the virtual machine to a template, which can be used to create full clones of server workloads. Option A is incorrect because assigning appropriate permissions on the virtual machine does not prepare it for deployment for multiple users. Option C is incorrect because upgrading the virtual hardware does not prepare it for deployment for multiple users. Option E is incorrect because taking a snapshot of the virtual machine does not prepare it for deployment for multiple users. References:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2

NEW QUESTION 16

Refer to Exhibit:



An environment has the following configuration:

- Resource Pool "RP-MOM" has a reservation of 6GHz and one running virtual machine (VM) "VM-M1" with 1 GHz reserved
- Resource Pool "RP-KID" has a reservation of 2GHz, and expandable reservations is activated

The administrator creates two VMs, "VM-K1" and "VM-K2", in the "RP-KID" resource pool with 2GHz reserved for each, and turns on "VM-M1". Given this scenario, which statement is true?

- A. The administrator must deactivate expandable reservations to turn on VM-K2
- B. The administrator can create a third VM (VM-K3) at RP-KID and reserve 6GHz
- C. VM-K2 can be powered on because it can get the resources needed from RP-MOM.
- D. VM-K2 cannot be powered on because there are not enough resources in RP-KID.

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-resource-management/GUID-60077B40-66FF-4625>

NEW QUESTION 19

An administrator notices a performance issue in VMware vCenter. To try and understand more about the performance issue, the administrator needs to gather more information about the vCenter database to eliminate a potential disk space issue.

Which two tools can the administrator use? (Choose two.)

- A. vCenter Management Interface (VAMI)
- B. Perfmon
- C. df
- D. esxtop
- E. vSphere Client


Answer: AC

Explanation:

<https://kb.vmware.com/s/article/76563>

NEW QUESTION 20

Exhibit switch



An administrator configures a distributed switch and adds the first VMware ESXi server to it. The administrator also performs the following activities:

- The administrator assigns two uplinks to the distributed switch.
 - The administrator enables uplink teaming.
- When attempting to perform a health check of the teaming policy, the health status of the Teaming and Failover reports as 'Unknown?', as seen in the exhibit.
 What can the administrator changes in the distributed switch for the health status to report correctly?

- A. Add a minimum of three hosts with two uplinks each
- B. Add a minimum of two hosts with two uplinks each
- C. Add a minimum of three hosts with four uplinks each
- D. Add a minimum of two hosts with one uplink each

Answer: B

NEW QUESTION 22

An administrator is attempting to configure Storage I/O Control (SIOC) on five datastores within a vSphere environment. The administrator is being asked to determine why SIOC configuration completed successfully on only four of the datastores.
 What are two possible reasons why the configuration was not successful? (Choose two.)

- A. The datastore contains Raw Device Mappings (RDMs).
- B. SAS disks are used for the datastore.
- C. The datastore has multiple extents.
- D. The datastore is using iSCSI.
- E. The administrator is using NFS storage.

Answer: AC

Explanation:

SIOC configuration may fail if the datastore contains RDMs or has multiple extents, as these are not supported by SIOC.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-FB3F5C5C-D3F6-4>

Storage I/O Control is supported on Fibre Channel-connected, iSCSI-connected, and NFS-connected storage. Raw Device Mapping (RDM) is not supported. Storage I/O Control does not support datastores with multiple extents.

NEW QUESTION 24

The vCenter inventory contains a virtual machine (VM) template called Linux-01. The administrator wants to install a software patch into Linux-01 while allowing users to continue to access Linux-01 to deploy VMs. Which series of steps should the administrator take to accomplish this task?

- A. * 1. Verify that Linux-01 is in a content library* 2. Clone Linux-01* 3. Convert the clone to a VM* 4. Install the software patch.
- B. * 1. Convert Linux-01 to a VM * 2 Install the software patch* 3 Convert the VM back to a VM template * 4 Add Linux-01 to the content library.
- C. * 1. Verify that Linux-01 is in a content library* 2. Checkout Linux-01* 3. Install the software patch * 4.Check in Linux-01
- D. * 1. Clone Linux-01.* 2. Convert the clone to a VM* 3. Install the software patch.* 4. Convert the VM back to a template.

Answer: C

Explanation:

The administrator should clone Linux-01, which creates a copy of the virtual machine template. The administrator should then convert the clone to a VM, which allows the administrator to power on and modify the virtual machine. The administrator should then install the software patch on the VM, which updates the application. The administrator should then convert the VM back to a template, which preserves the changes made to the VM and allows users to deploy VMs from it. References:

https://docs.vmware.com/en/VMware-vSphere/8.0/com.vmware.vsphere.vm_admin.doc/GUID-E8E854DD-AA

NEW QUESTION 27

A group of new virtual machines have been deployed using thin-provisioned disks due to the limited storage space available in an environment. The storage team has expressed concern about extensive use of this type of provisioning.

An administrator is tasked with creating a custom alarm to notify the storage team when thin provisioning reaches a certain capacity threshold.

Where must the administrator define this alarm?

- A. Datastore
- B. Data center
- C. Datastore cluster
- D. Virtual machine

Answer: A

Explanation:

To create a custom alarm to notify when thin provisioning reaches a certain capacity threshold, the administrator must define this alarm at the datastore level, as it is related to datastore usage.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.monitoring.doc/GUID-B8DC03CB-EF>

NEW QUESTION 32

Which step is completed during Stage 1 of the vCenter Server Appliance deployment?

- A. Join a vCenter Single Sign-On domain
- B. Create a new vCenter Single Sign-On domain
- C. Select the deployment size
- D. Configure SSH access

Answer: C

Explanation:

The minimum network throughput in Gb/s for vSAN using the Express Storage Architecture (ESA) is 1 Gb/s, which is the minimum requirement for vSAN network adapters. However, VMware recommends using 10 Gb/s or higher for better performance and reliability. References:

<https://docs.vmware.com/en/VMware-vSphere/8.0/com.vmware.vsphere.vsan-planning.doc/GUID-9F1D4A3B>

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-1E39EF05-1DD7-4E> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-1E39EF05-1DD7-4E>

NEW QUESTION 36

An administrator is tasked with migrating a single virtual machine (VM) from an existing VMware vCenter to a secure environment where corporate security policy requires that all VMs be encrypted. The secure environment consists of a dedicated vCenter instance with a 4-node vSphere cluster and already contains a number of encrypted VMs.

Which two steps must the administrator take to ensure the migration is a success? (Choose two.)

- A. Ensure that the source and destination vCenter instances share the same Key Management Server(KMS).
- B. Ensure that Encrypted vMotion is turned off for the VM.
- C. Ensure that the VM is encrypted before attempting the migration.
- D. Ensure that the VM is powered off before attempting the migration.
- E. Ensure that the source and destination vCenter Servers have a different Key Management Server (KMS).

Answer: AC

Explanation:

To ensure a successful migration of an encrypted VM to a secure environment, the administrator needs to ensure that the source and destination vCenter instances share the same Key Management Server (KMS), which provides encryption keys for both environments; and ensure that the VM is encrypted before attempting the migration, which allows preserving its encryption status during vMotion.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-F8F105EC-A6EA-> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-C3FFBF62-D6BF>

NEW QUESTION 37

What are two use cases for VMware vSphere+? (Choose two.)

- A. Enhance on-premises workloads by managing them through the VMware Cloud Console
- B. Allow live migration between on-premises and VMware Cloud
- C. Increase the performance of the native vCenter vMotion capability
- D. Allow the creation of affinity and anti-affinity rules to be used during failover events
- E. Simplify vCenter lifecycle management through cloud-enabled automation

Answer: AE

Explanation:

<https://www.vmware.com/products/vsphere/vsphere-plus.html> <https://blogs.vmware.com/vsphere/2022/06/vmware-vsphereplus-introducing-the-multi-cloud-workload-platform>

NEW QUESTION 40

An administrator needs to create affinity rules for the following vSphere cluster setup:

- The cluster contains two virtual machines (VMs) named app01 and app02.
- The cluster contains six hosts named esx11 through esx16.
- The app01 and app02 VMs run software that is licensed to run only on esx11, esx12, or esx13.
- vSphere Distributed Resource Scheduler (DRS) is configured

Which set of steps must the administrator perform to ensure that the licensing requirements are met for app01 and app02?

- A. * 1. Add all the hosts to a host group.* 2. Create a VM-VM anti-affinity rule for app01 and app02
- B. 1. Add the esx11 - esx13 hosts to a host group* 2. Create a VM-VM affinity rule for app01 and app02
- C. * 1 Add the VMs to a VM group and the esx11 - esx13 hosts to a host group.* 2 Create a VM-Host required rule between the VM group and the host group.
- D. * 1. Add the VMs to a VM group and the esx11 - esx13 hosts to a host group.* 2. Create a VM-Host preferential rule between the VM group and the host group

Answer: C

Explanation:

Add the VMs to a VM group and the esx11 - esx13 hosts to a host group, which allows the administrator to group together virtual machines or hosts that share common characteristics or requirements.

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-0591F865-91B5-4>

NEW QUESTION 41

Which feature would allow for the non-disruptive migration of a virtual machine between two clusters in a single VMware vCenter instance?

- A. vSphere vMotion
- B. Cross vCenter Migration
- C. vSphere Storage vMotion
- D. vSphere Fault Tolerance

Answer: A

Explanation:

vSphere vMotion allows for the non-disruptive migration of a virtual machine between two clusters in a single vCenter instance, as long as there is shared storage and network connectivity between the clusters.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-3B41119A-127>

vMotion is used to move the VM to a different cluster within the same vCenter. This only works if both clusters share the same storage. If they don't you also need to perform a Storage vMotion. Cross vCenter Migration is only used to migrate to a different vCenter.

NEW QUESTION 46

An administrator is completing the configuration of a new vSphere cluster and has enabled vSphere High Availability (HA) and vSphere Distributed Resource Scheduler (DRS).

After adding the ESXi hosts to the cluster, which networking information will the administrator be prompted to provide when using the Cluster Quickstart workflow?

- A. vMotion networking
- B. Management networking
- C. vSAN networking
- D. Virtual machine networking

Answer: A

Explanation:

<https://core.vmware.com/resource/cluster-quickstart#section1>

NEW QUESTION 51

To keep virtual machines (VMs) up and running at all times in a vSphere cluster, an administrator would like VMs to be migrated automatically when the host hardware health status becomes degraded.

Which cluster feature can be used to meet this requirement?

- A. Predictive DRS
- B. Proactive HA
- C. vSphere HA Orchestrated Restart
- D. vSphere Fault Tolerance

Answer: B

Explanation:

Proactive HA is a cluster feature that can be used to migrate VMs automatically when the host hardware health status becomes degraded, before a failure occurs.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-C3FFBF62-D6BF-4A>

NEW QUESTION 54

An administrator is tasked with looking into the disaster recovery (DR) options for a software-defined data center (SDDC).

The following requirements must be met:

- All virtual machines (VMs) must be protected to a secondary site.
- The source VMs must remain online until the failover.
- When failing over to the secondary site, application downtime is allowed
- The DR failover must be managed from the vSphere Client.
- Costs must remain as low as possible.

How can the administrator accomplish this task?

- A. Configure VMware Cloud Disaster Recovery (VCDR) and combine it with array-based storage replication
- B. Configure VMware Site Recovery Manager and combine it with vSphere Replication.
- C. Configure a subscribed content library on the secondary site.
- D. Configure VMware Site Recovery Manager and combine it with array-based storage replication.

Answer: B

Explanation:

<https://blogs.vmware.com/virtualblocks/2017/11/29/vsr-technicaloverview/>

NEW QUESTION 58

An administrator creates a new corporate virtual machine (VM) template every month to include all of the latest patches. The administrator needs to ensure that the new VM template is synchronized from the primary data center site (London) to two secondary data center sites (Tokyo and New York). The administrator is aware that datastore space is limited within the secondary data center sites. The administrator needs to ensure that the VM template is available in the secondary sites the first time a new virtual machine is requested.

Which four steps should the administrator take to meet these requirements? (Choose four.)

- A. Create a new published content library at the primary site.
- B. Add the virtual machine template to the subscribed content library.
- C. Create a new published content library in each secondary site.
- D. Create a new subscribed content library in each secondary site.
- E. Configure the subscribed content library to download content when needed.
- F. Configure each subscribed content library to download content immediately.
- G. Add the virtual machine template to the published content library.

Answer: ADEG

Explanation:

To meet the requirements of synchronizing and protecting images and templates with limited datastore space, the administrator needs to create a new published content library at the primary site, which makes it available for subscription by other vCenter Server instances; create a new subscribed content library in each secondary site, which allows accessing content from a published content library; configure the subscribed content library to download content when needed, which saves datastore space by only downloading content on demand; and add the virtual machine template to the published content library, which makes it available for other hosts to use.

References:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-FBEED81C-F9D

NEW QUESTION 60

An administrator has a requirement to revert a running virtual machine to a previous snapshot after a failed attempt to upgrade an application. When the administrator originally took the snapshot, the following choices in the Take Snapshot dialog were made:

- Snapshot the virtual machine's memory = false
- Quiesce guest file system = false

What will be the result of the administrator selecting the 'Revert to Latest Snapshot?' option to return the virtual machine to a previous snapshot? (Choose two.)

- A. The virtual machine will be restored to the parent snapshot
- B. The virtual machine will be restored in a powered off state
- C. The virtual machine will be restored to the child snapshot
- D. The virtual machine will be restored in a powered on state
- E. The virtual machine will be restored in a suspended state

Answer: AB

Explanation:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-3E1BB630-9223

NEW QUESTION 64

An administrator remotely deploys VMware ESXi using an out of band management connection and now needs to complete the configuration of the management network so that the host is accessible through the vSphere Host Client.

The following information has been provided to complete the configuration:

- Host FQDN esxi01corp.local
- Management VLAN ID: 10 DHCP: No
- Management IP Address: 172.16.10.101/24
- Management IP Gateway: 172.16.10.1
- Corporate DNS Servers: 172.16.10.5, 172.16.10.6
- DNS Domain: corp.local

In addition, all host configurations must also meet the following requirements:

- The management network must use only IPv4 network protocols.
- The management network must be fault tolerant

Which four high level tasks should the administrator complete in the Direct Console User Interface (DCUI) in order to meet the requirements and successfully log into the vSphere Host Client? (Choose four.)

- A. Set the value of the VMware ESXi Management Network VLAN ID to 10
- B. Configure at least two network adapters for the VMware ESXi Management Network
- C. Update the VMware ESXi Management Network IPv4 configuration to use a static IPv4 address
- D. Create a DNS A Record for the VMware ESXi host on the corporate DNS servers
- E. Disable IPv6 for the VMware ESXi Management Network
- F. Restore the original Management vSphere Standard Switch.
- G. Update the VMware ESXi Management Network DNS configuration to use the corporate DNS servers for ' names resolution

Answer: ABCD

NEW QUESTION 68

An administrator needs to consolidate a number of physical servers by migrating the workloads to a software-defined data center solution.

Which VMware solution should the administrator recommend?

- A. VMware Horizon
- B. VMware vSAN
- C. VMware vSphere
- D. VMware

Answer: C

Explanation:

Option C is correct because VMware vSphere is the solution that provides a software-defined data center platform that can consolidate physical servers by migrating the workloads to virtual machines. Option A is incorrect because VMware Horizon is a solution for virtual desktop infrastructure (VDI) and application delivery. Option B is incorrect because VMware vSAN is a solution for software-defined storage that is integrated with vSphere. Option D is incorrect because VMware NSX is a solution for software-defined networking that is integrated with vSphere. References: <https://www.vmware.com/products/vsphere.html>

NEW QUESTION 72

Which VMware offering will allow an administrator to manage the lifecycle of multiple vCenter Server instances in a single software as a service (SaaS)-based solution to help drive operational efficiency?

- A. VMware vSphere with Tanzu
- B. VMware Cloud Foundation
- C. VMware vSphere+
- D. VMware Aria Suite Lifecycle

Answer: C

Explanation:

VCF includes the management domain and multiple workload domains. While VCF does use LCM to manage vCenter lifecycle, it is on-prem only (for now) and is not SaaS based. That only leave vSphere+. See the video in this link about upgrading remote vCenters managed by vSphere+. <https://www.vmware.com/products/vsphere/vsphere-plus.html>

NEW QUESTION 75

An administrator wants to allow a DevOps engineer the ability to delete Tanzu Kubernetes Grid (TKG) cluster objects in a vSphere Namespace. Which role would provide the minimum required permissions to perform this operation?

- A. Administrator
- B. Can View
- C. Owner
- D. Can Edit

Answer: D

Explanation:

The Can Edit role would provide the minimum required permissions to delete Tanzu Kubernetes Grid (TKG) cluster objects in a vSphere Namespace, as it allows creating, updating, and deleting objects within a namespace.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-C2E9B5C1-D6F1-4E9B>

NEW QUESTION 80

An administrator is tasked with deploying a new on-premises software-defined data center (SDDC) that will contain a total of eight VMware vCenter instances. The following requirements must be met:

- All vCenter instances should be visible in a single vSphere Client session.
- All vCenter inventory should be searchable from a single vSphere Client session.
- Any administrator must be able to complete operations on any vCenter instance using a single set of credentials.

What should the administrator configure to meet these requirements?

- A. Two Enhanced Linked Mode groups consisting of four vCenter instances each in a Single Sign-On domain.
- B. A single Hybrid Linked Mode group consisting of four vCenter instances each in a Single Sign-On domain.
- C. A single Enhanced Linked Mode group consisting of eight vCenter instances in one Single Sign-On domain.
- D. A single Hybrid Linked Mode group consisting of eight vCenter instances in one Single Sign-On domain.

Answer: B

Explanation:

To meet the requirements of viewing and searching all vCenter instances and inventory with a single vSphere Client session and a single set of credentials, the administrator needs to configure a single Enhanced Linked Mode group consisting of eight vCenter instances in one Single Sign-On domain.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-39A8C7F4-8D8>

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-vcenter-installation/GUID-4394EA1C-0800-4A6A->

NEW QUESTION 85

What is the role of vSphere Distributed Services Engine?

- A. Provide a live shadow Instance of a virtual machine (VM) that mirror, the primary VM to prevent data loss and downtime during outages
- B. Implement Quality of Service (QoS) on network traffic within a vSphere Distributed Switch
- C. Provide hardware accelerated data processing to boost infrastructure performance
- D. Redistribute virtual machines across vSphere cluster host affinity rules following host failures or during maintenance operations

Answer: C

Explanation:

The role of vSphere Distributed Services Engine is to provide hardware accelerated data processing to boost infrastructure performance by offloading network services from the CPU to the DPU.

References: <https://core.vmware.com/resource/whats-new-vsphere-8>

NEW QUESTION 88

What are three options an administrator can configure after creating a vSphere Namespace? (Choose three.)

- A. Backup schedule
- B. Certificates
- C. Storage policies
- D. Update policies
- E. Permissions
- F. Resource and Object limits

Answer: CEF

Explanation:

After creating a vSphere Namespace, three of the options that an administrator can configure are storage policies, which define how storage resources are allocated for objects within a namespace; permissions, which define who can access and manage objects within a namespace; and resource and object limits, which define how much CPU, memory, storage, and network resources can be consumed by objects within a namespace.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vmware-with-tanzu/GUID-C2E9B5C1-D6F1-4E9B>

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-with-tanzu-services-workloads/GUID-177C23C4-E>

NEW QUESTION 89

A vSphere cluster has the following configuration:

- Virtual machines (VMs) are running Production and Test workloads
- vSphere Distributed Resource Scheduler (DRS) is enabled
- There are no resource pools in the cluster

Performance monitoring data shows that the Production workload VMs are not receiving their fully allocated memory when the vSphere cluster is fully utilized.

A combination of which two steps could the administrator perform to ensure that the Production VMs are always guaranteed the full allocation of memory? (Choose two.)

- A. Assign a custom memory share value to the resource pool containing the Production VMs.
- B. Assign a memory reservation value to the resource pool containing the Production VMs.
- C. Create a parent resource pool for the Production VMs.
- D. Create a sibling resource pool for each of the Production and Test VMs.
- E. Create a child resource pool for the Test VMs.

Answer: BD

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-resource-management/GUID-60077B40-66FF-4625>

NEW QUESTION 92

An administrator is performing maintenance activities and discovers that a Virtual Machine File System (VMFS) datastore has a lot more used capacity than expected. The datastore contains 10 virtual machines (VMs) and, when the administrator reviews the contents of the associated datastore, discovers that five virtual machines have a snapshot file (-delta.vmdk files) that has not been modified in over 12 months. The administrator checks the Snapshot Manager within the vSphere Client and confirms that there are no snapshots visible.

Which task should the administrator complete on the virtual machines to free up datastore space?

- A. Consolidate the snapshots for each VM.
- B. Inflate the disk files for each VM.
- C. Delete all snapshots for each VM.
- D. Storage vMotion each VM to another datastore.

Answer: A

Explanation:

Consolidating snapshots for each VM will merge any snapshot files that are not associated with a snapshot in Snapshot Manager into the base disk file and free up datastore space.

References:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-53F65726-A23B

The presence of redundant delta disks can adversely affect the virtual machine performance. You can combine such disks without violating a data dependency. After consolidation, redundant disks are removed, which improves the virtual machine performance and saves storage space.

NEW QUESTION 97

An administrator is responsible for the management of a VMware vCenter instance that is currently experiencing performance issues. The administrator quickly identifies that the CPU and memory utilization of vCenter is consistently over 80%. Upon further analysis, it seems that the vpxd process is contributing significantly to the performance issue.

A combination of which four steps should the administrator take to resolve the performance issues and ensure that a similar issue can be rectified without requiring downtime to vCenter moving forward? (Choose four.)

- A. Gracefully shut down vCenter using the vSphere Client.
- B. Enable CPU Hot Add on the vCenter virtual machine.
- C. Power on the vCenter Server Appliance using the vSphere Host Client.
- D. Enable CPU and Memory Hot Add on the vCenter virtual machine.
- E. Add additional CPU to the vCenter Server Appliance.
- F. Power on the vCenter Server Appliance using the vSphere Client.
- G. Enable Memory Not Add on the vCenter virtual machine.
- H. Add additional memory resources to the vCenter Server Appliance.

Answer: ACDE

Explanation:

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-8E7C1D6D-8E> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-3B41119A-127> https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-38F4D574-ADE

NEW QUESTION 101

An administrator is working with VMware Support and is asked to provide log bundles for the ESXi hosts in an environment. Which three options does the administrator have? (Choose three.)

- A. Generate a combined log bundle for all ESXi hosts using the vCenter Management Interface.
- B. Generate a separate log bundle for each ESXi host using the vSphere Host Client.
- C. Generate a combined log bundle for all ESXi hosts using the vSphere Client.
- D. Generate a separate log bundle for each ESXi host using the vSphere Client.
- E. Generate a separate log bundle for each ESXi host using the vCenter Management Interface.
- F. Generate a combined log bundle for all ESXi hosts using the vSphere Host Client.

Answer: BCD

Explanation:

Option B, C and D are correct because they are valid methods to generate log bundles for individual or multiple ESXi hosts using different interfaces. Option A and E are incorrect because they are not possible options to generate log bundles for all ESXi hosts using the vCenter Management Interface. Option F is incorrect because it is not possible to generate a combined log bundle for all ESXi hosts using the vSphere Host Client. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.troubleshooting.doc/GUID-9A94C3D1>

NEW QUESTION 105

An administrator is configuring vSphere Lifecycle Manager to install patches to a vSphere cluster. The cluster runs workload virtual machines (VMs) that are incompatible with vSphere vMotion, and therefore cannot be live migrated between hosts during the installation of the patches. Which configuration in vSphere Lifecycle Manager will allow the administrator to reduce the downtime associated with the patching operation without migrating the VMs?

- A. Enable Distributed Power Management (DPM) and set the VM power state to the suspend to disk option
- B. Enable Quick Boot and set the VM power state to the suspend to disk option
- C. Enable vSphere High Availability (HA) admission control and set the VM power state to the suspend to memory option
- D. Enable Quick Boot and set the VM power state to the suspend to memory option


Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-lifecycle-manager/GUID-06A5D316-9452-4A5D-A> The administrator should enable Quick Boot and set the VM power state to the suspend to memory option, which will allow the administrator to reduce the downtime associated with the patching operation without migrating the VMs. Quick Boot is a feature that skips the hardware initialization phase during host reboot, which reduces the system boot time. Suspend to memory is an option that preserves the state of the VMs in the host memory and restores them from memory after the reboot, which minimizes the VM downtime. These two features work together to optimize the remediation process and speed up the patching operation. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere-lifecycle-manager.doc/GUID-5AF3C6>

NEW QUESTION 108

Refer to the exhibit.



Given the configuration shown in the exhibit, what must the administrator do to delete only the latest version of the template?

- A. Delete App-LibTemplate (3) from the SA-Templates folder.
- B. In the SA-template folder, rename App-Libtemplate (2) to App-LibTemplate
- C. Check out AppLibTemplate (3) and delete the template from the SA-Templates folder.
- D. Revert to APP-LibTemplate (2) and delete App-LibTemplate (3).

Answer: D

Explanation:

Option D is correct because it allows the administrator to delete only the latest version of the template by reverting to the previous version and then deleting the current version. Option A is incorrect because it deletes the entire template and not just the latest version. Option B is incorrect because it renames the previous version to the current version and does not delete anything. Option C is incorrect because it checks out the latest version and deletes it from the folder, but not from the library. References:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2

NEW QUESTION 111

An administrator needs to perform maintenance on a datastore that is running the vSphere Cluster Services (vCLS) virtual machines (VMs). Which feature can the administrator use in this scenario to avoid the use of Storage vMotion on the vCLS VMs?

- A. vSphere Distributed Resource Scheduler (DRS)
- B. vSphere vMotion
- C. vSphere Fault Tolerance
- D. vCLS Retreat Mode

Answer: D

Explanation:

The feature that can be used to avoid the use of Storage vMotion on the vCLS VMs when performing maintenance on a datastore is vCLS Retreat Mode, which allows temporarily removing the vCLS VMs from the cluster without affecting the cluster services.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-8E7C1D6D-8E>

NEW QUESTION 115

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-21.23 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-21.23 Product From:

<https://www.2passeasy.com/dumps/2V0-21.23/>

Money Back Guarantee

2V0-21.23 Practice Exam Features:

- * 2V0-21.23 Questions and Answers Updated Frequently
- * 2V0-21.23 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-21.23 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-21.23 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year